

Significant Changes Since Public Draft

Introduction has been revised to reflect the current status of the draft.

Footnote in Gross Water Use on measurement accuracy revised to clarify that the standard applies to agricultural and raw, unmetered delivery. Metered deliveries must meet standards of AWWA Manual M6.

Figure 1 revised to clarify that raw water delivered to M&I customers may be included and that recycled water may be used directly or indirectly through groundwater recharge.

Expanded and clarified the approaches that suppliers can use to estimate the portion of recycled water recharged into groundwater and then extracted for indirect potable reuse.

Service Area Population text revised in several places to clarify how suppliers can make use of per-connection and per-housing unit estimates of population.

Added text in Service Area Population allowing DWR to make an assessment of how much new 2010 Census data differs from DOF projections, and give DWR the option to require water suppliers to update estimates using the 2010 Census data.

Added language in several places to clarify when and how to adjust for changes in service area boundaries, and for existing customers that convert from groundwater to the municipal supply.

Restricted changes to water use targets or target method – they cannot occur after the 2015 UWMP, except in the case of the final estimate of landscaped area water use.

Revised the Landscape Water Use to remove the word "each" from in front of "parcel". This allows measurements and calculations to be applied to groups of parcels rather than separately to each parcel.

Revised the residential use adjustment in the Baseline CII methodology so that it encompasses adjustments for multifamily in general. Note that this is a change from the earlier Public Draft, which stated that if a supplier could not separate multifamily from CII, then it could not use Method 2 to set its water use target.

Changes to Regional Compliance:

- Allow a supplier to be in multiple regional groups, so long as the groups are tiered and not overlapping.
- Added language clarifying the roles and reporting requirements for individual suppliers, regional groups or wholesale suppliers that currently prepare urban water management plans but are not themselves an urban retail water supplier subject to SBx7-7.
- Removed the requirement that suppliers with less than 100 gpcd constitute no more than 20 percent of an alliance.