

### Proposal Full View

**Applicant Information**

Organization Name City of San Diego - Public Utilities Department \*   
 Tax ID **858614407**  
 Proposal Name Lake Hodges Dam Modification \*  
 Proposal Objective To minimize erosion by reinforcing and smoothing out the foundation area of the Dam to prevent any possible overtopping/flooding. \*

**Budget**

Other Contribution	\$1,500,000.00
Local Contribution	\$0.00
Federal Contribution	\$0.00
Inkind Contribution	\$0.00
Amount Requested	\$1,500,000.00 *
Total Project Cost	\$3,000,000.00 *

**Geographic Information**

Latitude *	DD(+/-) <input type="text" value="33"/>	MM <input type="text" value="2"/>	SS <input type="text" value="55"/>		
Longitude *	DD(+/-) <input type="text" value="117"/>	MM <input type="text" value="7"/>	SS <input type="text" value="25"/>		
Longitude/Latitude Clarification	30 miles north of San Diego and 5.5 miles southwest of Escondido, in the N/W 1/4 of Section 18, Tp 13S, R2W (SBBM)			Location	30 miles north of San Diego and 5.5 miles southwest of Escondido, in the N/W 1/4 of Section 18, Tp 1
County	San Diego			San Diego *	
Ground Water Basin	San Dieguito			San Dieguito Creek	
Hydrologic Region	San Dieguito			South Coast	
Watershed	San Dieguito				

**Legislative Information**

Assembly District 76th Assembly District \*  
 Senate District 36th Senate District \*  
 US Congressional District District 50 (CA) \*

**Project Information**

Project Name	Lake Hodges Dam Modification
Implementing Organization	City of San Diego - Public Utilities Department
Secondary Implementing Organization	
Proposed Start Date	2/1/2013
Proposed End Date	1/3/2018
Project Scope	Armoring abutment to include anchored shotcrete in areas downstream of the buttresses & shotcrete slabs b/w buttresses.
Project Description	To minimize erosion by reinforcing and smoothing out the foundation area of the Dam to prevent any possible overtopping/flooding
Project Objective	To prevent any possible flooding.

**Project Benefits Information**

Project Objective

**Budget**

Other Contribution	1500000
Local Contribution	0
Federal Contribution	0
Inkind Contribution	0
Amount Requested	1500000

Total Project Cost

**Geographic Information**

Latitude DD(+/-)  MM  SS

Longitude DD(+/-)  MM  SS

Longitude/Latitude Clarification  Location

County San Diego Ground Water Basin San Dieguito Creek Hydrologic Region South Coast WaterShed  
San Dieguito

**Legislative Information**

Assembly District	76th Assembly District
Senate District	36th Senate District
US Congressional District	District 50 (CA)

**Section : Applicant Information Question Tab**

APPLICANT INFORMATION QUESTION TAB

**Q1. PROPOSAL DESCRIPTION**

Provide a brief abstract of the Proposal, including a listing of individual project titles.

Lake Hodges Dam Modification - To minimize erosion by reinforcing and smoothing out the foundation area of the Lake Hodges Dam to prevent any possible overtopping/flooding.

**Q2. PROJECT DIRECTOR**

Provide the name and details of the person responsible for executing the grant agreement for the applicant. Persons that are subcontractors to be paid by the grant cannot be listed as the Project Director.

Wilson Kennedy WKennedy@sbcglobal.net 858.614.4070

**Q3. PROJECT MANAGEMENT**

Provide the name and contact information (including email) of the Project Manager from the applicant agency or organization that will be the day-to-day contact on this application.

Wilson Kennedy WKennedy@sbcglobal.net 858.614.4070

**Q4. APPLICANT INFORMATION**

Provide the agency name, address, city, state and zip code of the applicant submitting the application. Also provide the name and contact information of the person filling out the online application.

City of San Diego, Public Utilities Department 9192 Topaz Way San Diego, CA 92123 Wilson Kennedy WKennedy@sbcglobal.net 858.614.4070

**Q5. ADDITIONAL INFORMATION**

Provide the IRWM funding area(s) in which projects are located.

<http://www.water.ca.gov/irwm/grants/fundingarea.cfm>

San Diego Sub-Area

**Q6. RESPONSIBLE REGIONAL WATER QUALITY CONTROL BOARD(S)**

List the name of the Regional Water Quality Control Board (RWQCB) in which your proposal is located. For a region that extends beyond more than one RWQCB boundary, list the name of each Board.

[http://www.waterboards.ca.gov/waterboards\\_map.shtml](http://www.waterboards.ca.gov/waterboards_map.shtml)

San Diego Region 9

**Q7. ELIGIBILITY**

Is the application from an IRWM region approved in the Region Acceptance Process (RAP)? To verify, see RAP website: <http://www.water.ca.gov/irwm/grants/rap.cfm> . If yes, include the name of the IRWM region. If not, explain.

No. 26 ? San Diego Integrated Regional Water Management Region.

**Q8. ELIGIBILITY**

Please specify whether the applicant is a local public agency or non-profit organization as defined in Appendix B of the 2012 Guidelines.

The City of San Diego is a local public agency that was incorporated in 1850. The City of San Diego is a Charter City.

**Q9. ELIGIBILITY**

List the urban water suppliers that will receive funding from the proposed grant. Please provide the agency name, a contact phone number and e-mail address. Those listed must submit self certification of compliance with CWC §525 et seq. and AB 1420, see Attachment 10. If there are none, so indicate and answer "NA" for Q10 and Q11.

None besides the City of San Diego.

**Q10. ELIGIBILITY**

Have all of the urban water suppliers, listed in Q9 above, submitted complete Urban Water Management Plans (UWMPs) to DWR? Have those plans been verified as complete by DWR? If not, explain and provide the anticipated date for having a complete plan.

Answer "NA" if no urban water supplier identified in Q9 above.

NA

**Q11. ELIGIBILITY**

Have any urban water suppliers listed in Q9 recently submitted AB 1420 compliance tables and supporting documentation to DWR for a different grant program on or after November 1, 2012? If so, please list the urban water supplier and the grant program. An urban water supplier must submit AB 1420 compliance documentation to DWR. If the urban water supplier has not submitted AB 1420 documentation, or that documentation was determined to be incomplete by DWR, the urban water supplier's projects will not be considered eligible for grant funding. Refer to Section III.B of the 2012 Guidelines for additional information.

Answer "NA" if no urban water supplier identified in Q9 above.

NA

**Q12. ELIGIBILITY**

Does the Proposal include any groundwater projects or other projects that directly affect groundwater levels or quality? If so, provide the name(s) of the project(s) and list the agency(ies) that will implement the project(s).

Answer "NA" if the Proposal does not include groundwater projects or other projects that directly affect groundwater levels or quality.

NA

**Q13. ELIGIBILITY**

For the agency(ies) listed in Q12, how has the agency complied with CWC §10753 regarding Groundwater Management Plans (GWMPs), as described in Section III.B of the 2012 Guidelines?

Answer "NA" if the Proposal does not include groundwater projects or other projects that directly affect groundwater levels or quality.

NA

**Q14. ELIGIBILITY**

List the agricultural water suppliers that will receive funding from the proposed grant. Please provide the agency/organization name, a contact phone number and e-mail address. If there are none, so indicate and answer "NA" for Q15.

NA

**Q15. ELIGIBILITY**

Have all of the agricultural water suppliers, listed in Q14 above, submitted complete Agricultural Water Management Plan to DWR? Have those plans been verified as complete by DWR? If the plan has not been submitted, please indicate the anticipated submittal date.

Answer "NA" if no agricultural water suppliers were identified in Q14 above.

NA

**Q16. ELIGIBILITY**

List the surface water diverters that will receive funding from the proposed grant. Please provide the agency/organization name, a contact phone number and e-mail address. If there are none, so indicate and answer "NA" for Q17 below.

NA

**Q17. ELIGIBILITY**

Have all of the surface water diverters, listed in Q16 above, submitted surface water diversion reports in compliance with requirements outlined in Part 5.1 (commencing with §5100) of Division 2 of the CWC? If not, explain and provide the anticipated date for meeting the requirements. Answer "NA" if no surface water diverters identified in Q16 above.

NA

**Q18. ELIGIBILITY**

List the groundwater users that will receive funding from the proposed grant. Please provide the agency/organization name, a contact phone number and e-mail address. If there are none, so indicate and answer "NA" to Q19.

NA

**Q19. ELIGIBILITY**

Have all of the groundwater users, listed in Q18 above, met the requirements of DWR's CASGEM Program: <http://www.water.ca.gov/groundwater/casgem/>? If not, explain and provide the anticipated date for meeting the requirements. Answer "NA" if no groundwater users were identified in Q18 above.

NA

**Section : Application Attachments Tab**

## APPLICATION ATTACHMENTS TAB

**ATTACHMENT 1: AUTHORIZATION AND ELIGIBILITY REQUIREMENTS**

Upload Authorization and Eligibility documentation here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Eligible.docx

Upload additional Authorization and Eligibility documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Eligible\_Resolution.pdf

**ATTACHMENT 2: PROOF OF FORMAL ADOPTION**

Upload Proof of Formal Adoption documentation here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Adopt\_SDIRWM.pdf

Upload additional Proof of Formal Adoption documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Upload additional Proof of Formal Adoption documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

**ATTACHMENT 3: WORK PLAN**

Upload the Work Plan here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Work Plan.docx

Upload additional work plan components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Work Plan\_Map.pdf

Upload additional work plan components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional work plan components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

**ATTACHMENT 4: BUDGET**

Upload the Budget documents here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Budget.docx

Upload additional budget components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Upload additional budget components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Upload additional budget components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

**ATTACHMENT 5: SCHEDULE**

Upload the Schedule here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.  
Last Uploaded Attachments: Schedule.docx

Upload additional schedule components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional schedule components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

**ATTACHMENT 6: MONITORING, ASSESSMENT, AND PERFORMANCE MEASURES**

Upload Monitoring, Assessment, and Performance Measures here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.  
Last Uploaded Attachments: Measures.docx

Upload additional Monitoring, Assessment, and Performance Measures here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional Monitoring, Assessment, and Performance Measures here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

**ATTACHMENT 7: TECHNICAL JUSTIFICATION OF PROJECTS**

Upload Technical Justification of Projects here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.  
Last Uploaded Attachments: TechJust.docx

Upload additional Technical Justification of Projects here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional Technical Justification of Projects here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

**ATTACHMENT 8: BENEFITS AND COST ANALYSIS**

Upload Benefits and Cost Analysis here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.  
Last Uploaded Attachments: BenCost.docx

Upload additional Benefits and Cost Analysis documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional Benefits and Cost Analysis documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

**ATTACHMENT 9: PROGRAM PREFERENCES**

Upload Program Preference documentation here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.  
Last Uploaded Attachments: Preference.docx

Upload additional Program Preference documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

**ATTACHMENT 10: GWMP, AB 1420, AND WATER METER COMPLIANCE INFORMATION**

If your proposal does not include 1) a groundwater project or a project that directly affects groundwater levels or quality, or 2) an urban water supplier who would receive grant funding, you **MUST** still upload a document that indicates this attachment is not applicable to your proposal. If the upload field to this attachment is left blank, your proposal cannot be saved or completed.

Upload GWMP, AB 1420, and Water Meter Compliance documents here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Last Uploaded Attachments: SelfCert\_Compliance Form.pdf

---