

Proposal Full View

[Print](#)

Applicant Information

Organization Name *

Tax ID **946000509**

Proposal Name Grayson and Walnut Creeks Levee Rehabilitation at CCCSD Treatment Plant *

Proposal Objective Raise levees or install floodwalls along Grayson and Walnut Creeks to provide increased flood protection to Contra Costa Sanitary District Wastewater Treatment Plant. *

Budget

Other Contribution	<input type="text" value="\$0.00"/>
Local Contribution	<input type="text" value="\$1,097,321.00"/>
Federal Contribution	<input type="text" value="\$0.00"/>
Inkind Contribution	<input type="text" value="\$0.00"/>
Amount Requested	<input type="text" value="\$1,097,321.00"/> *
Total Project Cost	<input type="text" value="\$2,194,642.00"/> *

Geographic Information

Latitude *

Longitude *

Location

County *

Ground Water Basin

Hydrologic Region

Watershed

Legislative Information

Assembly District *

Senate District *

US Congressional District *

Project Information

Project Name

Implementing Organization	Contra Costa FCD/WCD
Secondary Implementing Organization	Contra Costa Sanitary District (CCCSD)
Proposed Start Date	8/15/2013
Proposed End Date	2/14/2017
Project Scope	Raise existing levees along west sides of Grayson and Walnut Creeks from CA Highway 4 north to BNSF Railroad Bridge
Project Description	This project will raise the existing levees along Grayson and Walnut Creeks to provide increased flood protection for the CCCSD WWTP located adjacent to the confluence of these two streams. Levees extend from CA Highway 4 to the BNSF Railroad Bridge along the west sides of Grayson and Walnut Creeks.
Project Objective	Provide increased flood protection for CCCSD Wastewater Treatment Plant

Project Benefits Information

Project Objective

Budget

Other Contribution	<input type="text" value="0"/>
Local Contribution	<input type="text" value="1097321"/>
Federal Contribution	<input type="text" value="0"/>
Inkind Contribution	<input type="text" value="0"/>
Amount Requested	<input type="text" value="1097321"/>
Total Project Cost	<input type="text" value="2194642"/>

Geographic Information

Latitude DD(+/-) MM SS

Longitude DD(+/-) MM SS

Longitude/Latitude Clarification Location

County Contra Costa Ground Water Basin Ygnacio Valley Hydrologic Region San Francisco Bay WaterShed
Walnut Creek

Legislative Information

Assembly District	11th Assembly District
Senate District	3rd Senate District
US Congressional District	District 11 (CA)

Section : Applicant Information Question Tab

APPLICANT INFORMATION QUESTION TAB

Q1. PROPOSAL DESCRIPTION

Provide a brief abstract of the Proposal, including a listing of individual project titles.

This proposal is for a single project: the Grayson and Walnut Creeks Levee Rehabilitation at CCCSD Treatment Plant Project. This project will raise the existing levees along Grayson and Walnut Creeks to provide increased flood protection for the treatment plant located adjacent to the confluence of these two streams. Levees to be rehabilitated extend from California Highway 4 northward to the Burlington Northern Santa Fe (BNSF) bridge crossing on the west sides of Grayson and Walnut Creeks.

Q2. PROJECT DIRECTOR

Provide the name and details of the person responsible for executing the grant agreement for the applicant. Persons that are subcontractors to be paid by the grant cannot be listed as the Project Director.

Paul Detjens Senior Civil Engineer Contra Costa County Flood Control and Water Conservation District 255 Glacier Drive Martinez, CA 94553 Telephone: (925) 313-2394 Email: pdetj@pw.cccounty.us

Q3. PROJECT MANAGEMENT

Provide the name and contact information (including email) of the Project Manager from the applicant agency or organization that will be the day-to-day contact on this application.

Carl J. Roner Associate Civil Engineer Contra Costa County Flood Control and Water Conservation District 255 Glacier Drive Martinez, CA 94553 Telephone: (925) 313-2213 Email: crone@pw.cccounty.us

Q4. APPLICANT INFORMATION

Provide the agency name, address, city, state and zip code of the applicant submitting the application. Also provide the name and contact information of the person filling out the online application.

Contra Costa County Flood Control and Water Conservation District 255 Glacier Drive Martinez, CA 94553 Attention: Carl J. Roner Telephone: (925) 313-2213 Email: crone@pw.cccounty.us

Q5. ADDITIONAL INFORMATION

Provide the IRWM funding area(s) in which projects are located.

<http://www.water.ca.gov/irwm/grants/fundingarea.cfm>

(27) San Francisco Funding Area

Q6. RESPONSIBLE REGIONAL WATER QUALITY CONTROL BOARD(S)

List the name of the Regional Water Quality Control Board (RWQCB) in which your proposal is located. For a region that extends beyond more than one RWQCB boundary, list the name of each Board.

http://www.waterboards.ca.gov/waterboards_map.shtml

San Francisco Bay RWQCB

Q7. ELIGIBILITY

Is the application from an IRWM region approved in the Region Acceptance Process (RAP)? To verify, see RAP website:

<http://www.water.ca.gov/irwm/grants/rap.cfm> . If yes, include the name of the IRWM region. If not, explain.

Yes, San Francisco Bay Area

Q8. ELIGIBILITY

Please specify whether the applicant is a local public agency or non-profit organization as defined in Appendix B of the 2012 Guidelines.

The Contra Costa County Flood Control and Water Conservation District is a local public agency.

Q9. ELIGIBILITY

List the urban water suppliers that will receive funding from the proposed grant. Please provide the agency name, a contact phone number and e-mail address. Those listed must submit self certification of compliance with CWC §525 et seq. and AB 1420, see Attachment 10. If there are none, so indicate and answer "NA" for Q10 and Q11.

None

Q10. ELIGIBILITY

Have all of the urban water suppliers, listed in Q9 above, submitted complete Urban Water Management Plans (UWMPs) to DWR? Have those plans been verified as complete by DWR? If not, explain and provide the anticipated date for having a complete plan. Answer "NA" if no urban water supplier identified in Q9 above.

NA

Q11. ELIGIBILITY

Have any urban water suppliers listed in Q9 recently submitted AB 1420 compliance tables and supporting documentation to DWR for a different grant program on or after November 1, 2012? If so, please list the urban water supplier and the grant program. An urban water supplier must submit AB 1420 compliance documentation to DWR. If the urban water supplier has not submitted AB 1420 documentation, or that documentation was determined to be incomplete by DWR, the urban water supplier's projects will not be considered eligible for grant funding. Refer to Section III.B of the 2012 Guidelines for additional information.

Answer "NA" if no urban water supplier identified in Q9 above.

NA

Q12. ELIGIBILITY

Does the Proposal include any groundwater projects or other projects that directly affect groundwater levels or quality? If so, provide the name(s) of the project(s) and list the agency(ies) that will implement the project(s).

Answer "NA" if the Proposal does not include groundwater projects or other projects that directly affect groundwater levels or quality.

NA

Q13. ELIGIBILITY

For the agency(ies) listed in Q12, how has the agency complied with CWC §10753 regarding Groundwater Management Plans (GWMPs), as described in Section III.B of the 2012 Guidelines?

Answer "NA" if the Proposal does not include groundwater projects or other projects that directly affect groundwater levels or quality.

NA

Q14. ELIGIBILITY

List the agricultural water suppliers that will receive funding from the proposed grant. Please provide the agency/organization name, a contact phone number and e-mail address. If there are none, so indicate and answer "NA" for Q15.

NA

Q15. ELIGIBILITY

Have all of the agricultural water suppliers, listed in Q14 above, submitted complete Agricultural Water Management Plan to DWR? Have those plans been verified as complete by DWR? If the plan has not been submitted, please indicate the anticipated submittal date. Answer "NA" if no agricultural water suppliers were identified in Q14 above.

NA

Q16. ELIGIBILITY

List the surface water diverters that will receive funding from the proposed grant. Please provide the agency/organization name, a contact phone number and e-mail address. If there are none, so indicate and answer "NA" for Q17 below.

NA

Q17. ELIGIBILITY

Have all of the surface water diverters, listed in Q16 above, submitted surface water diversion reports in compliance with requirements outlined in Part 5.1 (commencing with §5100) of Division 2 of the CWC? If not, explain and provide the anticipated date for meeting the requirements. Answer "NA" if no surface water diverters identified in Q16 above.

NA

Q18. ELIGIBILITY

List the groundwater users that will receive funding from the proposed grant. Please provide the agency/organization name, a contact phone number and e-mail address. If there are none, so indicate and answer "NA" to Q19.

NA

Q19. ELIGIBILITY

Have all of the groundwater users, listed in Q18 above, met the requirements of DWR's CASGEM Program: <http://www.water.ca.gov/groundwater/casgem/>? If not, explain and provide the anticipated date for meeting the requirements. Answer "NA" if no groundwater users were identified in Q18 above.

NA

Section : Application Attachments Tab

APPLICATION ATTACHMENTS TAB

ATTACHMENT 1: AUTHORIZATION AND ELIGIBILITY REQUIREMENTS

Upload Authorization and Eligibility documentation here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Att1_SWF_Eligible_1of1.pdf

Upload additional Authorization and Eligibility documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

ATTACHMENT 2: PROOF OF FORMAL ADOPTION

Upload Proof of Formal Adoption documentation here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Att2_SWF_Adopt_1of1.pdf

Upload additional Proof of Formal Adoption documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Upload additional Proof of Formal Adoption documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

ATTACHMENT 3: WORK PLAN

Upload the Work Plan here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments:

Att3_SWF_WorkPlan_2of8.pdf,Att3_SWF_WorkPlan_3of8.pdf,Att3_SWF_WorkPlan_4of8.pdf,Att3_SWF_WorkPlan_5of8.pdf,Att3_SWF_WorkPlan_1of8.pdf

Upload additional work plan components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Att3_SWF_WorkPlan_7of8.pdf,Att3_SWF_WorkPlan_8of8.pdf,Att3_SWF_WorkPlan_6of8.pdf

Upload additional work plan components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional work plan components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

ATTACHMENT 4: BUDGET

Upload the Budget documents here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Att4_SWF_Budget_1of1.pdf

Upload additional budget components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Upload additional budget components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Upload additional budget components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

ATTACHMENT 5: SCHEDULE

Upload the Schedule here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.
Last Uploaded Attachments: Att5_SWF_Schedule_1of1.pdf

Upload additional schedule components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional schedule components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 6: MONITORING, ASSESSMENT, AND PERFORMANCE MEASURES

Upload Monitoring, Assessment, and Performance Measures here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.
Last Uploaded Attachments: Att6_SWF_Measures_1of1.pdf

Upload additional Monitoring, Assessment, and Performance Measures here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional Monitoring, Assessment, and Performance Measures here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 7: TECHNICAL JUSTIFICATION OF PROJECTS

Upload Technical Justification of Projects here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.
Last Uploaded Attachments: Att7_SWF_TechJust_1of3.pdf,Att7_SWF_TechJust_2of3.pdf,Att7_SWF_TechJust_3of3.pdf

Upload additional Technical Justification of Projects here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional Technical Justification of Projects here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 8: BENEFITS AND COST ANALYSIS

Upload Benefits and Cost Analysis here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.
Last Uploaded Attachments: Att8_SWF_BenCost_1of1.pdf

Upload additional Benefits and Cost Analysis documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional Benefits and Cost Analysis documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 9: PROGRAM PREFERENCES

Upload Program Preference documentation here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.
Last Uploaded Attachments: Att9_SWF_Preference_1of1.pdf

Upload additional Program Preference documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 10: GWMP, AB 1420, AND WATER METER COMPLIANCE INFORMATION

If your proposal does not include 1) a groundwater project or a project that directly affects groundwater levels or quality, or 2) an urban water supplier who would receive grant funding, you **MUST** still upload a document that indicates this attachment is not applicable to your proposal. If the upload field to this attachment is left blank, your proposal cannot be saved or completed.

Upload GWMP, AB 1420, and Water Meter Compliance documents here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Last Uploaded Attachments: Att10_SWF_SelfCert_1of1.pdf
