

Proposal Full View

[Print](#)

Applicant Information

Organization Name: *

Tax ID: **946000590**

Proposal Name: Chabot Dam Seismic Upgrade *

Proposal Objective: The project's objectives are to: - Reduce the flood hazard for residents and businesses that lie downstream of the dam. - Preserve the recreational resources as established over time with the creation of the dam and the development of the adjacent park features - Enable the reservoir to continue to serve as a means to capture sediment that is entrained in the runoff leading into the Lake, preventing it from moving further downstream, potentially damaging environmental features as associated with lower portions of the creek / the San Francisco Bay - Maintain the reservoir for EBMUD's use as a water supply feature that could be activated in the event of an emergency. These objectives are consistent with SF Bay Area IRWM Plan objectives (2006, pg ES12-14) for providing recreation, minimizing infrastructure vulnerability, meeting future and dry year demand, managing sedimentation, and maintaining performance of flood protection facilities. *

Budget

Other Contribution	<input type="text" value="\$0.00"/>
Local Contribution	<input type="text" value="\$14,225,125.00"/>
Federal Contribution	<input type="text" value="\$0.00"/>
Inkind Contribution	<input type="text" value="\$0.00"/>
Amount Requested	<input type="text" value="\$5,000,000.00"/> *
Total Project Cost	<input type="text" value="\$19,225,125.00"/> *

Geographic Information

Latitude *

Longitude *

Longitude/Latitude Clarification: Location: Alameda *

County: Alameda *

Ground Water Basin:

Hydrologic Region:

Watershed: San Leandro Creek

Legislative Information

Assembly District: 18th Assembly District *

Senate District: 9th Senate District *

US Congressional District: District 13 (CA) *

Project Information

Project Name: <input type="text" value="Chabot Dam Seismic Upgrade Project"/>	
Implementing Organization	East Bay Municipal Utility District
Secondary Implementing Organization	
Proposed Start Date	10/4/2010
Proposed End Date	12/15/2015
Project Scope	The Scope of Work includes planning, CEQA work, design, and construction of improvements at the dam and outlet.
Project Description	The Project involves seismic improvements and the outlet works to remedy deficiencies identified in technical studies. The improved dam will enhance flood protection for downstream areas and provide water supply, recreation, water quality and ecological benefits.
Project Objective	The project objectives are to reduce flooding hazards, preserve recreational resources, enhance water supply reliability and protect in stream water quality.

Project Benefits Information

Project Benefit Type	Benefit Type	Measurement	Description
Primary	Flood Protection	100	Enhance flood protection
Primary	Dam Modification	0	Improve dam structure and outlet works
Secondary	Water Restoration	0	Manage sedimentation
Secondary	Land Restoration	0	preserve ecological benefits

Secondary	Other-General Public Recreation	0	Fishing, boating
Secondary	Other-Surface Water Studies	0	Water supply reliability

Project Objective

Budget

Other Contribution	0
Local Contribution	14225125
Federal Contribution	0
Inkind Contribution	0
Amount Requested	5000000
Total Project Cost	19225125

Geographic Information

Latitude DD(+/-)	37	MM 25	SS 9
Longitude DD(+/-)	122	MM 3	SS 25
Longitude/Latitude Clarification		Location	
County Alameda Ground Water Basin Hydrologic Region WaterShed			

Legislative Information

Assembly District	18th Assembly District
Senate District	9th Senate District
US Congressional District	District 13 (CA)

Section : Applicant Information Question Tab

APPLICANT INFORMATION QUESTION TAB

Q1. PROPOSAL DESCRIPTION

Provide a brief abstract of the Proposal, including a listing of individual project titles.

The Chabot Dam Seismic Upgrade Project will improve the downstream side of the dam structure and improve the outlet tower. This project will enhance flood protection downstream areas and preserve the recreation, water supply, and ecological values of Chabot Reservoir that is impounded by the dam.

Q2. PROJECT DIRECTOR

Provide the name and details of the person responsible for executing the grant agreement for the applicant. Persons that are subcontractors to be paid by the grant cannot be listed as the Project Director.

Xavier Irias, Director of Engineering and Construction East Bay Municipal Utility District 375 11th Street, MS 803 Oakland, CA 94607 (510) 287-1002

Q3. PROJECT MANAGEMENT

Provide the name and contact information (including email) of the Project Manager from the applicant agency or organization that will be the day-to-day contact on this application.

Atta Yiadom, Senior Civil Engineer, East Bay Municipal Utility District, 375 11th Street, MS 610, Oakland, CA 94607, (510) 287-1044, ayiadom@ebmud.com

Q4. APPLICANT INFORMATION

Provide the agency name, address, city, state and zip code of the applicant submitting the application. Also provide the name and contact information of the person filling out the online application.

East Bay Municipal Utility District, 375 11th Street, Oakland, CA 94607, Brian Campbell - bcampbel@ebmud.com, (510) 287-0680

Q5. ADDITIONAL INFORMATION

Provide the IRWM funding area(s) in which projects are located.

<http://www.water.ca.gov/irwm/grants/fundingarea.cfm>

San Francisco Bay Area

Q6. RESPONSIBLE REGIONAL WATER QUALITY CONTROL BOARD(S)

List the name of the Regional Water Quality Control Board (RWQCB) in which your proposal is located. For a region that extends beyond more than one RWQCB boundary, list the name of each Board.

http://www.waterboards.ca.gov/waterboards_map.shtml

San Francisco Bay RWQCB

Q7. ELIGIBILITY

Is the application from an IRWM region approved in the Region Acceptance Process (RAP)? To verify, see RAP website: <http://www.water.ca.gov/irwm/grants/rap.cfm> . If yes, include the name of the IRWM region. If not, explain.

Yes - San Francisco Bay Area IRWM Region

Q8. ELIGIBILITY

Please specify whether the applicant is a local public agency or non-profit organization as defined in Appendix B of the 2012 Guidelines.

The applicant is a local public agency.

Q9. ELIGIBILITY

List the urban water suppliers that will receive funding from the proposed grant. Please provide the agency name, a contact phone number and e-mail address. Those listed must submit self certification of compliance with CWC §525 et seq. and AB 1420, see Attachment 10. If there are none, so indicate and answer "NA" for Q10 and Q11.

East Bay Municipal Utility District Priyanka Jain, Senior Civil Engineer (510) 287-1153 pjain@ebmud.com

Q10. ELIGIBILITY

Have all of the urban water suppliers, listed in Q9 above, submitted complete Urban Water Management Plans (UWMPs) to DWR? Have those plans been verified as complete by DWR? If not, explain and provide the anticipated date for having a complete plan.

Answer "NA" if no urban water supplier identified in Q9 above.

Yes

Q11. ELIGIBILITY

Have any urban water suppliers listed in Q9 recently submitted AB 1420 compliance tables and supporting documentation to DWR for a different grant program on or after November 1, 2012? If so, please list the urban water supplier and the grant program. An urban water supplier must submit AB 1420 compliance documentation to DWR. If the urban water supplier has not submitted AB 1420 documentation, or that documentation was determined to be incomplete by DWR, the urban water supplier's projects will not be considered eligible for grant funding. Refer to Section III.B of the 2012 Guidelines for additional information.

Answer "NA" if no urban water supplier identified in Q9 above.

Yes - East Bay Municipal Utility District. Local groundwater assistance grant program.

Q12. ELIGIBILITY

Does the Proposal include any groundwater projects or other projects that directly affect groundwater levels or quality? If so, provide the name(s) of the project(s) and list the agency(ies) that will implement the project(s).

Answer "NA" if the Proposal does not include groundwater projects or other projects that directly affect groundwater levels or quality.

NA

Q13. ELIGIBILITY

For the agency(ies) listed in Q12, how has the agency complied with CWC §10753 regarding Groundwater Management Plans (GWMPs), as described in Section III.B of the 2012 Guidelines?

Answer "NA" if the Proposal does not include groundwater projects or other projects that directly affect groundwater levels or quality.

NA

Q14. ELIGIBILITY

List the agricultural water suppliers that will receive funding from the proposed grant. Please provide the agency/organization name, a contact phone number and e-mail address. If there are none, so indicate and answer "NA" for Q15.

None

Q15. ELIGIBILITY

Have all of the agricultural water suppliers, listed in Q14 above, submitted complete Agricultural Water Management Plan to DWR? Have those plans been verified as complete by DWR? If the plan has not been submitted, please indicate the anticipated submittal date.

Answer "NA" if no agricultural water suppliers were identified in Q14 above.

NA

Q16. ELIGIBILITY

List the surface water diverters that will receive funding from the proposed grant. Please provide the agency/organization name, a contact phone number and e-mail address. If there are none, so indicate and answer "NA" for Q17 below.

East Bay Municipal Utility District Priyanka Jain, Senior Civil Engineer (510) 287-1153 pjain@ebmud.com

Q17. ELIGIBILITY

Have all of the surface water diverters, listed in Q16 above, submitted surface water diversion reports in compliance with requirements outlined in Part 5.1 (commencing with §5100) of Division 2 of the CWC? If not, explain and provide the anticipated date for meeting the requirements. Answer "NA" if no surface water diverters identified in Q16 above.

Yes

Q18. ELIGIBILITY

List the groundwater users that will receive funding from the proposed grant. Please provide the agency/organization name, a contact phone number and e-mail address. If there are none, so indicate and answer "NA" to Q19.

None

Q19. ELIGIBILITY

Have all of the groundwater users, listed in Q18 above, met the requirements of DWR's CASGEM Program: <http://www.water.ca.gov/groundwater/casgem/>? If not, explain and provide the anticipated date for meeting the requirements. Answer "NA" if no groundwater users were identified in Q18 above.

NA

Section : Application Attachments Tab

APPLICATION ATTACHMENTS TAB

ATTACHMENT 1: AUTHORIZATION AND ELIGIBILITY REQUIREMENTS

Upload Authorization and Eligibility documentation here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Att1_SWF_Eligible_1of1.pdf

Upload additional Authorization and Eligibility documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

ATTACHMENT 2: PROOF OF FORMAL ADOPTION

Upload Proof of Formal Adoption documentation here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Att2_SWF_Adopt_1of1.pdf

Upload additional Proof of Formal Adoption documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Upload additional Proof of Formal Adoption documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

ATTACHMENT 3: WORK PLAN

Upload the Work Plan here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Att3_SWF_WorkPlan_1of3.pdf

Upload additional work plan components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Att3_SWF_WorkPlan_2of3.pdf

Upload additional work plan components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Last Uploaded Attachments: Att3_SWF_WorkPlan_3of3.pdf

Upload additional work plan components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

ATTACHMENT 4: BUDGET

Upload the Budget documents here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Last Uploaded Attachments: Att4_SWF_Budget_1of1.pdf

Upload additional budget components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Upload additional budget components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

Upload additional budget components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 character.

ATTACHMENT 5: SCHEDULE

Upload the Schedule here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Last Uploaded Attachments: Att5_SWF_Schedule_1of1.pdf

Upload additional schedule components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional schedule components here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 6: MONITORING, ASSESSMENT, AND PERFORMANCE MEASURES

Upload Monitoring, Assessment, and Performance Measures here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Last Uploaded Attachments: Att6_SWF_Measures_1of1.pdf

Upload additional Monitoring, Assessment, and Performance Measures here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional Monitoring, Assessment, and Performance Measures here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 7: TECHNICAL JUSTIFICATION OF PROJECTS

Upload Technical Justification of Projects here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Last Uploaded Attachments: Att7_SWF_TechJust_1of1.pdf

Upload additional Technical Justification of Projects here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional Technical Justification of Projects here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 8: BENEFITS AND COST ANALYSIS

Upload Benefits and Cost Analysis here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Last Uploaded Attachments: Att8_SWF_BenCost_1of1.pdf

Upload additional Benefits and Cost Analysis documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Upload additional Benefits and Cost Analysis documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 9: PROGRAM PREFERENCES

Upload Program Preference documentation here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Last Uploaded Attachments: Att9_SWF_Preference_1of1.pdf

Upload additional Program Preference documentation here, if necessary.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

ATTACHMENT 10: GWMP, AB 1420, AND WATER METER COMPLIANCE INFORMATION

If your proposal does not include 1) a groundwater project or a project that directly affects groundwater levels or quality, or 2) an urban water supplier who would receive grant funding, you **MUST** still upload a document that indicates this attachment is not applicable to your proposal. If the upload field to this attachment is left blank, your proposal cannot be saved or completed.

Upload GWMP, AB 1420, and Water Meter Compliance documents here. Ensure file name is consistent with Section V of the Stormwater Flood Management PSP.

Max file size: 50 MB per file. Up to five files can be uploaded to this upload field. Max file name: 50 characters.

Last Uploaded Attachments: Att10_SWF_SelfCert_1of1.pdf
