

Appendix 1-6

**DWR Review Letters for Urban Water Suppliers' 2010 Urban Water
Management Plans**

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



September 19, 2014

Mr. Jeff Collier
City Manager
City of Whittier
13230 Penn Street
Whittier, California 90602-1772

Dear Mr. Collier:

The Department of Water Resources (DWR) has reviewed the City of Whittier's 2010 Urban Water Management Plan (UWMP) received in July 2014. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of the City's Revised 2010 plan has found that the plan has addressed the overall requirements of the CWC.

DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is simply meant to acknowledge that the City of Whittier has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
Peter.Brostrom@water.ca.gov
(916) 651-7034

cc: Mr. Dan Wall
Assistant Dir. of Public Works
City of Whittier

Sergio Fierro
DWR Southern Regional Office

Marty Berbach
Gwen Huff
DWR Headquarters

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



November 18, 2013

City Manager
City of Vernon
4305 Santa Fe Avenue
Vernon, California 90058

Dear City Manager:

The Department of Water Resources (DWR) has reviewed the City of Vernon's Urban Water Management Plan (UWMP) received June 17, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plan.

DWR's review of the City of Vernon's 2010 UWMP has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is simply meant to acknowledge that the City's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

- cc: S. Kevin Wilson
Dir. Of Community Services & Water
City of Vernon
- cc: Sergio Fierro
DWR Southern Regional Office
- cc: Dave Todd
DWR Headquarters Office

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



July 28, 2014

Mr. George McManigle
Board President
Rainbow Municipal Water District
3707 Old Highway 395
Fallbrook, California 92028-2500

Dear Mr. McManigle:

The Department of Water Resources (DWR) has reviewed the Rainbow Municipal Water District's (District) 2010 Urban Water Management Plan (UWMP) received July 15, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of Rainbow Municipal Water District's 2010 Plan has found that the Plan has generally addressed the overall requirements of the CWC. DWR recommends that when updating this Plan in 2015, the District:

Provide a specific description of the demand management measures (DMMs) that were implemented by San Diego County Water Authority within the District's service area.

CWC Section 10631 (f) (g) and (j).

By including this data in future UWMPs, the District will better meet the requirements of the Water Code.


DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies.

Mr. George McManigle
July 28, 2014
Page 2

This letter is meant to acknowledge that the District's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Peter Brostrom', written in a cursive style.

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Ms. Sherry Rebuena
Assistant Engineer
Rainbow Municipal Water District

Sergio Fierro
DWR Southern Regional Office

Joanne Tang
DWR Headquarters

Gwen Huff
DWR Headquarters

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



January 17, 2013

RECEIVED

MAR 07 2014

CITY OF PICO RIVERA
PUBLIC WORKS

Mr. Art Cervantes
Deputy Director
City of Pico Rivera
Post Office Box 758
Pico Rivera, California 90660-0758

Dear Mr. Cervantes:

The Department of Water Resources (DWR) has reviewed the City of Pico Rivera's 2010 Urban Water Management Plan (UWMP) received August 1, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plan.

DWR's review of Pico Rivera's 2010 UWMP has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is meant to acknowledge that the City of Pico Rivera's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in blue ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Sergio Fierro
DWR Southern Regional Office

Betsy Vail
DWR Headquarters Office

Gwen Huff
DWR Headquarters Office

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



March 17, 2014

Mr. David W. Pedersen, P.E.
General Manager
Las Virgenes Municipal Water District
4232 Las Virgenes Road
Calabasas, California 91302

Dear Mr. Pedersen:

The Department of Water Resources (DWR) has reviewed the Las Virgenes Municipal Water District's (District) 2010 Urban Water Management Plan (UWMP) received June 29, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of the District's 2010 Plan has found that the Plan has generally addressed the overall requirements of the CWC. In updating your 2015 UWMP, and specifically the Water Shortage Contingency Plan, please be sure to include a stage of action to be undertaken in response to water supply shortage or 50 percent reduction in water supply, and an outline of specific water supply conditions that are applicable to that stage. *Water Code Section 10632(a) (1)*"

DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is meant to acknowledge that the District's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

Mr. David W. Pedersen
Page 2
April 17, 2014

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,



Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: David Lippman
Director Facilities & Operations
Las Virgenes Municipal Water District

Sergio Fierro
DWR Southern Regional Office

Marty Berbach
DWR Headquarters Office

Gwen Huff
DWR Headquarters Office

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



January 29, 2014

Mr. Kevin Wattier, General Manager
City of Long Beach
1800 East Wardlow Road
Long Beach, California 90807-4994

Dear Mr. Wattier:

The Department of Water Resources (DWR) has reviewed the City of Long Beach's 2010 Urban Water Management Plan (UWMP) received June 13, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of the City of Long Beach's 2010 UWMP has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is meant to acknowledge that the City of Long Beach's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Mr. Matthew Lyons,
Director of Planning and Conservation
City of Long Beach

Sergio Fierro
DWR Southern Regional Office

Gwen Huff
DWR Headquarters Office

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



November 18, 2013

Mr. Howard Chambers
City Manager
City of Lakewood
5050 Clark Avenue
Lakewood, California 90712

Dear Mr. Chambers:

The Department of Water Resources (DWR) has reviewed the City of Lakewood's 2010 Urban Water Management Plan (UWMP) received on June 21, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of the City's 2010 UWMP has found that the plan has generally addressed the overall requirements of the Water Code. DWR recommends that when updating this plan in 2015:

If Lakewood is still not implementing DMM N (residential toilet replacement), the 2015 Plan should provide a cost/benefit analysis and an explanation as to why the program is not being implemented. Alternatively, if your agency plans to implement the program in the near future, the 2015 UWMP may instead provide a plan for implementation. By providing this information, the City of Lakewood will better address the requirements of the Water Code, Section 10631 (g).

DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is simply meant to acknowledge that the City's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

Mr. Howard Chambers
November 18, 2013
Page 2

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Peter Brostrom', written in a cursive style.

Peter Brostrom
UWMP Program Manager
Brostrom@water.ca.gov
(916) 651-7034

- cc: Nancy Van der Linden
Lakewood Water Management Mgr.
- cc: Sergio Fierro
DWR Southern Regional Office
- cc: Betsy Vail
DWR Headquarters

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



July 8, 2014

Mr. Alan Ariki
General Manager
Los Angeles County Water Works District No. 29
900 South Fremont Avenue
Alhambra, California 91803-1331

Dear Mr. Ariki:

The Department of Water Resources (DWR) has reviewed the Los Angeles County Water Works District No. 29 (District) 2010 Urban Water Management Plan (UWMP) received July 28, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans to ensure that they have addressed the required elements of the California Water Code.

DWR's review of the Company's 2010 plan has determined the following required elements have not been addressed in accordance with the Water Code:

- Agencies that are members of the California Urban Water Conservation Council (Council) may meet the Demand Management Measures (DMMs) requirement by submitting their evaluated 2009-2010 Council Best Management Practices (BMP) Report showing that all BMPs are "on-track". This report was not submitted in the 2010 UWMP. CWC Sections 10631(f)(g)(h) and (j)
- The service area population for the baseline period was not calculated in accordance with Technical Methodology 2: Service Area Population, found in Methodologies for Calculating Baseline and Compliance Urban Per Capita Water Use, DWR 2010. An adjustment to the baseline population may affect the baseline and target water use, which should be adjusted accordingly. CWC Section 10631 (a).

To meet the requirements of the Water Code and to be eligible for State water grants and loans, the District should consider revising its 2010 UWMP to address the UWMP elements listed above. Revised plans must be adopted by the agency's governing board following the public process specified in the UWMP Act. DWR encourages water suppliers to send drafts of the revised sections to DWR for review before adopting the revised plan.

Mr. Alan Ariki
July 8, 2014
Page 2

After adoption, copies of the revised plan should be sent to DWR, the State Library, and local cities and counties. On receiving the revised plan, DWR will review the revised sections for compliance with the UWMP Act.

Please feel free to contact me if you would like to discuss this further.

Sincerely,



Peter Brostrom
UWMP Program Manager
Brostrom@water.ca.gov
(916) 651-7034

cc: Fong Trinh
Los Angeles County Water Works District No. 29

Kirk Allen
Los Angeles County Water Works District No. 29

Sergio Fierro
DWR Southern Regional Office

Gwen Huff
DWR Headquarters

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



June 27, 2014

Mr. Artie Fields
City Manager
City of Inglewood
One Manchester Boulevard
Inglewood, California 90301

Dear Mr. Fields:

The Department of Water Resources (DWR) has reviewed the City of Inglewood's (City) 2010 Urban Water Management Plan (UWMP) received July 1, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of the City's 2010 UWMP has found that the plan has addressed the requirements of the CWC.

DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is meant to acknowledge that the City's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Boytrese Osias
Senior engineer, Water Resources
City of Inglewood

Sergio Fierro
DWR Southern Regional Office

Marty Berbach
DWR Headquarters Office

Gwen Huff
DWR Headquarters Office

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



July 10, 2014

Scott Ochoa
City Manager
City of Glendale
613 East Broadway
Glendale, California 91206

A large, handwritten signature in blue ink, appearing to read "Mark", written over a diagonal line.

Dear Mr. Ochoa:

The Department of Water Resources (DWR) has reviewed the City of Glendale's (City) 2010 Urban Water Management Plan (UWMP) received on July 12, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of the City's 2010 plan has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is meant to acknowledge that the City's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning please don't hesitate to email or call.

Sincerely,

A handwritten signature in blue ink, appearing to read "Peter Brostrom", written over a diagonal line.

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Peter Kavounas
Assistant General Manager – Water Services
City of Glendale

Sergio Fierro
DWR Southern Regional Office

Gwen Huff
DWR Headquarters

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791

RECEIVED

AUG 13 2014



July 28, 2014

ENGINEERING DEPT.

Mr. Michael Flad
City Manager
City of South Gate
8650 California Avenue
South Gate, California 90250

Dear Mr. Flad:

The Department of Water Resources (DWR) has reviewed the City of South Gate's (City) Amended 2010 Urban Water Management Plan (UWMP) received July 24, 2014. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of City's Amended 2010 UWMP has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is meant to acknowledge that the City's Amended 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Mr. Kenneth Tang
City of South Gate

Sergio Fierro
DWR Southern Regional Office

Gwen Huff
DWR Headquarters

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



September 25, 2013

Mr. Tony Perez
General Manager
Central Basin Municipal Water District
6252 Telegraph Road
Commerce, California 90040-2512

Dear Mr. Perez:

The Department of Water Resources (DWR) has reviewed the Central Basin Municipal Water District's (CBMWD) 2010 Urban Water Management Plan (UWMP) received May 29, 2012. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plan.

DWR's review of CBMWD's 2010 UWMP has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is simply meant to acknowledge that CBMWD's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Mr. David Hill
Mgr. of Water Resources & Planning
Central Basin Municipal Water District

cc: Sergio Fierro
DWR Southern Regional Office

cc: Gwen Huff
DWR Headquarters Office

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



September 19, 2013

Mr. Dan Mueller
Principal Engineer
City of Downey
1111 Brookshire Avenue
Downey, California 90241-7016

Dear Mr. Mueller:

The Department of Water Resources (DWR) has reviewed the City of Downey's 2010 Urban Water Management Plan (UWMP) received February 9, 2012. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plan.

DWR's review of the City of Downey's 2010 UWMP has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is simply meant to acknowledge that the City of Downey's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Sergio Fierro
DWR Southern Regional Office

cc: Gwen Huff
DWR Headquarters Office

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



October 9, 2014

Mr. Art Gallucci
City Manager
City of Cerritos
318125 Bloomfield Avenue
Cerritos, California 90703

Dear Mr. Gallucci:

The Department of Water Resources (DWR) has reviewed the City of Cerritos' (City) revised 2010 Urban Water Management Plan (UWMP) received on October 12, 2014. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of the City's 2010 revised plan has found that the revised plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is meant to acknowledge that the City's revised 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning please don't hesitate to email or call.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
Water Use Efficiency Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Charles Emig
Water Superintendent
City of Cerritos

Sergio Fierro
DWR Southern Regional Office

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



September 25, 2013

Mr. Tony Perez
General Manager
Central Basin Municipal Water District
6252 Telegraph Road
Commerce, California 90040-2512

Dear Mr. Perez:

The Department of Water Resources (DWR) has reviewed the Central Basin Municipal Water District's (CBMWD) 2010 Urban Water Management Plan (UWMP) received May 29, 2012. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plan.

DWR's review of CBMWD's 2010 UWMP has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is simply meant to acknowledge that CBMWD's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Mr. David Hill
Mgr. of Water Resources & Planning
Central Basin Municipal Water District

cc: Sergio Fierro
DWR Southern Regional Office

cc: Gwen Huff
DWR Headquarters Office

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



March 28, 2014

Mr. Dominic Lazzaretto
City Manager
City of Arcadia
Post Office Box 60021
Arcadia, California 91066

Dear Mr. Lazzaretto:

The Department of Water Resources (DWR) has reviewed the City of Arcadia's (City) 2010 Urban Water Management Plan (UWMP) received July 11, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of the City's 2010 UWMP has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is meant to acknowledge that the City's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom".

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Mr. Ken Herman, P.E.
Deputy Public Works Services Director
City of Arcadia

Sergio Fierro
DWR Southern Regional Office

Marty Berbach
DWR Headquarters

Gwen Huff
DWR Headquarters