

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



March 19, 2014

Mr. Mark W. Insko, P.E.
Sr. Civil Engineer
Golden State Water Company
3005 Gold Canal Drive
Rancho Cordova, California 95670

Dear Mr. Insko:

The Department of Water Resources (DWR) has reviewed the Golden State Water Company – Ojai's (GSWC-O) 2010 Urban Water Management Plan (UWMP) received December 12, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plan.

DWR's review of GSWC-O's 2010 UWMP has found that the plan has generally addressed the requirements of the CWC. DWR recommends that in future updates of this Plan, GSWC-O:

Address each Demand Management Measure listed in the Water Code. Because GSWC - Ojai's BMP report from the Council showed that not all BMPs are on track, GSWC is required to address the DMM reporting requirements as a non-member of CUWCC and address each Demand Management Measure listed in the Water Code. The narrative provided for DMM 2, Residential Plumbing Retrofits, pages 7-9 and -10, does not constitute implementation and does not address the requirements of the Water Code.

By including this information in the 2015 Update, GSWC – Ojai will better address the requirements of the California Water Code Section 10631 (f).

DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is meant

Mr. Mark W. Insco
March 19, 2014
Page 2

to acknowledge that GSWC-O's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'Peter Brostrom', with a long horizontal flourish extending to the right.

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Mr. Ernest A. Gisler, Planning Manager
Golden State Water Company - Ojai

Sergio Fierro
DWR Southern Regional Office

Gwen Huff
DWR Headquarters Office