

DEPARTMENT OF WATER RESOURCES

1416 NINTH STREET, P.O. BOX 942836
SACRAMENTO, CA 94236-0001
(916) 653-5791



May 31, 2012

Mr. Remleh Scherzinger, P.E.
Engineering Manager
City of Petaluma
Post Office Box 61
Petaluma, California 94953-0061

Dear Mr. Scherzinger:

The Department of Water Resources (DWR) has reviewed the City of Petaluma's 2010 Urban Water Management Plan (UWMP) received on July 1, 2011. The California Water Code (CWC) directs DWR to report to the legislature once every five years on the status of submitted plans. In meeting this legislative reporting requirement, DWR reviews all submitted plans.

DWR's review of Petaluma's 2010 plan has found that the plan has addressed the requirements of the CWC. DWR's review of plans is limited to assessing whether suppliers have addressed the required legislative elements. In its review, DWR does not evaluate or analyze the supplier's UWMP data, projections, or water management strategies. This letter is simply meant to acknowledge that Petaluma's 2010 UWMP has addressed these requirements. The results of the review will also be provided to DWR's Financial Assistance Branch.

If you have any questions regarding the review of the plan or urban water management planning please don't hesitate to email or call.

Sincerely,

A handwritten signature in black ink, appearing to read "Peter Brostrom", with a long horizontal line extending to the right.

Peter Brostrom
UWMP Program Manager
brostrom@water.ca.gov
(916) 651-7034

cc: Shem Styger
DWR Headquarters

Tito Cervantes
DWR Northern District