

State of California
The Resources Agency
DEPARTMENT OF WATER RESOURCES
Northern District

**SUMMARY OF OPERATIONS
FOR WATERMASTER SERVICE
IN NORTHERN CALIFORNIA**

1987 SEASON



FEBRUARY 1988

Gordon K. Van Vleck
Secretary for Resources
The Resources Agency


George Deukmejian
Governor
State of California

David N. Kennedy
Director
Department of Water Resources

FOREWORD

This report describes the watermaster service provided by the Department of Water Resources to areas in Northern California during the 1987 irrigation season. Authority for its preparation and publication is stated in the California Water Code, Division 2, Part 4, Chapter 7.

Information about 1987 watermaster service is presented in the attached Summary of Operations in two sections. The first gives general introductory information about water rights, water supply, service areas, and watermaster duties; the second describes the fourteen active service areas, twelve in the Department's Northern District and two in the Division of Operations and Maintenance, Oroville Field Division. Each of these service area descriptions gives detailed information on the area, the basis of watermaster service, sources of water supply, methods of distribution, 1987 water distribution, and personnel used.



Wayne S. Gentry, Chief
Northern District

State of California
GEORGE DEUKMEJIAN, Governor

The Resources Agency
GORDON K. VAN VLECK, Secretary for Resources

Department of Water Resources
DAVID N. KENNEDY, Director

JOHN P. CAFFREY
Deputy Director

ROBERT G. POTTER
Deputy Director

ROBERT E. WHITING
Deputy Director

SALLE S. JANTZ
Assistant Director

SUSAN N. WEBER
Chief Counsel

NORTHERN DISTRICT

This report was prepared under the direction of

Wayne S. Gentry District Chief
Philip J. Lorens^{1/} Chief, Water Management Branch
Ralph G. Scott Chief, Water Management Branch

By

Donald S. Slebodnick Chief, Watermaster Service Unit
Kenneth E. Morgan Assistant Supervising Watermaster

Assisted by

Virgil D. Buechler Watermaster
Charles D. Hand^{2/} Watermaster
Kenneth E. Morgan Watermaster
John P. Clements Watermaster
Glyn K. Echols Watermaster
Keithal B. Dick Deputy Watermaster
Lester L. Lighthall Deputy Watermaster
Clifford D. Maxwell Senior Delineator

Data and texts on Indian Creek and
Middle Fork Feather River Watermaster Service
Areas were furnished by the
Division of Operations and Maintenance, Oroville Field Division
under the supervision of

Forrest D. Neff Chief, Field Division
J. Robert LeMaster Operations Superintendent
Harry J. Nessler^{3/} Supervising Watermaster
Conrad L. Lahr Supervising Watermaster

Assisted by

Jon A. Haman Watermaster
Charles D. Hand^{2/} Watermaster

^{1/} Phillip J. Lorens retired December 30, 1987.

^{2/} Charles D. Hand transferred to the Oroville Field Division July 1, 1987.

^{3/} Harry J. Nessler retired July 1, 1987.

TABLE OF CONTENTS

	<u>Page</u>
FOREWORD	iii
ORGANIZATION	iv
INTRODUCTION	1
Purpose and Benefits	1
Determination of Water Rights	1
Watermaster Service Areas	5
Watermaster Responsibilities	5
Water Supply	7
SERVICE AREA DESCRIPTIONS AND 1987 WATER SUPPLY STATISTICS	11
Ash Creek	13
Burney Creek	17
Butte Creek	21
Cow Creek	27
Digger Creek	31
Hat Creek	33
Indian Creek	37
Middle Fork Feather River	41
North Fork Cottonwood Creek	47
North Fork Pit River	51
Scott River	63
Shasta River	69
Surprise Valley	81
Susan River	99

FIGURES

Figure No.

1	Watermaster Service Areas (WSA)	3
---	---	---

TABLES

Table No.

1	Superior Court Decrees Regulating Water Distribution	4
2	Watermaster Service Areas and Principal Water Sources. . . .	6
3	Precipitation at Selected Stations - 1986-87 Season	8
4	Snowpack as of April 1 and May 1, 1987, at Representative Snow Courses	9
5	Runoff, Selected Stations - 1986-87 (Acre-Feet)	10
6	Start-Up Dates and Watermasters	12
7	Ash Creek WSA, 1987 Daily Mean Discharge - Ash Creek at Adin	14

TABLES (Continued)

<u>Table No.</u>		<u>Page</u>
8	Burney Creek WSA, 1987 Daily Mean Discharge - Burney Creek Near Burney	18
9	Butte Creek WSA, 1987 Daily Mean Discharge - Butte Creek Near Chico	22
10	Butte Creek WSA, 1987 Daily Mean Discharge - Butte Creek Near Durham	23
11	Butte Creek WSA, 1987 Daily Mean Discharge - Toadtown Canal Above Butte Canal	24
12	Cow Creek WSA, 1987 Daily Mean Discharge - North Cow Creek Near Ingot	28
13	Decrees Defining Digger Creek Water Rights	31
14	Hat Creek WSA, 1987 Daily Mean Discharge - Hat Creek Near Hat Creek	34
15	Indian Creek WSA, 1987 Daily Mean Discharge - Indian Creek Near Crescent Mills	38
16	Middle Fork Feather River WSA, 1987 Daily Mean Discharge - Little Truckee Ditch at Head	43
17	Middle Fork Feather River WSA, 1987 Daily Mean Discharge - Middle Fork Feather River near Portola	44
18	North Fork Cottonwood Creek WSA, 1987 Daily Mean Discharge - Cottonwood Creek North Fork Near Igo	48
19	Decrees and Related Data - North Fork Pit River WSA	52
20	North Fork Pit River WSA, 1987 Daily Mean Discharge - New Pine Creek Above Diversion No. 8	55
21	North Fork Pit River WSA, 1987 Daily Mean Discharge - Davis Creek Above Diversion No. 4	56
22	North Fork Pit River WSA, 1987 Daily Mean Discharge - Linville Creek at Old Powerhouse	57
23	North Fork Pit River WSA, 1987 Daily Mean Discharge - Franklin Creek Above Diversions	58
24	North Fork Pit River WSA, 1987 Daily Mean Discharge - Joseph Creek Below Couch Creek	59
25	North Fork Pit River WSA, 1987 Daily Mean Discharge - Shields Creek Above Diversion No. 95	60
26	North Fork Pit River WSA, 1987 Daily Mean Discharge - Pine Creek Near Alturas	61
27	Scott River WSA, 1987 Daily Mean Discharge - French Creek Above North Fork French Creek	65
28	Shasta River WSA, 1987 Daily Mean Discharge - Shasta River Near Yreka	75
29	Shasta River WSA, 1987 Daily Mean Discharge - Shasta River Near Edgewood	76
30	Shasta River WSA, 1987 Daily Mean Discharge - Parks Creek Above Edson-Foulke Yreka Ditch	77
31	Shasta River WSA, 1987 Daily Mean Discharge - Shasta River at Montague-Grenada Highway Bridge	78
32	Shasta River WSA, Water Year 1986-87, Lake Shastina - Daily Mean Storage in Acre-Feet	79

TABLES (Continued)

<u>Table No.</u>		<u>Page</u>
33	Decreases and Related Data - Surprise Valley Streams	85
34	Surprise Valley WSA, 1987 Daily Mean Discharge - Bidwell Creek Near Fort Bidwell	86
35	Surprise Valley WSA, 1987 Daily Mean Discharge - Mill Creek Above All Diversions	87
36	Surprise Valley WSA, 1987 Daily Mean Discharge - Soldier Creek Above All Diversions	88
37	Surprise Valley WSA, 1987 Daily Mean Discharge - Pine Creek at Diversion of North and South Channels . .	89
38	Surprise Valley WSA, 1987 Daily Mean Discharge - Cedar Creek at Cedarville	90
39	Surprise Valley WSA, 1987 Daily Mean Discharge - North Deep Creek Above All Diversions	91
40	Surprise Valley WSA, 1987 Daily Mean Discharge - South Deep Creek Below No. 2 Diversion	92
41	Surprise Valley WSA, 1987 Daily Mean Discharge - Cottonwood Creek Flume Below Page Ditch	93
42	Surprise Valley WSA, 1987 Daily Mean Discharge - Owl Creek Below Allen-Arreche Ditch	94
43	Surprise Valley WSA, 1987 Daily Mean Discharge - Rader Creek Above All Diversions	95
44	Surprise Valley WSA, 1987 Daily Mean Discharge - Eagle Creek Near Eagleville	96
45	Surprise Valley WSA, 1987 Daily Mean Discharge - Emerson Creek Above All Diversions	97
46	Susan River WSA, 1987 Daily Mean Discharge - Susan River at Susanville	103
47	Susan River WSA, 1987 Daily Mean Discharge - Gold Run Creek Near Susanville	104
48	Susan River WSA, 1987 Daily Mean Discharge - Willow Creek Near Susanville	105
49	Susan River WSA, 1987 Daily Mean Discharge - Operation of McCoy and Hog Flat Reservoirs	106
50	Susan River WSA, 1987 Daily Mean Discharge - A and B Canal Above Lake Leavitt	107
51	Susan River WSA, 1987 Daily Mean Discharge - Susan River at Chappius Lane	108

INTRODUCTION

Purpose and Benefits

The main purpose of watermaster service is to distribute water according to established water rights. This is done by apportioning to the rightful users the available supplies, in streams that have had water right determinations.

Distribution of water in watermaster service areas is the lawful duty of the Department of Water Resources as directed in Part 4 of Division 2 of the California Water Code. Under watermaster service water right owners are assured that their rights are protected, without their having to take legal action against other users.

A major benefit of watermaster service to water users and the State is that court litigation and violent conflict, which in the past happened often, are now rare. Also, available supplies of water are better used, as waste is reduced through careful management.

Because both the water right owners and the State receive benefits from watermaster service, the costs of performing the service are shared. The State general tax fund pays one-half of the cost of operating each service area and the water right owners in the service area pay the other half. Individual users' shares are determined in accordance with Article 3 of Chapter 7 of the above-mentioned Part 4 of Division 2 of the Water Code.

Determination of Water Rights

Many of the streams under State watermaster service have had their water rights defined by the courts under one of three adjudication procedures. These judgments establish each owner's rights in terms of rate of diversion, season of use, point of diversion, and place of use. They also establish priorities whereby each owner's rights are ranked according to the rights of all other decreed owners. Under this system, all rights of any one priority must be fully satisfied before water can be diverted to holders of lower priority rights. The determinations of the courts are commonly called decrees.

Water rights decisions necessary for establishing watermaster service areas may be accomplished by "statutory adjudication", "court adjudication", or "court reference". There are also ways to establish rights that do not involve the courts except, usually, to grant their official "stamp of approval."

Non-Judicial Decisions

A permit or "license to appropriate" can be issued by the State Water Resources Control Board (SWRCB), or agreement can be reached by mutual consent of the water users involved.

Court Adjudication

A less extensive method of defining water rights is the "court adjudication" procedure. This type of adjudication results when two or more parties involved in a water rights dispute seek a solution to their problem under civil law. A decision handed down in such a civil action determines only the water rights of the parties involved in the action and therefore does not necessarily define all water rights on the stream. As a result, serious conflicts sometimes arise between decreed water right owners and persons claiming longer-standing riparian or appropriative rights that were not specified in the decree.


Court Reference

The "court reference" type of adjudication arises when a civil action, as discussed, is referred to SWRCB for a determination under authority contained in Sections 2000-2076 of the Water Code. The Board's report becomes the basis for the court's decision. As in court adjudications, a court referee determines only the water rights of the parties involved in the action.

Statutory Adjudications

The California Water Code (Sections 2500-2900) gives a procedure whereby water users of any stream may petition the SWRCB, Division of Water Rights, to make a legal determination of all water rights on that stream. If the Board finds that such a determination is in the best public interest, it proceeds with a legally binding decision. This results in a court decree that defines all water rights on the stream.

Figure 1 contains a location map of the service areas, the number of decreed owners, and the amounts of water rights for each area. Table 1 lists the Superior Court decrees and their type.



1987 Decreed Water Rights

Service Area	Number of Decreed Water Users	Total Decreed Water Rights ft ³ /s
1. Ash Creek	47	123.610
2. Burney Creek	11	33.550
3. Butte Creek	42	431.438
4. Cow Creek	95	56.675
5. Digger Creek	109	23.381
6. Hat Creek	77	136.377
7. Indian Creek	49	96.715
8. M.F. Feather River	111	375.539
9. N.F. Cottonwood Creek	13	30.300
10. N.F. Pit River	109	217.010
11. Scott River	105	130.160
12. Shasta River	212	618.818 1/
13. Surprise Valley	197	397.620 2/
14. Susan River	220	353.449

1/ Includes Willow Creek near Ager which is based on a percentage of flow.
 2/ Includes Pine Creek near Alturas.

TABLE 1
WATERMASTER SERVICE AREAS, STREAM SYSTEMS
AND
SUPERIOR COURT DECREES REGULATING WATER DISTRIBUTION

Watermaster Service Area	Name of Stream System ^{a/}	County	Decree			Date Watermaster Service Area Created	Remarks
			Number	Date	Type*		
Ash Creek	Ash Creek	Modoc ** and Lassen	3670	10-27-47	CR	4-03-59	Included as part of Big Valley service area 1949 through 1958.
Big Valley	Pit River	Modoc ** and Lassen	6395	2-17-59	S	11-13-34	Service provided in accordance with recorded agreement in 1934. Service area operated under recorded agreement 1935 through 1958, and under decree since 1959. Service discontinued on December 31, 1981.
Burney Creek	Burney Creek	Shasta	5111	1-30-26	CR	9-11-29	Service provided in accordance with decree since 1926.
Butte Creek	Butte Creek	Butte	18917	11-06-42	S	1-07-43	
Cow Creek ^{b/}	North Cow Creek	Shasta	5804	4-29-32	CR	10-17-32	
	Oak Run Creek	Shasta	5701	7-22-32	CR	10-17-32	
	Clover Creek	Shasta	6904	10-04-37	CR	1-21-38	
Digger Creek	Digger Creek	Shasta and Tehama **	2213	8-12-99	C	6-11-64	
			3214	5-27-13	C		
			3327	10-16-17	C		
			4570	2-24-27	C		
Hat Creek	Hat Creek	Shasta	5724	5-14-24	CR	9-11-29	Service provided in accordance with decree since 1924.
			7858	10-07-35	CR		
Indian Creek	Indian Creek	Plumas	4185	5-19-50	S	2-19-51	
Middle Fork Feather River	Middle Fork Feather River	Plumas ** and Sierra	3095	1-22-40	S	3-29-40	
North Fork Cottonwood Cr.	North Fork Cottonwood Cr.	Shasta	5479	6-09-20	CR	9-11-29	Service provided intermittently in accordance with the decree since 1924.
North Fork Pit River	North Fork Pit River and all tributaries except Franklin Creek	Modoc	4074	12-14-39	S	12-18-39	All stream systems consolidated into North Fork Pit River service area 12-13-40.
			2821	6-14-32	CR	6-22-32	
			2782	6-30-32	CR	7-13-32	
			3118	9-08-33	CR	9-14-33	
			2344	5-03-40	CR	12-13-40	
			Agreement	11-22-33		1-12-35	
Scott River	French Creek	Siskiyou	14478	7-01-58	CR	11-19-68	French, Shackelford, and Wildcat Creek were combined in 1980 to form the Scott River service area. Sniktaw Creek was added on April 1, 1981.
			13775	4-10-50	S	11-06-50	
			30662	1-16-80	S	5-01-80	
			30662	1-16-80	S	4-01-81	
Seiad Creek	Seiad Creek	Siskiyou	13774	4-10-50	S	11-06-50	No service provided since 1983.
Shasta River	Shasta River	Siskiyou	7035	12-29-32	S	3-01-33	
			24482	6-22-72	C	7-01-72	
			29348	7-05-78	S	4-01-81	
Surprise Valley	Cedar Creek	Modoc	1206	5-22-01	C	9-11-29	All adjudicated stream systems in Surprise Valley were consolidated into the Surprise Valley service area on 1-10-39. Bidwell Creek was added on March 16, 1960. Service started on Cedar Creek in 1926 in accordance with the decree. Service was provided on Soldier and Owl Creeks in 1929 in accordance with the decrees by order of the court.
			2343	2-15-23	C		
			2405	11-28-28	CR		
			2410	4-29-29	CR		
			2840	3-25-30	CR		
			3024	12-19-31	CR		
			3101	1-25-34	CR		
			3391	12-07-36	CR		
			3626	6-04-37	CR		
			2304	4-05-26	C		
			3284	11-05-37	CR		
			6903	12-01-64	C		
			6420	1-13-60	S		
Susan River	Susan River	Lassen	4573	4-18-40	CR	11-10-41	
			8174	12-15-55	S	2-16-56	
			8175	12-15-55	S	2-16-56	

* Explanation of type of decree:

C - Court adjudication (court makes determination from evidence submitted--no report of referee)

CR - Court reference (referred to State Water Resources Control Board for investigation and report)

S - Statutory adjudication (State Water Resources Control Board is petitioned by water users to make a determination of all water rights on a stream system)

** Decree entered by the Superior Court of this county.

^{a/} Major tributaries only; a complete listing is given in "Index to Water Sources", page vi.

^{b/} Mainstem Cow Creek not in service area.

Watermaster Service Areas

Watermaster service is provided in areas where the rights have been defined by the superior court of the county, or by agreement, and where an unbiased qualified person is needed to properly apportion the available water according to the established rights. The Director of the Department of Water Resources creates watermaster service areas where these conditions exist, following either a request by the users or an order by the superior court.

The first watermaster service areas were created in September 1929. Before then, some watermaster service was provided in accordance with the Water Commission Act of 1913. There are now about 50 streams in Northern California that are under State watermaster service. The newest service areas were created in 1979.

The counties and principal water sources of the various service areas in Northern California are listed in Table 2.

Of these fourteen areas, twelve are in the Department's Northern District and two are in the Division of Operation and Maintenance, Oroville Field Division.

Description of Region

The service areas are mainly in the mountainous northeastern part of the State where the growing season varies between about 100 and 140 days. Meadow hay and alfalfa are the principal crops under irrigation, although much land is used exclusively for pasturing livestock. Most irrigation is done by gravity systems, with water users diverting directly from the streams at one or more diversion points. However, pumped diversions and sprinkler irrigation systems are becoming popular in some areas. A map of this region showing the fourteen service areas is presented in Figure 1.

Watermaster Responsibilities

To assure the proper distribution of water within the service area, each watermaster must ascertain the amount of water available and distribute it both by amount and priority according to established water rights.

Authority

To accomplish this, the watermaster gets his authority both from Water Code and from provisions of pertinent court decrees or voluntary agreements to physically regulate the streams in the service area. He is further authorized to supervise the design, construction, operation, and maintenance of diversion dams, headgates, and measuring devices.

Each watermaster supervises water distribution at around 100 to 200 diversions in one or more service areas. The need for frequently checking and regulating these diversions points increases substantially in years of short water supply.

TABLE 2

WATERMASTER SERVICE AREAS AND STREAM SYSTEMS

Service Area	County	Principal Water Sources	
		MAJOR STREAM and tributaries ^{a/}	Reservoirs and Nontributary Streams
Ash Creek	Lassen, Modoc	ASH CREEK Butte, Rush, and Willow Creeks	
Burney Creek	Shasta	BURNEY CREEK	
Butte Creek	Butte	BUTTE CREEK	West Branch Feather River
Cow Creek	Shasta	COW CREEK ^{b/} North Cow, Clover, Oak Run, and Cedar Creeks	
Digger Creek	Shasta, Tehama	DIGGER CREEK	
Hat Creek	Shasta	HAT CREEK	
Indian Creek	Plumas	INDIAN CREEK Lights Creek, Wolf Creek	
Middle Fork Feather River	Plumas, Sierra	MIDDLE FORK FEATHER RIVER Little Last Chance, Smithneck, Webber and Fletcher Creeks; Spring Channels; Westside Canal	Little Truckee River
North Fork Cottonwood Creek	Shasta	NORTH FORK COTTONWOOD CREEK	Rainbow Lake
North Fork Pit River	Modoc	NORTH FORK PIT RIVER Parker Creek	Pine, Cottonwood, Davis, and New Pine Creek
Scott River	Siskiyou	FRENCH CREEK Shackleford, Mill, Miners, Wildcat, Oro Fino, Sniktaw Creeks	Cliff and Campbell Lakes
Shasta River	Siskiyou	SHASTA RIVER Little Shasta River	Dwinnell Reservoir (Lake Shastina), Cold Creek, Willow Creek
Surprise Valley	Modoc	NONE (All creeks listed at right are unconnected)	Bidwell, Mill, Soldier, Pine, Cedar, Deep, Cottonwood, Owl, Rader, Eagle, Emerson Creeks
Susan River	Lassen	SUSAN RIVER Willow Creek	Lake Leavitt, Hog Flat, McCoy Flat Reservoirs; Baxter and Parker Creeks

^{a/} Major tributaries only; a complete listing is given in "Index to Water Sources", page vi.

^{b/} Mainstem Cow Creek not in service area.

Control Devices

Permanent measurement and control devices, which the State requires (Water Code Sections 4100-4104) at each owner's main point of diversion, are constructed by the water users under supervision of the watermaster. Installation of accurate, easily set, and lockable structures is a continuing objective of watermaster service, since once they are built, conflicts among water users usually stop. Also, the watermaster's ability to check and set each diversion regularly is greatly helped by engineered and properly built structures.

Interpretation of Decrees

The watermaster is often called upon to make on-the-spot interpretations of various court decrees, agreements, etc. Since most of these documents were written more than 30 years ago, many situations have developed that were not initially considered. Therefore, the watermaster must use sound, careful, and practical judgment in attempting to reach workable solutions to water disputes.

Water Supply

Water supply in the watermaster service areas comes mainly from unregulated runoff of small streams. Peak runoff--snowmelt in most cases--occurs in the spring, with relatively small streamflow occurring in the summer and early fall. Additional supplies from storage reservoirs and ground water pumping are used in some areas to supplement natural streamflow, but State watermasters do not supervise the use of ground water in this part of the State.

In some service areas, the water supply must be predicted in advance to determine the date watermastering will begin and, to some extent, the manpower needed. The Department's Bulletin 120 series, "Water Conditions in California", is used to assist in these predictions.

Precipitation

The streamflow available for distribution is affected by total precipitation, amount of snowpack, air temperature, and the amount of rainfall received during the irrigation season. The latter is particularly important in the upper Pit River-Surprise Valley areas, where about 25 to 30 percent of the annual precipitation occurs normally in April, May, and June. Spring storms, which are normally accompanied by relatively cool temperatures, materially affect both the water supply and the demand. Temperatures in the spring affect the demand for water and the manner in which snowmelt runoff occurs. A hot, dry spring depletes the water supply very early, even in years of normal snowpack. A cold, wet spring can extend the supply well into the irrigation season, but cold temperatures retard the growth of crops and are not necessarily desirable.

Table 3 reports the quantity of precipitation at selected stations in the service areas during the 1986-87 water year. The seasonal precipitation gives an indication of the related water supply available for distribution, and provides a basis for comparing the current year's supply with a long-term average.

TABLE 3
 PRECIPITATION AT SELECTED STATIONS - 1986-87 SEASON

Station	County	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Total	Percent of Mean
Fort Jones R.S.	Sisk.	<u>1.24</u> 1.39	<u>.89</u> 2.94	<u>1.68</u> 4.49	<u>3.60</u> 4.77	<u>2.97</u> 2.79	<u>1.77</u> 2.00	<u>.63</u> 1.08	<u>.51</u> .76	<u>.05</u> .78	<u>.55</u> .34	<u>.00</u> .49	<u>.00</u> .65	<u>13.89</u> 22.48	0.62
Happy Camp R.S.	Sisk.	<u>2.98</u> 3.67	<u>3.52</u> 7.91	<u>4.93</u> 10.90	<u>9.20</u> 12.18	<u>7.56</u> 7.78	<u>7.52</u> 6.51	<u>.28</u> 2.78	<u>.69</u> 1.45	<u>.00</u> .61	<u>.72</u> .25	<u>.01</u> .54	<u>.00</u> 1.09	<u>37.41</u> 55.67	0.67
Yreka	Sisk.	<u>.93</u> 1.25	<u>1.29</u> 2.34	<u>.95</u> 3.83	<u>3.09</u> 3.68	<u>2.06</u> 2.17	<u>1.02</u> 1.80	<u>.17</u> .89	<u>.37</u> .77	<u>1/</u>	<u>1.44</u> .40	<u>1/</u>	<u>1/</u>	<u>1/</u>	<u>1/</u>
Redding Fire Station #4	Shasta	<u>.93</u> 2.03	<u>.35</u> 5.56	<u>2.05</u> 7.03	<u>1/</u>	<u>4.93</u> 6.19	<u>6.34</u> 4.96	<u>.06</u> 2.82	<u>2/</u>	<u>2/</u>	<u>2/</u>	<u>2/</u>	<u>2/</u>	<u>2/</u>	<u>2/</u>
Hat Creek P.H. #1	Shasta	<u>.72</u> 1.23	<u>.56</u> 2.09	<u>1.18</u> 3.22	<u>3.04</u> 3.24	<u>1.86</u> 2.53	<u>3.21</u> 2.09	<u>.34</u> 1.22	<u>.70</u> 1.22	<u>.15</u> .89	<u>1.18</u> .21	<u>.02</u> .37	<u>.25</u> .56	<u>13.21</u> 18.87	0.70
Lookout 3WSW	Lassen	<u>.80</u> 1.43	<u>.03</u> 3.43	<u>1.20</u> 3.68	<u>2.04</u> 3.47	<u>1.46</u> 2.96	<u>1.90</u> 2.34	<u>.15</u> 1.41	<u>1.74</u> 1.15	<u>.00</u> 1.07	<u>1.31</u> .41	<u>.00</u> .48	<u>.00</u> .91	<u>10.63</u> 22.74	0.47
Alturas R.S.	Modoc	<u>.33</u> .94	<u>.50</u> 1.31	<u>.64</u> 1.53	<u>.89</u> 1.67	<u>.68</u> 1.23	<u>1.15</u> 1.25	<u>1.09</u> 1.00	<u>.79</u> 1.21	<u>.72</u> 1.09	<u>1.27</u> .31	<u>.00</u> .43	<u>.00</u> .48	<u>8.06</u> 12.45	0.65
Jess Valley	Modoc	<u>.42</u> 1.38	<u>1.08</u> 1.89	<u>.51</u> 1.96	<u>1.02</u> 1.99	<u>1.10</u> 1.67	<u>1.57</u> 1.82	<u>1.89</u> 1.80	<u>5.06</u> 2.04	<u>1.04</u> 1.57	<u>2.25</u> .48	<u>.10</u> .64	<u>T</u> .73	<u>16.04</u> 17.97	0.89
Cedarville	Modoc	<u>.31</u> 1.18	<u>.55</u> 1.61	<u>.63</u> 2.70	<u>.74</u> 2.02	<u>.86</u> 1.36	<u>.99</u> 1.33	<u>1.08</u> 1.02	<u>1.02</u> 1.11	<u>.35</u> .83	<u>.61</u> .37	<u>.00</u> .38	<u>.00</u> .48	<u>7.14</u> 14.39	0.50
Susanville Airport	Lassen	<u>.24</u> 1.14	<u>.07</u> 1.43	<u>.18</u> 2.59	<u>1.84</u> 2.88	<u>.87</u> 1.93	<u>.79</u> 1.38	<u>.21</u> .64	<u>2.32</u> .75	<u>.39</u> .67	<u>.35</u> .30	<u>.00</u> .22	<u>.00</u> .36	<u>7.26</u> 14.29	0.51
Greenville R.S.	Plumas	<u>1.20</u> 2.31	<u>.76</u> 4.64	<u>1.85</u> 6.64	<u>5.27</u> 8.47	<u>5.12</u> 6.25	<u>5.16</u> 4.95	<u>.51</u> 2.72	<u>.74</u> 1.59	<u>.60</u> .85	<u>.92</u> .30	<u>T</u> .46	<u>T</u> .67	<u>22.13</u> 39.85	0.56
Sierraville R.S.	Sierra	<u>.05</u> 1.97	<u>.35</u> 2.99	<u>.17</u> 4.73	<u>3.01</u> 5.46	<u>3.84</u> 3.75	<u>2.18</u> 2.90	<u>.18</u> 1.56	<u>.54</u> 1.35	<u>T</u> .60	<u>.06</u> .32	<u>T</u> .42	<u>.00</u> .57	<u>10.38</u> 26.57	0.39
Vinton	Plumas	<u>.05</u> .91	<u>.20</u> 1.33	<u>.09</u> 2.15	<u>1.20</u> 2.39	<u>1.58</u> 1.54	<u>1.21</u> 1.26	<u>.43</u> .78	<u>1.87</u> .99	<u>.46</u> .64	<u>.12</u> .32	<u>T</u> .38	<u>.03</u> .37	<u>7.24</u> 13.06	0.55

1/ Missing Record
 2/ Discontinued

NOTE: Figures above line are current season; Below line are long-term averages.

Data collected at representative snow courses showing the snowpack as of April 1, 1987, on all courses and the snowpack on May 1 at selected courses, are presented in Table 4. This information comes from the Department's basic data files.

TABLE 4
SNOWPACK AS OF APRIL 1 AND MAY 1, 1987, AT REPRESENTATIVE SNOW COURSEFS

Watermaster Service Areas	Snow Course* Group Related to Each Service Area	Elevation (in feet)	WATER CONTENT OF SNOW				
			April 1 Average (in inches)	April 1, 1987**		May 1, 1987	
				Inches	In Percent of April 1 Average	Inches	In Percent of April 1 Average
Ash Creek	Blue Lake Ranch	6,800	12.5	8.8	70		
Burney Creek	Thousand Lakes	6,500	35.0	22.6	65	3.9	11
Butte Creek	Humbug Summit	4,850	11.5	5.0	43		
	Silver Lake Meadows	6,450	30.2	24.3	80	3.2	11
Cow Creek	New Manzanita Lake	5,900	7.9	5.1	65		
Digger Creek	Burney Springs	4,700	2.2	0.0	0		
Hat Creek	New Manzanita Lake	5,900	7.9	5.1	65		
Indian Creek	Independence Lake	8,450	43.2	21.2	49		
Middle Fork Feather River	Mount Dyer No. 1	7,100	25.4	18.1	71	4.1	16
	Rowland Creek	6,700	17.9	10.2	57	0.4	0
	Yuba Pass	6,700	31.0	14.2	0	0.0	0
North Fork Pit River	Cedar Pass	7,100	17.1	15.1	90		
Scott River	Middle Boulder No. 1	6,600	32.3	30.5	94	10.8	33
Shasta River	Little Shasta	6,200	20.3	18.0	89		
Shasta River	Parks Creek	6,700	36.9	31.3	87		
South Fork Pit River	Adin Mountain	6,350	13.4	9.7	72	0.0	0
Surprise Valley	Mount Bidwell	7,200	27.5	20.9	76		
Susan River	Fredonyer Pass No. 1	5,750	8.7				

* Snow courses are listed in order of elevation with each geographical group of watermaster areas.

** Data collected only at stations listed.

Streamflow

The general water supply available for diversion within each watermaster area is determined from stream gaging stations placed at key locations in the main stream channels. Several major stations are installed and maintained by the Department and the U. S. Geological Survey as part of a Federal-State program for collection of year-round streamflow records. In addition, several stream gaging stations are installed and operated by the watermasters during the irrigation season to provide supplemental information. Also, water stage recorders are often installed by the watermaster in selected diversion ditches to further assist him in proper distribution of the various water right allotments.

Table 5 presents runoff data at selected stream gaging stations in or near the service areas.

TABLE 5
RUNOFF, SELECTED STATIONS - 1986-87 (ACRE-FEET)

	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Annual Total	Long Term Average	Percent of Average
Bidwell Creek near Fort Bidwell	435	378	348	520	515	874	2,333	2,733	907	453	252	178	9,926	18,000	55
Burney Creek at Burney	1,216	1,073	1,101	1,916	2,948	8,075	3,219	1,807	783	637	572	518	23,866	57,000	42
Butte Creek near Chico	9,390	7,990	8,010	12,040	21,850	48,010	21,470	14,590	7,770	7,120	6,520	4,270	169,000	300,700	56
Hat Creek near Hat Creek	10,550	9,930	9,980	9,740	8,860	9,850	10,240	12,110	9,300	9,190	8,660	8,110	116,500	103,600	112
Pit River near Canby	4,970	5,020	5,330	6,100	8,330	12,050	5,510	6,580	4,110	3,480	1,680	1,690	64,070	183,298	35
Scott River near Fort Jones	5,630	7,670	8,960	15,820	31,020	52,910	50,170	41,900	9,050	2,450	826	803	227,200	484,000	47
Shasta River near Yreka	10,210	12,180	12,520	13,830	12,960	11,710	3,650	2,860	2,820	2,180	1,420	3,400	89,730	136,900	66
Susan River at Susanville	868	787	701	977	2,010	4,250	3,520	5,010	536	293	243	243	19,460	70,000	28

This portion of the report consists of fourteen sections, one for each service area active in 1987, presented in alphabetical order.

Each of these sections presents a description of the particular service area, including location, geography, and general characteristics. Following this is a section entitled "Basis of Service", which includes such data as the case number, date, and type of decrees, a brief summary of the decree or agreement that defines the water rights, the date the service area was created, and other related information.

These service area descriptions also give data on the water supply, methods of distribution, significant events of the watermaster season, and daily stream-flow records. The water right ownerships are updated as of March 1 each year from County Assessors' records. Changes not on record by March 1 are therefore not reflected on the service area maps included in the various sections.

As in previous years, watermaster service is activated on different dates in the various areas depending upon the streamflow conditions, the ranchers' needs for the water, or, as on some streams, the terms of the decree. Service was continued in all areas through the growing season as long as needed.

The date service was started in each service area and the name of the watermaster in charge are listed on Table 6.

TABLE 6
START-UP DATES AND WATERMASTERS

<u>Service Area</u>	<u>Date Service Began in 1987</u>	<u>Watermaster</u>
Ash Creek	May 1	Glyn K. Echols
Burney Creek	May 1	Charles D. Hand ^{1/} Virgil D. Buechler ^{2/}
Butte Creek	April 1	Kenneth E. Morgan
North Cow Creek	May 1	Charles D. Hand ^{1/} Kenneth E. Morgan James P. Langley
Digger Creek	May 15	Kenneth E. Morgan
Hat Creek	May 1	Charles D. Hand ^{1/} Virgil D. Buechler
Indian Creek	April 9	Jon A. Haman Charles D. Hand ^{1/}
M. F. Feather River	March 15	Conrad L. Lahr
N. F. Cottonwood Creek	June 1	Kenneth E. Morgan
N. F. Pit River	April 1	Glyn K. Echols
Scott River	April 1 May 15	Keithal B. Dick Lester L. Lighthall
Shasta River	April 1 May 15	Keithal B. Dick Lester L. Lighthall
Surprise Valley	March 19	John P. Clements
Susan River	March 1	Virgil D. Buechler

^{1/} Charles D. Hand transferred to Beckwourth on July 1 and was Indian Creek watermaster.

^{2/} Virgil D. Buechler was watermaster from July 1.

ASH CREEK WATERMASTER SERVICE AREA

The Ash Creek service area is in Modoc and Lassen Counties near the town of Adin, about 100 miles northeast of Redding via Highway 299. The major sources of water for the service area are Ash Creek and three tributaries, Willow, Rush and Butte Creeks. Ash Creek rises in Ash Valley in the southeastern part of the service area and flows northwesterly about 18 miles to its confluence with Rush Creek, then southwesterly to the town of Adin, and then westerly to Ash Creek Swamp and the Pit River. Butte and Willow Creeks head in the mountains to the east and flow northwesterly into Big Valley. Butte Creek meets Ash Creek near the head of the Valley at Adin. It meets Willow Creek about 3 miles farther west, near the head of Ash Creek Swamp. The valley floor elevation in this vicinity is about 4,200 feet.

Basis of Service

The rights on this creek system were determined by a court reference and set forth in Decree No. 3670, Modoc County Superior Court, dated October 27, 1947. From 1949 through 1958, Ash Creek was included as a part of Big Valley watermaster service area (no longer served). The Ash Creek service area has been served separately since April 3, 1959.

About 85 percent of the water rights in the service area are in Big Valley, west of the town of Adin. The rest are along the upstream tributaries and in Ash Valley, east of Adin. The part of Big Valley served is about 10 miles long by 6 miles wide, extending from Adin to the confluence of Ash Creek and the Pit River.

The Ash Creek decree establishes the number of priority classes on the individual streams within the service area as follows: Ash Creek - five, Willow Creek - four, Rush Creek - one, and Butte Creek - two. Each of these streams is independently regulated.

Water Supply

The water supply for Ash and Rush Creeks comes mainly from snowmelt, since most of the watershed is between 5,000 and 6,000 feet in elevation. Willow Creek and Butte Creek get much of their water from springs. These creeks normally have enough water to satisfy demands until about June 1, after which the supply decreases rapidly. By the end of June, Ash Creek normally has receded to about 20 cubic feet per second (cfs), and Butte Creek to less than 1 cfs. The flow of these creeks then remains nearly constant for the rest of the season. Records of the daily mean discharge of stream gaging station, Ash Creek at Adin, is presented in Table 7.

ASH CREEK WATERMASTER SERVICE AREA

TABLE 7

1987 Daily Mean Discharge
(In cubic feet per second)

ASH CREEK AT ADIN

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	39	46	39	27	19	18	24
2	41	46	38	26	31	28	25
3	40	56	34	23	32	31	25
4	45	56	31	24	26	26	24
5	49	46	28	23	24	24	24
6	50	45	28	26	19	25	23
7	49	46	29	28	15	25	24
8	46	48	25	31	20	25	25
9	45	54	19	23	23	25	23
10	44	55	18	17	22	25	20
11	54	62	21	16	21	24	19
12	217	53	20	16	21	25	19
13	409	51	19	15	23	24	19
14	298	51	20	17	22	25	20
15	227	51	18	20	18	25	20
16	141	47	22	22	20	25	20
17	110	44	27	23	30	23	20
18	102	44	32	24	56	22	20
19	96	42	29	22	54	24	17
20	86	38	24	21	38	24	18
21	79	30	23	22	33	23	19
22	79	25	23	22	34	19	20
23	83	29	24	20	30	20	20
24	76	30	23	21	25	21	21
25	65	29	26	25	20	22	22
26	60	29	31	18	23	20	22
27	56	29	29	18	23	20	23
28	53	31	28	22	21	22	24
29	50	32	27	21	22	24	24
30	48	37	42	20	23	24	23
31	47		34		19	24	
MEAN	93.0	42.7	26.8	21.8	26.0	23.6	21.6
AC-FT	5720	2543	1648	1295	1601	1452	1283

Method of Distribution

Irrigation from Ash Creek and its tributaries uses numerous small dams to divert flow into systems of ditches. The ditches deliver the water to the various fields for spreading. Wild flooding is the method most used, but some ranchers have checks and ditches and some use pumps to operate sprinklers or to lift water to higher spreading ditches. In some cases, runoff water is captured and reused before it returns to the stream.

1987 Distribution

Watermaster service began May 1 and continued until September 30. Glyn Echols, Water Resources Assistant Engineer, was watermaster.

The water supply for the 1987 irrigation season was below normal.

Ash Creek

The monthly mean cfs flow of Ash Creek at Adin for May was 26.8; June 21.8; July 26.0; August 23.6 and September 21.6.

The available flow was insufficient to supply fourth and fifth priorities this irrigation season. A small portion of third priority was supplied during May and a few days in July, otherwise only first and second priorities were filled.

In 1986 the Big Valley Drainage Canal was realigned near Highway 299, however; headgates were not installed until May 1987. There were times when the water users at the end of the Big Valley Drainage Canal were without water due to a lack of headgates.

Butte Creek

The flow in Butte Creek was adequate to supply only part of first priority this season.

Rush Creek

The available water supply was sufficient to fill only a portion of the one priority.

Willow Creek

The flow in Willow Creek was sufficient to supply only first and a portion of second priorities during 1987.

Albert Wutzke, License 1146, on Willow Creek was determined to be a junior priority to the Ash Creek decree.

BURNEY CREEK WATERMASTER SERVICE AREA

The Burney Creek service area is in eastern Shasta County above and below the town of Burney. The source of water for this service area is Burney Creek, which enters the southern part of the service area and flows through Burney in a northerly direction to the Pit River. The part of the valley served by this stream is about 11 miles long and 2 miles wide and extends both north and south of Burney.

Basis of Service

The rights on this creek system were determined by a court reference and set forth in Decree No. 5111, Shasta County Superior Court, dated January 30, 1926. Watermaster service was provided on the creek from 1926 to 1929 under the Water Commission Act of 1913. The present service area was created on September 11, 1929.

The Burney Creek decree sets forth a rotation schedule of distribution. The water users, however, have found it more beneficial to irrigate on a continuous-flow basis (one priority class plus surplus allotments), which is now normal practice. The water allotted to the Greer-Cornaz Ditch is distributed according to supplemental court decrees.

Water Supply

The water supply for Burney Creek comes from springs and snowmelt. Most of the watershed lies between the elevations of 4,000 and 7,500 on the northeast slopes of Burney Mountain. The creek normally has enough water for all demands until about the middle of June. The supply then gradually decreases until the end of July. For the rest of the irrigation season, runoff from perennial springs keeps the flow nearly constant at about 40 percent of allotments.

The daily mean discharge of Burney Creek near Burney is presented in Table 8. The stream gaging station on Burney Creek is downstream from four points of diversion, so the records do not show all of the available water supply of the creek.

Method of Distribution

Water is diverted from Burney Creek, in most cases, by means of low diversion dams into ditches that convey it to the individual users. Some users are still using flood irrigation, while some of the lower users are pressurizing the water with low lift pumps and sprinkler irrigating.

BURNEY CREEK WATERMASTER SERVICE AREA

TABLE 8

1987 Daily Mean Discharge
(In cubic feet per second)

BURNEY CREEK NEAR BURNEY

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	27	68	44	18	11	9.9	8.7
2	27	76	50	17	11	9.7	8.6
3	43	71	44	16	10	9.4	8.6
4	50	63	37	15	11	9.5	8.9
5	120	66	31	15	11	9.5	9.1
6	196	58	30	14	11	9.6	8.9
7	118	55	29	15	10	9.5	9.1
8	91	55	29	15	10	9.5	9.3
9	83	54	27	14	10	9.6	9.2
10	84	55	26	13	9.7	9.5	9.3
11	128	66	25	14	9.5	9.3	9.2
12	469E	62	23	13	9.5	9.1	9.2
13	480E	63	22	13	9.4	9.2	9.3
14	323E	56	23	12	9.4	9.4	9.2
15	245	57	23	12	9.3	9.7	9.3
16	192	58	74	12	9.3	9.5	9.4
17	163	58	57	13	11	9.4	9.0
18	157	60	38	13	12	9.3	8.8
19	132	57	31	12	11	9.0	8.7
20	114	50	27	12	10	8.7	8.6
21	106	47	23	12	11	8.7	8.2
22	93	47	21	12	12	8.4	8.1
23	84	46	20	12	11	8.8	7.8
24	79	43	19	12	11	9.5	8.0
25	76	42	20	12	11	9.5	8.2
26	73	41	20	12	10	9.4	8.3
27	65	41	20	12	10	9.4	8.2
28	61	37	20	11	10	9.4	7.9
29	61	33	20	11	10	9.2	8.0
30	64	38	19	11	10	9.0	7.9
31	67		19		10	8.6	
MEAN	131E	54.1	29.4	13.2	10.4	9.3	8.7
AC-FT	8075E	3219	1807	783	637	572	518

E - Estimated

1987 Distribution

Watermaster service on Burney Creek began on May 1 with Don Hand, Water Resources Engineering Associate, as watermaster. Don Hand transferred to the Beckwourth office on June 1. Virgil Buechler, Water Resources Engineering Associate, was watermaster from July 1 to September 30.

The flow in Burney Creek gradually decreased from 100 percent of first priority on May 1 to 30 percent in mid-June and remained there for the remainder of the season.

BUTTE CREEK WATERMASTER SERVICE AREA

The Butte Creek service area is in Butte County a few miles southeast of the City of Chico. The watermaster service area runs about 11 miles along Butte Creek, starting about 4 miles east of Chico and running downstream to the crossing of the Western Canal. It contains about 20,000 acres of valley floor lands at an average elevation of 150 feet.

Basis of Service

The rights on this stream system were determined by a statutory adjudication and set forth in Decree No. 18917, Butte County Superior Court, dated November 6, 1942. The Butte Creek watermaster service area was created on January 7, 1943.

The Butte Creek decree established three priority classes for summer use under Schedule 7, a surplus class inferior to the above rights, and a special class for Hamlin Slough. Schedule 3 of the decree defines the rights for rediversion (Diversion 50) of foreign water delivered into Butte Creek from the West Branch of the Feather River.

On September 18, 1969, the Water Resources Control Board granted permits for the following applications to take water from Butte Creek: application 22321, Gorrill Land Company; 22534, Garrison Patrick; and 22564, Louis C. Camenzind, Jr. These appropriative rights are also under control of the watermaster.

Water Supply

Butte Creek, the major source of water, drains about 150 square miles of the western slope of the Sierra Nevada in the northeasterly part of Butte County above the watermaster service area. The highest elevation in the watershed is about 7,000 feet.

Normally, snowmelt produces sustained high flows in the creek until about the end of June, after which perennial springs continue to produce flows of more than 40 cfs. Additional water is imported for distribution from the West Branch Feather River by means of the Hendricks (Toadtown) Canal through De Sabla Reservoir and Powerhouse into Butte Creek.

Records of the daily mean discharge at stream gaging stations in the Butte Creek service area are presented in Tables 9, 10, and 11.

BUTTE CREEK WATERMASTER SERVICE AREA

TABLE 9

1987 Daily Mean Discharge
(In cubic feet per second)

BUTTE CREEK NEAR CHICO

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	212	417	334	171	103	118	102
2	212	409	321	163	99	114	104
3	230	409	301	155	99	115	104
4	244	400	293	153	100	113	81
5	1300	388	286	149	100	110	72
6	1390	380	254	146	102	110	74
7	763	375	269	153	95	105	76
8	589	377	272	149	97	106	77
9	493	373	275	145	93	107	66
10	441	376	285	140	112	108	65
11	637	396	271	137	117	105	65
12	2830	387	262	137	116	107	66
13	2690	374	257	130	117	104	66
14	1480	371	247	127	114	102	64
15	1220	369	242	127	111	101	65
16	946	364	231	130	120	102	65
17	797	365	225	131	127	101	65
18	754	370	218	125	146	101	65
19	673	359	209	123	141	101	64
20	606	342	216	121	132	100	65
21	631	334	207	118	129	104	62
22	578	331	207	118	131	106	61
23	608	325	197	116	129	106	60
24	579	322	189	117	119	108	62
25	538	320	186	111	126	106	63
26	518	318	189	108	123	105	71
27	490	318	193	105	121	104	73
28	464	314	189	104	119	104	68
29	444	315	181	104	118	104	90
30	429	325	175	103	118	106	71
31	421		174		118	104	
MEAN	781	361	237	131	116	106	71.7
AC-FT	48010	21470	14590	7770	7120	6520	4270

BUTTE CREEK WATERMASTER SERVICE AREA

TABLE 10

1987 Daily Mean Discharge
(In cubic feet per second)

BUTTE CREEK NEAR DURHAM

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	192	444	158	42	16	17	12
2	190	435	148	38	16	18	12
3	210	434	132	36	15	18	12
4	239	421	122	35	15	18	12
5	1190	407	106	35	15	18	11
6	1400	393	91	38	14	18	10
7	846	387	84	39	14	17	10
8	649	378	89	41	12	17	10
9	540	366	86	38	15	18	10
10	482	366	93	39	16	18	11
11	674	381	81	35	19	15	10
12	2540	375	78	28	19	12	9.9
13	3030	352	76	26	19	12	9.9
14	1760	343	73	26	18	12	9.9
15	1460	342	70	27	15	15	9.8
16	1110	331	68	27	15	22	9.8
17	919	325	67	27	16	12	9.7
18	859	301	59	27	23	13	9.5
19	752	289	48	26	23E	14	9.2
20	675	253	49	25	23E	14	9.2
21	759	183	46	24	23E	18	9.1
22	647	153	44	23	22	16	8.9
23	711	150	44	22	16	15	9.0
24	647	144	41	22	15	15	9.1
25	582	137	39	23	15	15	9.3
26	549	137	39	20	16	15	9.5
27	518	134	44	16	16	14	11
28	484	132	52	15	16	13	9.2
29	459	125	49	14	16	12	13
30	450	145	47	14	16	12	12
31	449		44		16	12	
MEAN	838	292	73.1	28.3	16.9E	15.3	10.2
AC-FT	51510	17380	4497	1682	1040E	942	609

E - Estimated

BUTTE CREEK WATERMASTER SERVICE AREA

TABLE 11

1987 Daily Mean Discharge
(In cubic feet per second)

TOADTOWN CANAL ABOVE BUTTE CANAL

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		114	116	55	33	59	38
2		113	115	52	30	58	40
3		114	114	48	29	58	40
4		114	114	46	30	58	8.0
5		114	115	47	28	53	8.0
6		114	114	46	30	52	10
7		116	115	51	28	47	11
8		115	106	43	24	48	0
9		115	110	43	24	50	0
10		115	109	40	54	48	0
11		114	114	42	53	48	0
12		115	114	39	52	47	0
13		114	102	38	53	44	0
14		116	98	40	51	43	0
15		115	102	37	54	43	0
16		115	99	38	65	40	0
17		114	95	38	64	39	0
18		115	88	39	70	41	0
19		115	80	37	69	39	0
20		114	92	40	67	40	0
21		115	83	34	64	46	0
22		115	80	34	64	44	0
23		115	73	33	63	42	0
24		114	70	33	55	42	0
25		115	66	31	63	41	13
26		115	69	31	61	44	10
27		114	67	31	60	41	10
28		114	65	28	61	42	10
29		115	63	27	58	40	9.0
30		115	58	32	61	39	6.0
31			57		61	39	
MEAN		115	92.4	39.1	50.9	45.6	7.1
AC-FT		6819	5679	2327	3132	2807	422

Method of Distribution

Water is diverted from Butte Creek by pumping and by gravity diversions. Parrott Investment Company, M & T, Inc., Dayton Mutual Water Company, and Durham Mutual Water Company divert relatively large amounts of water by gravity into ditches leading to their individual distribution systems. Various methods of irrigation are in general practice, including contour checks, strip or border checks, basin checks, furrows, wild flooding, and sprinklers. The use of sprinklers has increased in the past few years, especially for orchards.

1987 Distribution

Watermaster service began April 1 in the Butte Creek service area and continued until September 30 with Kenneth E. Morgan, Water Resources Engineering Associate, as watermaster.

The water supply for the 1987 irrigation season was below normal. The appropriate rights that are in addition to the Butte Creek Decree were partially filled until the first week in June, at which time the rice fields were flooded. A herbicide was applied to the rice about June 2, and no spill from the fields was allowed until about July 1, which reduced the demand from Butte Creek.

Partial surplus priority was available until mid-July. A portion of second priority was available from July 24 until September 30.

COW CREEK WATERMASTER SERVICE AREA

The Cow Creek service area is in central Shasta County in the foothills east of Redding. Water for this service area comes from three major creek systems. They are North Cow Creek (sometimes referred to as Little Cow Creek), Oak Run Creek, and Clover Creek. These creeks flow in a westerly direction to their confluence in the Millville-Palo Cedro area, then south to the Sacramento River east of the City of Anderson. The service area is generally a narrow strip of land on both sides of each of these creeks. In some cases, water is exported from one creek to the other.

Basis of Service

The water rights on each of these creek systems were determined by court references and set forth in separate decrees. Water rights for these creeks were set forth by Shasta County Superior Court decrees as follows:

<u>Creek</u>	<u>Decree No.</u>	<u>Date</u>
North Cow	5804	April 29, 1932
Oak Run	5701	July 22, 1932
Clover	6904	October 4, 1937

The North Cow Creek decree sets forth a rotation schedule of distribution. The water users, however, have found it more beneficial to irrigate on a continuous-flow basis, which is now normal practice. Only one priority allotment was provided in each of the Cow Creek service area decrees, except for the Oak Run Creek decree, which contains a surplus allotment.

The Cow Creek watermaster service area was originally created on October 17, 1932, including North Cow Creek and Oak Run Creek water rights. On January 21, 1938, the service area was expanded to include the Clover Creek rights.

Water Supply

Water for this service area comes mostly from springs and seepage, with some early snowmelt runoff. The watershed varies in elevation from 500 to 5,000 feet and consists mainly of low brushy hills that do not accumulate a heavy snowpack. Relatively large amounts of precipitation during the winter months normally produce substantial seepage and springs that flow through the irrigation season. The creeks normally have sufficient water to supply all demands until late July. The supply then gradually decreases to an average of about 60 to 70 percent of allotments by around mid-September.

The daily mean discharge of North Cow Creek near Ingot is presented in Table 12. The stream gaging station on North Cow Creek is downstream of many of the diversions and is used by the watermaster, mainly to indicate changes in flow conditions rather than amounts of water available. Consequently, the records do not show all the available water supply of the creek.

COW CREEK WATERMASTER SERVICE AREA

TABLE 12

1987 Daily Mean Discharge
(In cubic feet per second)

NORTH COW CREEK NEAR INGOT

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1				18	6.0	6.0	4.0
2				15	6.0	6.0	4.0
3			1/	15	5.0	5.0	5.0
4			52	14	6.0	5.0	5.0
5			47	14	6.0	5.0	5.0
6			41	13	5.0	5.0	5.0
7			40	14	5.0	5.0	5.0
8			39	14	5.0	5.0	6.0
9			38	12	5.0	5.0	6.0
10			37	11	5.0	5.0	5.0
11			34	10	5.0	5.0	5.0
12			32	9.0	5.0	5.0	5.0
13			30	8.0	5.0	5.0	6.0
14			28	8.0	5.0	6.0	6.0
15			28	9.0	5.0	6.0	6.0
16			28	9.0	5.0	6.0	5.0
17			27	9.0	6.0	6.0	5.0
18			26	8.0	8.0	5.0	5.0
19			24	8.0	8.0	5.0	5.0
20			24	8.0	7.0	6.0	5.0
21			24	7.0	7.0	5.0	5.0
22			24	7.0	7.0	5.0	5.0
23			22	6.0	6.0	5.0	5.0
24			23	6.0	6.0	5.0	5.0
25			24	6.0	6.0	5.0	5.0
26			25	6.0	6.0	5.0	5.0
27			23	6.0	6.0	5.0	5.0
28			22	6.0	6.0	5.0	5.0
29			20	6.0	6.0	4.0	4.0
30			20	6.0	6.0	4.0	4.0
31			19		6.0	4.0	
MEAN			29.3	9.6	5.8	5.1	4.9
AC-FT			1625	570	358	315	289

1/ No record before May 4

Method of Distribution

Water is diverted from the creeks, in most cases by means of low diversion dams, into ditches that convey it to the place of use. Lateral ditches are then used to spread it over the land. Irrigation has been on a continuous-flow basis instead of by rotation since 1934.

1987 Distribution

Watermaster service for North Cow Creek began on May 1 with Don Hand, Water Resources Engineering Associate, as watermaster until June 30. Then Kenneth E. Morgan, Water Resources Engineering Associate, and James P. Langley, Water Resources Technician II, served as watermasters until October 30.

The water supply for 1987 irrigation season was one of the driest of record.

Cedar Creek

The Truman Ranch, which has the largest water right on Cedar Creek, did not use their allotment in 1987, which allowed the other decree users a sufficient water supply. There were times during August and September when nondecreed riparian domestic users below Buzzard's Roost Road complained that the flow was too low.

Clover Creek

There was adequate water supply in Clover Creek to fill 100 percent of the allotment until mid-June. The flow continued to decline until 45 percent of the priority was being filled at the end of September. The water supply had increased to provide 60 percent on October 30.

By written agreement, the flow was reduced to stock water (0.4 cfs) in the Worley ditch on September 25. The remainder of the Worley ditch water right was diverted into the Mill ditch and delivered to the Buckhorn Ranch, who had leased the water right for the remainder of the irrigation season.

North Cow Creek

The flow in North Cow Creek was sufficient to supply 100 percent of the continuous flow allotment until mid-June. Then the allotments declined to 30 percent by mid-August with hot, dry north winds. The streamflow gradually increased to provide 45 percent of allotments filled at the end of August; by October 30, about 80 percent was available.

Oak Run Creek

The flow in Oak Run Creek provided 100 percent of the allotments being filled until mid-June. The flow declined to a low of about 50 percent from August through October.

DIGGER CREEK WATERMASTER SERVICE AREA

The Digger Creek service area is situated in southeastern Shasta County and northeastern Tehama County.

Digger Creek forms part of the boundary between Shasta and Tehama Counties. It drains about 45 miles on the western slopes of the Sierra, just west of Lassen National Park. The creek flows west through the town of Manton to its confluence with North Fork Battle Creek. Manton, the only community in the area, lies about 40 miles northeast of Red Bluff.

Basis of Service

The rights to use of the waters of Digger Creek were determined by five court adjudications. The Crooker Ditch, now combined with the Harrison Ditch, may divert all the water in the creek at its point of diversion. Diversions below this point, though defined by decree, are not in the service area.

Four Tehama County Superior Court decrees define the rights included in the service area. These decrees are listed in Table 13.

TABLE 13

DECREES DEFINING DIGGER CREEK WATER RIGHTS

<u>Case</u>	<u>Decree No.</u>	<u>Date Entered</u>
Gransbury V. Edwards	2213	August 12, 1899.
Wells V. Pritchard	2114	May 27, 1913
Harrison et al V. Kaler et al	3327	October 16, 1917
Herrick V. Forward	4570	February 24, 1927

The four decrees have, in effect, divided the water rights on the creek into two groups, the upper users and the lower users. The three upper users irrigate land alongside the stream so that all run-off water returns to Digger Creek. The lower users are located within a 5-square-mile area. Very little runoff from the lower users returns to the creek.

The water rights of the three upper users are absolute and not related to those of lower users; therefore, allotments are not cut proportionally as Digger Creek flows decrease. Since the lower users have to stand all deficiencies, the upper users, in effect, have first priority allotments and the lower users have second and third priority allotments.

Water Supply

Snowmelt contributes to the early runoff, but the summer streamflow is primarily from springs. In average runoff years, there is sufficient flow in Digger Creek, with careful regulation, to satisfy all decreed allotments throughout the irrigation season, but serious deficiencies occur in dry years.

There was no measurement of daily mean discharge of Digger Creek below the mouth of the South Fork.

Method of Distribution

Irrigation is done mainly by wild flooding, although border checks and sprinklers are used on a few fields. Small diversion dams are placed in the stream channel to divert water into ditches for conveyance to the fields.

1987 Distribution

Watermaster service on Digger Creek began on May 15, 1987, and continued until September 30 with Kenneth E. Morgan, Water Resources Engineering Associate, as watermaster.

The winter of 1986 and spring of 1987 provided a very poor snowpack and light rainfall. However, the available water supply from flowing springs was adequate to fill about 75 percent of the lower users' allotments. The need for frequent regulation by the watermaster during periods of low flow has been greatly reduced due to the installation of pipelines on the Boole, Crooker, and Harrison Ditches in the past 10 years. Also, a rotation program that was implemented in 1985 for diversion numbers 8, 9, and 11 during periods of low flow has benefited all users, including the grape vineyards.

HAT CREEK WATERMASTER SERVICE AREA

The Hat Creek service area is in the eastern part of Shasta County, north of Lassen Volcanic Park. Hat Creek, which flows north through the area, is the only source of water in the service area. The place of use is Hat Creek Valley, which is about 20 miles long and 2 miles wide, running north from about 3 miles south of the town of Old Station to the confluence with Rising River. The irrigable lands, which consist primarily of volcanic ash, are interlaced with large outcroppings of volcanic rocks.

Basis of Service

Water from Hat Creek is distributed under provisions of court reference adjudications which resulted in Decree No. 5724, dated May 14, 1924, and Decree No. 7858, dated May 7, 1935, Shasta Superior Court. Decree No. 5724 established irrigation and nonirrigation allotments for 18 periods of rotation between "upper" and "lower" user groups for the period of May 1 to October 28 annually. Decree No. 7858 established three allotments for continuous irrigation, May 1 through October 28, allotments for the period October 28 to May 1 annually for all users. These latter rights are not normally supervised by the watermaster.

Watermaster service in the Hat Creek area has been provided in accordance with the decree since 1924. The existing service area was created on September 11, 1929.

Decree No. 5724 defines the allotments in the separate schedules: upper and lower users, requiring 10-day rotations beginning at 6 a.m., May 1, and ending at 6 a.m., October 28. All water rights are of the same priority, with the surplus flows distributed according to the users that are on rotation. The upper users' water rights require 154.7 cfs and lower users require 166.5 cfs. The lower users require more because of additional channel loss. When the upper users are being served, the lower users receive a minimum flow for stock water.

Water Supply

The water supply for Hat Creek comes from snowmelt runoff from Lassen Peak and from large springs. Snowmelt creates a high flow during May and June, but most of the summer supply comes from large springs that decrease only slightly in output. Only after a series of dry years does the flow of these springs decrease below 75 percent of total allotments. Records of mean daily discharge of Hat Creek near Hat Creek are presented in Table 14.

Method of Distribution

Most irrigation in the area is done by wild flooding. Large heads of water are used to cover the land rapidly, thereby preventing excessive loss from percolation in the porous soil. Diversion dams built across the creek divert water into large ditches. The fields, many of which have checks and borders, are then flooded from the main diversion ditches or from laterals. Several domestic rights are met by pumping directly from Hat Creek. Some ranchers have leveled their fields in recent years, thus improving their irrigation efficiency.

1987 Distribution

Watermaster service on Hat Creek began on May 1 with Don Hand, Water Resources Engineering Associate, as watermaster. Don Hand transferred to the Beckwourth office June 30. Virgil Buechler, Water Resources Engineering Associate was watermaster from July 1 to October 15.

The flow Hat Creek held up very well. On July 1, the creek had decreased to 95 percent of the allotments and remained at that throughout the season.

The trial program of switching 24 cfs of lower user rights with the upper users to insure a larger minimum flow in the lower stream continued again this season with success.

In August, two major forest fires swept through the area. The first fire was in the middle of the service area and burned the area west of the Reiger Ditch. The other fire burned from Wilcox Road to the Hat Creek rim. These fires will not affect the drainage area.

INDIAN CREEK WATERMASTER SERVICE AREA

The Indian Creek service area is in north central Plumas County, near Greenville. The major sources of supply in the service area are Indian Creek and two tributaries, Wolf Creek and Lights Creek. Indian Creek and its minor tributaries rise in the mountains east of the service area. It flows through Genesee and Indian Valleys and past Taylorsville and Crescent Mills to where it joins the North Fork Feather River. Indian Creek is joined on the north by Lights Creek in southeast Indian Valley and by Wolf Creek in the northwest part of the valley. The major place of use is in Indian Valley, an irregular-shaped area of about 20 square miles. The average elevation is about 3,500 feet.

Basis of Service

The Indian Creek watermaster service area was created on February 19, 1951, to include, with certain exceptions, the water rights set forth in Decree No. 4185, entered December 19, 1950, by the Superior Court of Plumas County, and the rights under Permit 7665 issued in approval of Application 12642 after entry of the decree. The statutory proceeding leading to the decree was entitled, "In the Matter of the Determination of the Rights of the Various Claimants to the Water of Indian Creek Stream System in Plumas County, California".

The service area has been amended twice. Watermaster service has been provided during each irrigation season since the service area was created, and annual reports show the work accomplished. There are 49 water right owners in the service area, with total allotments amounting to 96,715 cfs. Indian Creek decree establishes three priority classes for each major stream within the service area.

Water Supply

The water supply in the Indian Creek service area comes mainly from snowmelt, with springs and seepage maintaining some late summer flows. The flow of Wolf Creek is normally sufficient to supply all allotments until June 1. Indian and Lights Creeks have sufficient flow to supply all allotments until July 1. After these dates, flows decrease throughout the season and by the end of August, only a small part of allotments is available. The mean daily discharge for Indian Creek near Crescent Mills is presented in Table 15.

Method of Distribution

The basic method of irrigation in Indian Valley is wild flooding. Small diversion dams are constructed in the stream channels to divert water into distribution ditches for conveyance to the fields. Small check dams, located throughout the fields in swales, help to spread the water over the ground. There is a limited amount of check and border irrigation in the valley, and a few sprinkler systems are in use.

INDIAN CREEK WATERMASTER SERVICE AREA

TABLE 15

1987 Daily Mean Discharge
(In cubic feet per second)

INDIAN CREEK NEAR CRESCENT MILLS

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	188	295	199	56	22	15	13
2	186	321	191	47	23	16	13
3	190	338	171	39	23	13	11
4	214	330	155	35	21	12	10
5	405	306	139	31	26	9.7	9.8
6	747	292	131	31	24	9.5	10
7	599	288	130	27	21	7.8	8.9
8	497	293	127	24	19	11	12
9	430	292	134	26	14	13	11
10	366	287	172	22	17	14	11
11	361	299	139	25	14	11	12
12	643	292	121	22	17	9.8	10
13	1560	255	103	24	16	11	10
14	1150	241	93	27	16	13	8.8
15	878	237	89	27	16	13	14
16	682	233	89	27	15	14	16
17	594	219	88	22	18	16	17
18	619	221	90	23	29	15	17
19	620	219	91	21	29	13	17
20	528	206	87	23	25	13	13
21	486	191	71	26	23	13	17
22	428	183	64	23	21	8.3	17
23	400	172	67	20	20	10	15
24	381	149	60	21	22	9.3	14
25	339	146	60	25	19	11	14
26	314	152	70	26	19	13	14
27	304	158	75	26	17	14	16
28	291	162	77	25	14	13	17
29	273	171	73	25	15	11	17
30	262	186	61	21	13	14	14
31	268		59		12	16	
MEAN	490	238	106	27.2	19.4	12.3	13.3
AC-FT	30150	14150	6500	1620	1190	758	792

1987 Distribution

Watermaster service began in the Indian Creek service area on April 9 with Jon A. Haman, Water Resources Engineering Associate, as watermaster. On July 1, Don Hand, Water Resources Engineering Associate, assumed the duties as watermaster for the remainder of the season, which was the end of October.

Wolf Creek

The available water supply of Wolf Creek was sufficient to satisfy all allotments until mid-May. After this, the flow dropped rapidly to approximately 25 percent of the first priority, where it remained for the rest of the season.

Lights Creek and Tributaries

On Lights Creek and Cooks Creeks, the water supply was sufficient to supply all three priorities through mid-May. The flow decreased from mid-May to mid-August, where it leveled off and was only sufficient to supply approximately 10 percent of the first priority.

Indian Creek

The water supply of Indian Creek was adequate for all three priorities through early June. The flow continued dropping until mid-August, supplying only enough for the first priority.

MIDDLE FORK FEATHER RIVER WATERMASTER SERVICE AREA

The Middle Fork Feather River service area is in Sierra Valley on the west slope of the Sierra Nevada in eastern Sierra and Plumas Counties.

Major sources of supply for this service area are the Middle Fork Feather River and its tributaries in the Sierra Valley. The area comprises five major stream groups. Starting in the northeast corner of the valley and proceeding in a clockwise direction, these are: Little Last Chance Creek, Smithneck Creek, Webber Creek and tributaries, West Side Canal, and Fletcher Creek and Spring Channels. The Middle Fork Feather River flows generally north for about 15 miles through Sierra Valley. It then flows out of the valley in a westerly direction near Beckwourth. The major place of use is in Sierra Valley, which is about 15 miles long and 10 miles wide. The average elevation of the valley floor is 4,900 feet.

Basis of Service

The Middle Fork Feather River watermaster service area was created on March 29, 1940, to include, with the exception of certain tributaries and springs, all water rights set forth in Decree No. 3095, entered in the Middle Fork Feather River statutory adjudication proceeding on January 19, 1940, Superior Court, Plumas County. The decree establishes the number of priority classes for each of the major stream systems within the Middle Fork Feather River service area as follows: Little Last Chance Creek - eight; Smithneck Creek - five; West Side Canal Group - five; Fletcher Creek and Spring Channels - three; Webber Creek and tributaries - six; and Sierra Valley Water Company - one.

The service area has been amended three times. Watermaster service has been provided during each irrigation season since the service area was created, and annual reports have been prepared to show the work accomplished.

There are currently 104 water right owners in the service area, with total allotments amounting to 375.639 cfs.

Water Supply

The major water supply in the Middle Fork Feather River service area comes from snowmelt runoff, with minor flow from springs and supplemental stored and foreign water.

Natural flows of Little Last Chance Creek are supplemented by reservoir storage provided by Frenchman Dam, which was built by the Department of Water Resources in 1961. Stored water is released and used as needed under the provisions of a water supply contract.

Smithneck Creek flow is normally sufficient to supply all allotments until about the middle of May. It then decreases until about June 1 when only first and second priority allotments are available for the rest of the season.

The natural flow of Webber Creek is normally sufficient to supply all allotments until the middle of May. At that time, up to 60 cfs is diverted from the Little Truckee River to supplement the flow. This imported water is diverted through the Little Truckee Ditch into Onion Creek and then into Webber Creek, via Cold Stream, for use of shareholders in the Sierra Valley Water Company. This supplemental supply decreases rapidly in July, producing only a small quantity during the latter part of the season.

The West Side Canal streams normally supply all allotments until early June. The flow then gradually declines throughout the season. The flow of Fletcher Creek and Spring Channels normally supplies all allotments until July 1. It then gradually declines for the rest of the season.

Records of the daily mean discharge of Little Truckee Ditch and the Middle Fork Feather River near Portola are presented in Tables 16 and 17.

Method of Distribution

Wild flooding is used by most ranches to irrigate their fields. Small diversion dams are placed in the stream channels to divert the water into individual distribution systems. Check dams are constructed in the swales to implement flooding once the water reaches the fields.

1987 Distribution

Watermaster service began March 15 in the Middle Fork Feather River service area and continued until September 30, with Conrad Lahr, Water Resources Engineering Associate, as watermaster. The available supply in the service area was below average during the season.

Little Last Chance Creek

Deliveries for Little Last Chance Creek Water District started on April 23. A total of 9,444 acre-feet of water was delivered. The season started with Joe Nessler as watermaster. Jon Haman took over in July for the remainder of the season, due to Nessler's retirement.

Smithneck Creek

Enough water was available in this system to meet demand until the middle of April. The regular two-week rotation of water for first and second priorities below Highway 49 was implemented on April 16.

MIDDLE FORK FEATHER RIVER WATERMASTER SERVICE AREA

TABLE 16

1987 Daily Mean Discharge
(In cubic feet per second)

LITTLE TRUCKEE DITCH AT HEAD

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1			61	43E	5.4	0.6	0.8
2			58	42E	4.6	0.6	0.8
3			57	42E	4.4	0.6	0.8
4			56	41E	3.9	0.6	0.8
5		1/	59	41E	3.7	0.6	0.8
6		25	59	40	3.7	0.6	0.8
7		26	59	42	3.7	0.6	0.8
8		26	59	40	3.2	0.6	0.8
9		27	60	32	3.0	0.6	0.8
10		28	60	28	2.8	0.6	0.8
11		28	59	24	2.6	0.6	0.8
12		28	59	21	2.4	0.6	0.8
13		42	61	17	2.4	0.6	0.8
14		60	61	19	2.4	0.6	0.8
15		60	59	22	2.3	0.6	0.8
16		59	59	19	1.9	0.6	0.8
17		59	60	15	2.1	0.6	0.8
18		59	60	12	2.8	0.6	0.7
19		61	61	11	3.2	0.6	0.7
20		59	60	13	2.8	0.7	0.7
21		60	61	14	2.4	0.8	0.7
22		59	61	11	2.6	0.8	0.7
23		59	61	8.9	2.4	0.8	0.7
24		59	59	8.9	2.1	0.8	0.7
25		59	58	7.0	1.7	0.8	0.7
26		59	58	6.7	1.1	0.8	0.6
27		60	56	8.2	0.9	0.8	0.6
28		59	59	9.8	0.8	0.8	0.6
29		59	56	7.9	0.7	0.8	0.6
30		59	53	6.2	0.6	0.8	0.6
31			49		0.6	0.8	
MEAN		46.6	58.6	21.7E	2.6	0.7	0.7
AC-FT		2458	3606	1294E	157	41	44

1/ No record before April 6
E - Estimated

MIDDLE FORK FEATHER RIVER WATERMASTER SERVICE AREA

TABLE 17

1987 Daily Mean Discharge
(In cubic feet per second)

MIDDLE FORK FEATHER RIVER NEAR PORTOLA

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	90	57	26	35	12	11	14
2	90	60	26	33	12	11	14
3	87	60	26	30	15	12	14
4	82	61	27	29	15	13	14
5	79	62	28	27	15	12	14
6	76	62	28	25	14	12	14
7	84	61	30	25	14	13	15
8	93	57	34	25	14	13	16
9	94	48	36	22	14	14	12
10	91	42	35	22	13	13	11
11	88	39	36	21	13	11	11
12	90	35	36	21	14	10	11
13	105	27	40	21	14	10	11
14	142	25	37	21	14	10	11
15	176	25	36	21	14	10	11
16	173	25	36	21	14	10	11
17	147	29	36	21	14	10	11
18	125	28	35	24	14	10	11
19	122	29	34	25	14	10	12
20	127	29	34	23	12	11	14
21	132	30	33	23	11	11	15
22	134	30	33	22	11	11	15
23	127	30	32	22	11	14	14
24	121	30	32	22	11	14	15
25	111	31	32	21	11	14	16
26	99	32	32	18	11	15	16
27	91	31	34	17	11	16	16
28	72	28	35	15	10	15	15
29	46	27	36	15	10	14	15
30	49	26	36	14	11	14	15
31	57		36		11	14	
MEAN	103	38.5	33.1	22.7	12.7	12.2	13.5
AC-FT	6340	2290	2040	1350	781	752	801

Webber Creek

There was sufficient water to supply all allotments (six priorities) until the first of April. The flow decreased for the rest of the season with enough to supply only first priority. Importation of water from the Little Truckee River began April 6, supplementing the natural flow of Webber Creek to help satisfy all allotments of the Sierra Valley Water Company shareholders (one priority). A total of 5,797 acre-feet of water was diverted through the Little Truckee Ditch during the irrigation season.

West Side Canal Group

The flow in this system, consisting of Hamlin, Miller, and Turner Creeks, was sufficient to satisfy all allotments (five priorities) until the mid-June.

Fletcher Creek and Spring Channels

Ample water was available to satisfy all allotments until about May 1, after which the flow slowly decreased for the rest of the season.

NORTH FORK COTTONWOOD CREEK WATERMASTER SERVICE AREA

The North Fork Cottonwood Creek service area is in Shasta County near the town of Ono, west of Redding. The source of water for this service area is the North Fork of Cottonwood Creek and its two major tributaries, Moon Creek and Jerusalem Creek. The North Fork of Cottonwood Creek flows through the service area in a southeasterly direction to where it joins the other two major forks of Cottonwood Creek and then to the Sacramento River east of the town of Cottonwood. The service area consists of sparsely scattered parcels, some in hilly terrain and some in the valleys.

Basis of Service

The water rights of this creek system were determined by court reference and set forth in Decree No. 5479, Shasta County Superior Court, dated June 9, 1920. The North Fork Cottonwood Creek watermaster service area was created September 11, 1929, although service had been provided intermittently in accordance with the decree since 1924. All water rights are of equal priority.

Water Supply

Snowmelt contributes to the flow in the North Fork Cottonwood Creek system during the early part of the irrigation season, and perennial springs provide the major source of supply during the summer and fall months. The flow is normally sufficient to supply all demands except in dry years, when the available supply may be as low as 20 to 40 percent of the decreed allotments.

A record of the daily mean discharge of North Fork Cottonwood Creek near Igo is presented in Table 18. This gaging station is downstream from most diversion points on the creek, but gives a general indication of the water supply.

Method of Distribution

The general practice throughout the area is to irrigate by wild flooding. One water user pumps directly from the creek, using a sprinkler system to irrigate his crops. Pumping was necessary at this diversion point because the irrigated land was considerably higher than the creek channel.

NORTH FORK COTTONWOOD CREEK WATERMASTER SERVICE AREA

TABLE 18

1987 Daily Mean Discharge
(In cubic feet per second)

COTTONWOOD CREEK NORTH FORK NEAR IGO

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	74	132	62	25	6.0	11	2.4
2	74	132	54	20	6.1	9.3	1.7
3	107	159	52	20	6.3	3.7	1.8
4	102	134	47	19	6.0	3.1	2.1
5	432	127	44	19	6.0	3.2	2.2
6	273	114	41	15	5.7	4.2	2.5
7	205	95	41	12	5.7	4.6	2.7
8	180	91	41	12	6.9	4.6	3.2
9	162	88	40	12	6.1	4.5	4.2
10	150	92	39	11	6.9	4.5	3.6
11	158	93	37	10	6.2	4.6	3.0
12	865	90	31	9.6	5.8	4.7	3.0
13	537	87	32	8.7	6.4	4.8	3.2
14	527	85	32	8.5	6.1	4.6	3.8
15	390	82	32	9.2	5.0	4.2	3.9
16	322	77	32	10	4.5	3.5	3.8
17	286	74	31	10	4.7	2.9	3.4
18	261	72	33	9.9	6.3	2.7	3.2
19	246	69	32	9.7	9.1	2.7	3.3
20	234	65	31	9.8	7.9	3.1	3.4
21	248	62	30	11	7.1	3.2	3.8
22	224	60	31	9.8	6.6	2.9	3.9
23	302	60	33	9.4	6.5	2.9	3.6
24	237	58	31	8.2	6.4	2.8	3.9
25	174	56	31	7.5	6.8	2.6	4.5
26	163	54	32	6.1	7.1	2.5	4.7
27	152	52	31	5.9	6.4	2.8	4.5
28	145	52	31	6.1	5.5	3.0	4.3
29	138	48	29	5.9	6.5	2.8	4.2
30	131	66	28	6.0	12	2.8	3.6
31	129		27		11	2.6	
MEAN	246	84.2	36.1	11.2	6.6	3.9	3.4
AC-FT	15130	5010	2218	667	408	241	201

1987 Distribution

Watermaster service for North Fork Cottonwood Creek began June 1, 1987, and continued through September 30. Kenneth E. Morgan, Water Resources Engineering Associate, was watermaster.

The available water supply in the service area was below normal. No distribution problems were encountered during the season. The flow was sufficient to satisfy all requirements during 1987.

The Bee Ditch users received only a portion of their allotments because their diversion dam is leaking badly. An unsuccessful attempt was made to repair the Bee Ditch diversion dam in 1987. The leaking, however, does benefit the lower users.

NORTH FORK PIT RIVER WATERMASTER SERVICE AREA

The North Fork Pit River service area lies along the west slopes of the Warner Mountains in northeastern Modoc County and extends southward from the Oregon border about 45 miles to just south of Alturas.

The North Fork Pit River flows in a southerly direction from the south rim of Goose Lake Basin to its confluence with the South Fork Pit River west of Alturas. The basins of Goose Lake and the North Fork Pit River may be considered completely separate, since the lake has not spilled into the river for nearly 100 years.

Nine small independent streams flowing in a westerly direction from the west slope of the Warner Mountains constitute the major source of water. Three of these (New Pine, Cottonwood, and Davis Creeks) are tributary to Goose Lake. Five are tributary to the North Fork Pit River. From north to south, they are: Linville, Franklin, Joseph, Thoms, and Parker Creeks. Pine Creek near Alturas is included in this service area and is a tributary to the South Fork Pit River.

The place of use in the northern half of the area is a relatively long, narrow, sloping strip of land between the east shore of Goose Lake and the foothills of the Warner Mountains. The places of use in the southern half of the area, which are supplied from the North Fork Pit River and its tributaries, are primarily in the narrow valleys bordering the streams. The elevation of the places of use range from about 4,350 feet just below Alturas to about 5,200 feet at the upper portions on some of the creeks.

Basis of Service

Table 19 briefly outlines the five decrees covering the area and presents data on the establishment of watermaster service and water rights.

The Pine Creek agreement established water rights for Pine Creek on November 22, 1933, and this stream was added to the South Fork Pit River area on January 22, 1935. Pine Creek Reservoir, a small reservoir above all diversions, was originally used for power generation. Now a recreation site, it has a small water right but is not in the service area and was added to North Fork Pit River area on July 1, 1982. The Pine Creek agreement established two priorities.

Water Supply

The water supply comes mainly from snowmelt for all streams in the North Fork Pit River service area except Linville Creek, which, having a relatively small drainage area, is almost entirely spring-fed. After mid-June, the rest of the streams also depend on springs, but diminish rapidly until mid-July, after which the flow remains fairly constant. There are several small reservoirs in the area, but they are used essentially for regulatory storage. Mean daily discharge of North Fork Pit River and various tributaries is presented in Tables 20 to 26, pages 55 to 61.

TABLE 19

DECREEES AND RELATED DATA - NORTH FORK PIT RIVER WATERMASTER SERVICE AREA

Stream	Modoc County Superior Court Decree			Service Area Created	No. of Water Right Owners	Total cfs	Remarks
	No.	Date	Type ^{a/}				
New Pine Creek	2821	6-14-32	CR	6-22-32	21	22.18	Two priorities.
Cottonwood Creek	2344	5-03-40	CR	12-13-40	5	15.35	When water for Diversion Creek No. 3 is insufficient to reach the area of use, it is diverted at Diversion No. 4.
Davis Creek	2782	6-30-32	CR	7-13-32	19	52.70	Four priorities, 4-1 to 9-15. Some rights vary according to flow available. Most first & second priorities are year-round. One second priority right is for 0.40 cfs export for Roberts Creek.
					2 ^{b/}		Appropriative Permit 9825 allows diversion from North Fork Davis Creek and License 10549 to divert from Davis Creek, both for the period from 10-1 to 5-1.
Franklin Creek	3118	9-08-33	CR	9-14-33	4	11.66	Four priorities. The first priority and all second priority rights are year-round, except one which is equal to all the others--1.46 cfs-- and is for the period 9-15 to 3-31 annually. Third and fourth priorities are for 4-1 to 9-30 each year.
North Fork Pit River	4074	12-14-34	S	12-18-39	10	51.73	Five priorities, 4-1 to 9-30. Pit River Dorris Reservoir water diverted through Parker Creek ditch on Parker Creek. Fourth and fifth priorities are special class.
Linville	4074	12-14-39	S	12-18-39	3	8.30	Two priorities.
Joseph	4074	12-14-39	S	12-18-39	6	11.98	Four priorities, 4-1 to 9-30. Diversions on south side of stream, with the exception of No. 26, are on net consumptive use basis.
Parker	4074	12-14-39	S	12-18-39	7	18.07	Four priorities, 4-1 to 9-30. Diversion on Dorris Reservoir shown on North Fork Pit River schedule is made at No. 120, Parker Creek Ditch.
Shields	4074	12-14-39	S	12-18-39	5	7.50	Four priorities, 4-1 to 9-30.
Thoms	4074	12-14-39	S	12-18-39	9	6.44	Three priorities, 4-1 to 9-30.
						9.40	5.0 cfs export to Cedar Creek; and 4.40 cfs export to Stony Canyon.
Gleason	4074	12-14-39	S	12-18-39	4	4.45	Five priorities.
Pine		11-22-33		1-22-35	16	60.00	Surplus flow diverted into Doris Reservoir.

^{a/} S-Statutory, CR-Court Reference.

^{b/} Appropriative rights, junior to the decreed rights.

Method of Distribution

Distribution is accomplished by diversion structures in the main channels diverting into ditches that convey the water to its place of use. Wild flooding from small feeder ditches is the common method of application. There is, however, increasing use of sprinkler systems, some directly from ditches, with supplemental ground water being added as the surface flow diminishes. Sub-irrigation by the use of large flashboard dams to raise the water level in the channel is practiced along the North Fork Pit River between Parker Creek and Alturas.

1987 Distribution

Watermaster service in the North Fork Pit River service area began April 1 and continued through September 30. Glyn Echols, Water Resources Assistant Engineer, was watermaster.

The 1987 irrigation season was considered a dry season, with streamflow well below normal.

New Pine Creek

By mid-June, only 60 percent of the continuous flow allotments could be supplied. On July 1, when the water right goes to a priority system, only 40 percent of the third priority could be supplied. The flow continued to drop; by the end of the season, only 50 percent of the first priority was available.

Cottonwood Creek

The streamflow was adequate during May to fill all priorities. By July 1, only 30 percent of the first priority could be filled. By mid-August, the flow dropped so low that the water diverted to Noble (Tract 33) would not flow to the place of use. Noble was then cut off and the entire flow of the creek (0.25 cfs) was diverted to Weidner.

During the month of September, the watermaster, with the cooperation of the Noble family, constructed an automatic split on Noble's ditch. In the future when the streamflow recedes to approximately 1.0 cfs, the watermaster will divert the entire flow down the Noble ditch to an automatic split where Weidner's portion will be diverted via a pipeline to her point of diversion on Cottonwood Creek. This will eliminate a substantial amount of creek channel loss from Noble's point of diversion to Weidner's point of diversion.

Davis Creek

Runoff from the Davis Creek watershed was far below normal for this season. Second priorities could be filled for only 3 weeks during April and May. By June 1, only 50 percent of the second priorities could be filled. The flow continued to drop through the summer and leveled out during the first of August with 20 percent of the second priorities being filled.

Linville Creek

Linville Creek did not experience the water shortage that the other creeks in the area did. Flows were consistent and only slightly below normal. The streamflow was adequate to supply 70 percent of the first priorities.

Franklin Creek

Streamflows were never adequate to supply any fourth priorities. By mid-May, only 30 percent of third priorities could be filled. Flow continued to drop; by the end of the season, only 4 percent of the third priorities were filled.

Joseph Creek

Streamflows in April were adequate to supply all priorities. By the end of May, only first priorities could be supplied. By the first of July, only 35 percent of the first priorities were filled.

Thoms Creek

Streamflows were low with only stock water and minimal irrigation water available to the upper users by mid-summer.

North Fork Pit River

By the first of June, 70 percent of the second priorities were being filled. At the end of the season, 30 percent of the second priorities were being filled.

Parker Creek

The water supply was ample through May for all demands. By June 1, only a small portion of the third priorities were filled. By August 1, only stock water was available.

Shields Creek

Streamflows at best were only adequate to supply full second priorities. By mid-May, only 40 percent of second priorities could be filled. At the end of July, only 20 percent of the second priorities were filled.

NORTH FORK PIT RIVER WATERMASTER SERVICE AREA

TABLE 20

1987 Daily Mean Discharge
(In cubic feet per second)

NEW PINE CREEK ABOVE DIVERSION NO. 8

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1					7.8		
2		7.0					
3							
4				16		4.1	
5							
6							
7					6.9		2.1
8							
9						3.6	
10							
11							
12							
13			44		5.1		
14							
15							
16							
17							
18							
19						2.9	
20					6.3		
21							
22							
23							
24				6.3			
25			27			2.5	
26				8.0			
27					5.3		
28							
29		41					1.6
30				8.1			
31							

MEAN
AC-FT

NOTE: Intermittent record

NORTH FORK PIT RIVER WATERMASTER SERVICE AREA

TABLE 21

1987 Daily Mean Discharge
(In cubic feet per second)

DAVIS CREEK ABOVE DIVERSION NO. 4

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1					5.8		
2		11					
3							
4							4.1
5			21				
6							
7					6.4	4.6	
8							
9							
10							
11							
12			27	9.3			
13					5.5		
14							
15							
16		17					
17							
18							
19							
20					6.7		
21		13					
22		14					
23			13				
24							
25							
26				6.1			
27					5.5		
28						4.6	5.5
29							
30		33					
31							

MEAN
AC-FT

NOTE: Intermittent record

NORTH FORK PIT RIVER WATERMASTER SERVICE AREA

TABLE 22

1987 Daily Mean Discharge
(In cubic feet per second)

LINVILLE CREEK AT OLD POWERHOUSE

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1					2.6		
2		3.0					
3							
4				2.7			
5			3.0				
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16		3.0					
17							
18							
19							
20					2.6		
21							
22							
23							
24							
25							
26							
27							
28							
29							2.5
30							
31							

MEAN
AC-FT

NOTE: Intermittent record

NORTH FORK PIT RIVER WATERMASTER SERVICE AREA

TABLE 23

1987 Daily Mean Discharge
(In cubic feet per second)

FRANKLIN CREEK ABOVE DIVERSIONS

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1			7.8	3.5	2.5	2.1	2.1
2			7.0	3.5	2.5	2.1	2.1
3			6.5	3.5	2.7	2.1	2.1
4			6.2	3.5	2.7	2.1	2.1
5			5.8	3.5	2.7	2.1	2.1
6			5.5	3.5	2.7	2.1	2.1
7			5.3	3.5	2.7	2.1	2.1
8			5.0	4.2	2.5	2.1	2.1
9			5.0	3.7	2.5	2.1	2.1
10			5.5	3.5	2.5	2.1	2.1
11			5.3	3.5	2.5	2.1	2.1
12			5.0	3.5	2.5	2.3	2.1
13			4.8	3.5	2.5	2.3	2.1
14			4.6	3.5	2.3	2.5	2.0
15			4.3	3.5	2.3	2.5	2.0
16		1/	4.3	3.3	2.3	2.5	2.0
17		5.5	4.1	3.2	2.7	2.3	2.0
18		5.3	3.9	3.3	3.3	2.3	2.0
19		5.0	3.7	3.1	3.1	2.3	2.0
20		5.0	3.5	3.1	2.7	2.1	2.0
21		5.0	3.5	2.9	2.9	2.1	2.0
22		5.0	3.5	2.9	2.9	2.1	2.0
23		5.3	3.5	2.9	2.7	2.1	1/
24		5.5	3.5	2.7	2.5	2.1	
25		6.0	4.8	2.7	2.5	2.1	
26		6.2	5.3	2.5	2.5	2.1	
27		7.3	4.3	2.5	2.5	2.1	
28		7.8	3.7	2.5	2.3	2.1	
29		8.1	3.5	2.5	2.3	2.1	
30		8.6	3.5	2.5	2.3	2.1	
31			3.5		2.1	2.1	
MEAN		6.1	4.7	3.2	2.6	2.2	2.1
AC-FT		170	289	190	158	133	90

1/ No record before April 17 or after September 22.

NORTH FORK PIT RIVER WATERMASTER SERVICE AREA

TABLE 24

1987 Daily Mean Discharge
(In cubic feet per second)

JOSEPH CREEK BELOW COUCH CREEK

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1			15	3.6	1.6		
2		1/	13	3.5	1/		
3		12	12	3.3			
4		11	11	3.2			
5		10	11	2.6			
6		10	10	2.8			
7		11	11	4.1			
8		11	12	4.1			
9		11	12	3.2			
10		11	11	2.9			
11		13	10	2.6			
12		11	9.7	2.5			
13		10	7.3	2.5			
14		10	8.0	3.6			
15		11	6.8	3.9			
16		12	5.9	3.7			
17		12	6.1	3.6			
18		12	5.5	3.4			
19		12	5.1	3.3			
20		11	4.5	3.2			
21		9.9	4.5	2.9			
22		9.9	4.3	2.8			
23		10	4.3	2.6			
24		11	4.1	2.2			
25		11	5.7	1.7			
26		11	10	1.6			
27		13	5.6	1.6			
28		14	4.7	1.6			
29		15	4.3	1.6			
30		16	4.1	1.6			
31			3.9				
MEAN		11.5	7.8	2.9			
AC-FT		638	481	170			

1/ No record before April 3 and after July 1

NORTH FORK PIT RIVER WATERMASTER SERVICE AREA

TABLE 25

1987 Daily Mean Discharge
(In cubic feet per second)

SHIELDS CREEK ABOVE DIVERSION NO. 95

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		1/	7.2	2.7	2.0	1/	
2		5.8	6.5	2.7	2.0		
3		6.7	5.8	2.5	2.0		
4		7.9	5.4	2.5	2.0		
5		7.2	4.9	2.5	1.9		
6		6.7	4.7	2.5	1.9		
7		6.7	4.5	2.5	1.9		
8		6.7	4.5	2.9	1.9		
9		6.7	4.3	3.6	1.9		
10		6.7	4.0	3.1	1.9		
11		7.0	4.0	3.0	1.9		
12		6.7	3.6	2.7	1.9		
13		6.3	3.4	2.5	1.9		
14		6.3	3.1	2.5	1.9		
15		6.3	3.1	2.5	1.9		
16		6.3	3.1	2.5	1.9		
17		6.3	3.6	2.5	2.0		
18		6.5	3.8	2.5	2.5		
19		7.0	3.8	2.5	2.5		
20		7.2	3.4	2.5	2.2		
21		7.0	3.1	2.5	2.0		
22		6.5	2.9	2.2	2.0		
23		6.1	2.7	2.0	2.0		
24		5.8	2.7	2.0	1.9		
25		5.4	3.5	2.0	1.9		
26		5.4	5.4	2.0	1.9		
27		5.2	3.8	2.0	1.9		
28		5.4	3.1	2.0	1.9		
29		5.6	3.0	2.0	1.9		
30		7.4	2.9	2.0	1.9		
31			2.9		1.9		
MEAN		6.4	4.0	2.5	2.0		
AC-FT		371	243	147	121		

1/ No record before April 2 and after July 31

NORTH FORK PIT RIVER WATERMASTER SERVICE AREA

TABLE 26

1987 Daily Mean Discharge
(In cubic feet per second)

PINE CREEK NEAR ALTURAS

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	13	13	25	19	15	8.4	7.7
2	13	13	25	19	14	8.3	7.7
3	13	14	25	19	13	8.2	7.6
4	14	14	27	19	13	8.1	7.7
5	14	13	25	18	12	8.1	7.7
6	14	13	24	18	12	8.1	7.7
7	14	13	24	19	12	8.0	7.6
8	14	13	23	19	11	8.0	7.6
9	13	13	24	18	11	8.0	7.6
10	13	14	24	18	11	7.9	7.6
11	13	14	24	18	11	8.0	7.5
12	14	14	24	18	11	8.0	7.5
13	15	14	24	18	10	8.1	7.5
14	15	14	25	18	10	8.2	7.5
15	15	14	26	18	10	8.1	7.5
16	17	15	26	18	10	8.0	7.4
17	18	15	28	18	11	7.8	7.3
18	18	15	28	18	12	7.8	7.3
19	17	15	27	18	11	7.7	7.3
20	16	15	26	18	10	7.7	7.3
21	15	15	25	17	10	7.6	7.2
22	14	15	24	17	10	7.7	7.2
23	14	16	24	16	9.9	7.8	7.2
24	14	16	23	16	9.7	7.7	7.2
25	13	16	25	16	9.5	7.7	7.2
26	13	17	61	15	9.4	7.7	7.3
27	13	18	35	15	9.1	7.6	7.2
28	13	18	25	15	8.9	7.6	7.2
29	13	20	22	14	8.6	7.6	7.2
30	13	24	20	14	8.6	7.7	7.1
31	13		19		8.4	7.7	
MEAN	14.2	15.1	26.0	17.4	10.7	7.9	7.4
AC-FT	875	899	1601	1033	659	486	442

SCOTT RIVER WATERMASTER SERVICE AREA

The Scott River service area is in western Siskiyou County and consists of five tributaries of the Scott River: French Creek, Shackelford Creek, Sniktaw Creek, Oro Fino Creek, and Wildcat Creek. Before 1980, French Creek and Shackelford Creek were separate service areas. Wildcat Creek came into service in 1981, and the four tributaries to the Scott River were combined to form the Scott River watermaster service area.

1987 Distribution

Watermaster service began in the Scott River watermaster service area on April 1 and ended on September 30 with Keithal B. Dick, Water Resources Technician II, as watermaster. Lester Lighthall was called into service on May 15 and finished on September 18. Mr. Lighthall's services were needed to assist Mr. Dick because of the record low water supply and the resulting increase in regulation.

French Creek

The French Creek service area is in Scott Valley, western Siskiyou County, near the town of Etna. The major sources of water supply are French, Miners, and North Fork French Creeks. French Creek flows northeast through the center of the service area. Miners Creek begins east of the headwaters of French Creek and flows in a northerly direction, joining French Creek about three miles above its confluence with Scott River. North Fork French Creek begins north of the headwaters of French Creek and flows easterly, joining French Creek one mile upstream from the confluence with Miners Creek.

The service area encompasses the entire agricultural area within the French Creek Basin and some additional lands along the west side of the Scott River near the town of Etna. It is about 0.5 mile wide and 5 miles long, with the main axis and drainage running from south to north. Elevations of the agricultural area range from about 3,200 feet at the south to about 2,800 feet at the confluence of French Creek and Scott River.

Basis of Service. The rights of this creek system were determined by court reference and set forth in Decree No. 14478, Siskiyou County Superior Court, dated July 1, 1958.

The French Creek watermaster service area was created on November 19, 1968, and service was started on July 1, 1969.

Water is distributed according to three schedules: North Fork French Creek, with three priorities; Miners Creek with three; and the French Creek, Horse Range Creek, Paynes Lake Creek, and Duck Lake system, with seven.

These schedules are independent of each other with two exceptions: (1) Miners Creek users have the option of diverting from French Creek when water is not available from Miners Creek, and (2) maximum allowable flows are specified at given points, regardless of the source of the water.

One peculiarity of this decree is that it included two water rights that have a specified amount, which are subject to the exclusive control of the other owners of the ditch. This portion of the decree is under review by the Department's legal staff.

Water Supply. The water supply comes from snowmelt runoff, springs and seepage, and occasional summer thundershowers.

The watershed of French Creek contains about 32 square miles of heavily forested, steep mountainous terrain of the easterly slopes of the Salmon Mountains. It varies in elevation from about 7,200 feet along its west rim to about 3,200 feet at the foot of the slopes bordering French Creek Valley. Snowmelt runoff is normally sufficient to supply all demands until about the middle of July. The daily mean discharge of French Creek above North Fork French Creek is presented in Table 27.

1987 Distribution. The season started on French Creek with all users receiving full rights. These flows continued above 100 percent of all priorities until June 18. By July 15, distribution was down to second priority users only and continued at that rate until the last of July, with only first priority users for the remainder of the season.

The North Fork French Creek users made an agreement with Dusty Veale to receive his water. A 10-inch plastic pipe was installed from the JAFAM Reservoir to Veale's north property line as part of the agreement, and two surface water recorders were installed.

Releases were started from Smith Lake to the North Fork Ditch users the first of July.

Shackleford Creek

The Shackleford Creek service area is in western Siskiyou County near the town of Fort Jones in Scott Valley. The major sources of water for this service area are Shackleford Creek, which flows through the central part of Quartz Valley, and its tributary, Mill Creek, which rises east of the headwaters of Shackleford Creek. Evans Creek, a small tributary to Mill Creek, enters from the south.

The service area encompasses the Quartz Valley region of Scott Valley and includes the entire agricultural area within the Shackleford Creek Basin. It is about 2 miles wide by 6 miles long, with the main axis and drainage running from south to north. Elevations on the agricultural area range from about 3,100 feet at the south to about 2,650 feet at the confluence of Shackleford Creek and Scott River.

SCOTT RIVER WATERMASTER SERVICE AREA

TABLE 27

1987 Daily Mean Discharge
(In cubic feet per second)

FRENCH CREEK ABOVE NORTH FORK FRENCH CREEK

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1			56	23	4.3	3.0	2.5
2			43	20	4.3	3.0	2.3
3			45	20	4.3	3.0	2.1
4			51	20	4.1	3.0	2.1
5			60	19	3.8	3.0	2.1
6		1/	66	18	3.8	3.0	1.7
7		25	68	17	3.6	2.7	1.9
8		30	68	17	3.2	2.7	2.1
9		34	66	16	3.2	2.5	2.3
10		44	61	15	2.7	2.3	1.9
11		49	58	14	2.7	2.3	2.1
12		38	58	13	2.3	2.3	2.3
13		37	58	12	1.9	2.1	2.3
14		42	54	11	1.9	2.1	2.3
15		45	53	10	2.1	2.1	1.9
16		51	52	10	2.7	2.1	1.9
17		52	44	8.8	3.2	2.1	1.9
18		44	40	8.0	4.3	1.9	1.9
19		39	37	7.8	4.1	1.9	1.7
20		38	32	7.0	3.4	1.9	1.7
21		45	28	6.7	3.6	2.1	1.5
22		52	29	6.2	4.6	2.1	1.5
23		58	29	5.8	4.1	2.1	1.3
24		56	29	5.6	3.6	2.1	1.3
25		56	34	5.3	3.2	2.1	1.5
26		60	29	5.1	3.2	2.1	1.5
27		68	25	4.6	3.2	2.1	1.5
28		73	24	4.1	3.2	1.9	1.5
29		70	24	3.6	3.0	2.1	1.3
30		64	24	4.1	2.7	2.5	1.3
31			27		3.0	3.0	
MEAN		48.8	45.7	11.3	3.3	2.4	1.8
AC-FT		2320	2720	620	205	145	109

1/ No record before April 7

Basis of Service. The Shackleford Creek watermaster service area was created on November 6, 1950. Water is distributed under the provisions of a statutory adjudication which resulted in Decree No. 13775, Siskiyou County Superior Court, dated April 3, 1950.

The allotments are defined in four separate schedules. The upper and lower Shackleford Creek groups each have seven priority classes. The upper Mill Creek group and lower Mill Creek group each have three priority classes.

The decree also includes two storage rights upstream of all diversions. This stored water is released late in the irrigation season to Shackleford Creek for use by owners.

Water Supply. The water supply for Shackleford Creek comes from snowmelt runoff, springs and seepage, and supplemental stored water released from Cliff and Campbell Lakes, near the headwaters of Shackleford Creek.

The watershed of the Shackleford Creek stream system contains about 31 square miles, located in the heavily forested, steep mountainous terrain of the north-easterly slopes of the Salmon Mountains. It varies in elevation from about 7,000 feet along its west rim to about 3,000 feet at the foot of the slopes bordering Quartz Valley. Snowmelt runoff is normally sufficient to supply all demands until the middle of July. The supply then usually decreases until the first part of August when water is released from Cliff and Campbell Lakes to maintain sufficient flow in the Shackleford Ditch.

Method of Distribution. Irrigation is accomplished primarily by wild flooding of permanent pasture and alfalfa fields. Water is distributed by ditches and laterals to the places of use. Shackleford Ditch, the largest of these ditches, has a length of about 6 miles and a capacity of about 12 cfs.

1987 Distribution. The season started on Shackleford Creek with all users receiving full rights. On August 3, the Shackleford Ditch was opened, leaving only first priority in the Camp Ditch. All other users were turned off.

Releases were started from Campbell Lake to the Shackleford Ditch on August 6.

Sniktaw Creek

The Sniktaw Creek service area is in western Siskiyou County, seven miles west of the town of Fort Jones in Scott Valley. It encompasses an agricultural area about three miles long and one mile wide, running from south to north. Elevations in the Sniktaw watershed range from 6,700 feet in the southwest to about 2,650 feet at the confluence of Sniktaw Creek and Scott River.

Basis of Service. The Sniktaw Creek service area was added to the Scott River watermaster service area on April 1, 1981. Water is distributed under the provisions of a statutory adjudication which resulted in Decree No. 30662, Siskiyou County Superior Court, dated January 16, 1980.

The allotments are defined in the Scott River Decree, Schedule B 38, which has three priority allotments.

Water Supply. The water supply for Sniktaw Creek comes from snowmelt, springs, and seepage. Water from Shackleford Creek (Diversions 3, 17, 19, 20, and 21) supplements available water in Sniktaw Creek.

Return water from Heide's Shackleford Creek Ditch, Diversion 3, commingles with natural flow of Sniktaw Creek. After leaving the Heide property and entering Sniktaw Creek, it is allotted as set forth in Schedule B38 (Sniktaw Creek) from Diversions 665 to 679.

Heide may use tailwater from Shackleford Creek Ditch, Diversion 3, for irrigation of 27 acres under License 10875 issued on Application 22882 for use on former Indian lands. The right may be exercised only at times that Heide is receiving water from Shackleford Creek Ditch, Diversion 3, or at times that all Sniktaw Creek allotments are being filled.

1987 Distribution. All priorities were filled until June 20; by July 1, the water supply had receded to 40 percent of second priority. The Heide Ditch from Shackleford Creek was turned off on August 4, affording only first priorities and stock water.

Wildcat Creek

The Wildcat Creek service area is in western Siskiyou County near the town of Callahan. The major sources of water are Wildcat Creek, which flows through the service area, foreign water imported from Jackson Creek, Grizzly Creek and Camp Gulch.

Basis of Service. The Wildcat Creek watermaster area was started May 1, 1980. Water is distributed under a statutory adjudication that resulted in Decree No. 30662, Siskiyou County Superior Court, dated January 16, 1980. The allotments are defined in the Scott River Decree, Schedule B 10.

Method of Distribution. Irrigation is done mainly by wild flooding of permanent pasture. Water is distributed by ditches and laterals to the place of use.

1987 Distribution. The water supply was much below normal. Import water from Sugar Creek and Jackson Creek help supply water to the Kerrigan Ranch, and runoff from the Kerrigan Ranch helped supply the Struckman Ranch. Recorders were installed on the Parshall flumes at points A and B, described in the decree. By the second week of July, the natural flow of Wildcat Creek was down to 1.0 cfs.

Oro Fino Creek

The Oro Fino Creek watermaster service area is in southwestern Siskiyou County near the town of Greenview. It encompasses an agricultural area about 5 miles long and 0.5 mile wide, running from south to north. Elevations along Oro Fino Creek range from 2,900 feet near the headwaters to 2,700 feet at the confluence of Oro Fino Creek and the Scott River.

Basis of Service. The Oro Fino Creek service area was added to the Scott River watermaster service area on July 1, 1984. Water is distributed under the provision of the statutory adjudication which resulted in Decree 30662, Siskiyou County Superior Court, dated January 6, 1980.

Water Supply. The water supply for Oro Fino Creek above Diversion 606 is derived from Kidder Creek. Springs feed Oro Fino Creek below Diversion 607. Allotments are diverted from underflow by means of offset wells or sumps at Diversions 606, 606a, 611, and 612. At Diversions 607, 608, 609, 610, 613, 613a, 614, 615, and 616 allotments may be diverted, at the option of the claimant, from surface flow or from underflow by means of offset wells or sumps or a combination of both with the provision that when surface flow in the creek (at the county road at the O. Lewis property) recedes to 3 cfs, the percentage or amount of the surface flow reaching the point of diversion of each of the following claimants shall be bypassed at the claimant's lower property line: Friden 51 percent, O. Lewis 96 percent, and Luckensmeyer all flow in excess of 1.31 cfs.

The ground water table along Oro Fino Creek is recharged mainly by Kidder Creek Diversions 446 and 448 which supply surface water to the Foster and Friden lands. Kidder Creek streamflow for these diversions is mainly snowmelt runoff.

1987 Distribution. The water supply of Oro Fino was below normal.

On June 20, the automatic split at Friden's lower diversion was set and a recorder was installed at the county road. The flow receded below 3.0 cfs at the county road near the O. Lewis property

SHASTA RIVER WATERMASTER SERVICE AREA

The Shasta River service area is in the central part of Siskiyou County. Willow Creek and Cold Creek, formerly in the Klamath River watermaster service area, were incorporated into the Shasta River watermaster service area in 1983.

The water supply comes from Shasta River and its several tributaries. The upper reaches of the service area are served by two groups of tributaries. One group, comprising Boles, Beaughan, Carrick, and Jackson Creeks, rises on the northwestern slopes of Mount Shasta. The other group, consisting of Dale and Eddy Creeks, and Shasta River west of Interstate 5, rises on the eastern slopes of the Trinity Mountains. All these streams join the mainstem Shasta River above Lake Shastina (Dwinnell Reservoir) near the town of Weed. As the Shasta River flows northward from Lake Shastina to its confluence with the Klamath River, north of Yreka, it is joined by three major tributaries. Parks Creek, rising on the eastern slopes of the Trinity Mountains, enters from the west near the town of Gazelle. Big Springs Creek, from Big Springs Lake, enters from the east about a mile below Parks Creek. Little Shasta River, rising on the slopes of the mountainous area between Butte Valley and Shasta Valley, enters from the east near the town of Montague.

Shasta Valley is about 30 miles long and 30 miles wide. In the center of the valley are many small, cone-shaped, volcanic hillocks that divide the area into separate parts. Because of these volcanic formations, only about 141,000 acres of about 507,000 acres in the valley are irrigable. The valley floor elevation averages about 3,000 feet.

Willow Creek is in Siskiyou County, about 10 miles northeast of Montague. It is the major source of water to the service area and rises on the west slope of the 7,800-foot Willow Creek Mountain. It flows northwest through about 11 miles of rolling hills to its confluence with the Klamath River. The Willow Creek area is about 8 miles long by 1 mile wide and varies in elevation between about 2,600 and 4,000 feet.

Cold Creek is just south of Copco Lake, a hydroelectric power reservoir on the Klamath River in the extreme northern part of Siskiyou County. Yreka is 30 miles southwest of the Cold Creek stream system. Elevations within the Cold Creek watershed range from 2,900 feet to about 6,500 feet.

Basis of Service

The Shasta River watermaster service area was created on March 1, 1933. The appropriate water rights on this stream system were determined by a statutory adjudication that resulted in Decree No. 7035, Siskiyou County Superior Court, dated December 29, 1932.

The decree lists the water rights of the entire stream system by the names of the users. The rights supervised by the watermaster are broken down into eight separate schedules. These are: Shasta River above its confluence with Big Springs Creek - 43 priorities; Boles Creek - 20 priorities; Beaughan Creek - 5 priorities; Jackson Creek - 7 priorities; Carrick Creek - 13 priorities; Parks Creek - 25 priorities; Shasta River below its confluence with Big Springs

Creek and Big Springs Creek and tributaries - 29 priorities; and Little Shasta River - 7 priorities. Additional schedules include Willow Creek, Yreka Creek, and miscellaneous independent springs, gulches, and sloughs, but these are not included in the service area.

Montague Water Conservation District has appropriative rights for storage of Shasta River and Parks Creek water in Lake Shastina. By agreement with the District, five nearby downstream users receive water from storage in lieu of their decreed continuous flow allotments. The watermaster handles the reservoir releases for these users. A peculiarity of the Shasta River decree is that it defines only appropriative rights and excludes a number of riparian users on the Lower Shasta River. Owners of these riparian rights are not subject to watermaster supervision, causing considerable distribution problems during seasons of short water supply.

Water Supply

The water supply for Shasta Valley comes from snowmelt runoff, springs and underground flow, and occasional summer thundershowers. In several parts of the stream system, the springs from underground flow are enough to supply most allotments throughout the season. Much of the underground flow comes from the northern slopes of Mount Shasta, which rises to 14,162 feet at the south end of Shasta Valley. Although the snowpack on Mount Shasta is usually heavy, there is little surface runoff.

Parks Creek, Upper Shasta River, and Little Shasta River get much of their water from snowmelt runoff, usually enough to supply allotments until the middle of May.

Beaughan Creek, Carrick Creek, Shasta River from Boles Creek to Lake Shastina, Big Springs, and Lower Shasta River have enough runoff from springs to supply many of the allotments throughout the season.

Records of the daily mean discharge at several stream gaging stations in the Shasta River service area are in Tables 28 through 31, pages 75 through 78. The daily mean storage in Lake Shastina is in Table 32, page 79.

Method of Distribution

Irrigation of permanent pasture and alfalfa lands is mainly by wild flooding. Much of the return water is recaptured and used on lower pasture lands. Sprinkling systems are used for irrigating some alfalfa and grain lands. Water is routed by diversion dams and then carried by ditch or canal to the place of use. The largest and longest canal in the area is the Edson-Foulke Yreka Ditch, which has a capacity of about 60 cfs and a length of about 14 miles. Water is also supplied to ditch systems by pumped diversions, the three largest belonging to two irrigation districts and a private water users association. Some riparian lands are also served by pump diversions.

There are many privately owned storage reservoirs in the area. Water from these reservoirs supplements continuous-flow allotments.

Because of their large rights, the watermaster's close surveillance of Grenada and Big Springs Irrigation Districts and Shasta River Water Users Association is very important, particularly in dry years. Control of releases from Montague Water Conservation District's Dwinnell Reservoir (Lake Shastina) is another responsibility of the watermaster. This includes measurement of deliveries of stored water to users just below the dam.

1987 Distribution

Watermaster service began April 1 in the Shasta River watermaster service area and ended September 30 with Keithal B. Dick, Water Resources Technician II, as watermaster. Lester L. Lighthall was called into service on May 15 and finished on September 18. Mr. Lighthall's services were needed to assist Mr. Dick because of the record low water supply, which was less than 70 percent of normal.

Parks Creek

Flows were enough to fill the irrigation demand and provide excess to Dwinnell Reservoir until May 25. Flows decreased and second priorities were out by June 1. Flows continued to decrease, with 1.5 cfs by the end of September.

Upper Shasta River

The flow in upper Shasta River was enough to fill all priorities until June 16. On June 19, water was to fourth priority and all was turned into the Yreka Ditch. Flow decreased to 20 percent of third and fourth priorities in August and remained at that level until the last part of September.

Releases were made from Hammond Reservoir to fill lower priorities above the Yreka Ditch. Lower priorities below the Yreka Ditch received return flow and inflow from springs after June 16.

Boles Creek and Shasta River to Lake Shastina (Dwinnell Reservoir)

Boles Creek and this portion of Shasta River are operated as one stream under a long-standing oral agreement among the water right owners. The water is distributed on a correlative, equal-priority basis. Water was set to 100 percent of all rights on July 10. Flows decreased to 75 percent of rights by August 10 and remained between 75 and 80 percent for the rest of the season.

Beaughan Creek

With close regulation of the upper users, all priorities were satisfied for the entire season.

Carrick Creek

Carrick Springs supplied enough water to satisfy all 13 priorities for the entire season with close regulation.

Little Shasta River

There was very little snowmelt runoff this season on the Little Shasta River. The flows were sufficient to fill sixth priority in mid-April, then declined to 20 percent of sixth priority on May 3. On July 1, the available flow provided 35 percent of fifth priority, declined to 5 percent of fifth priority by late July, and remained at that level until September 30.

Dwinnell Reservoir

Storage in Dwinnell Reservoir on April 1 was 29,900 acre-feet and increased to 30,080 acre-feet by April 5. On September 30, storage was down to 4,360 acre-feet. By agreement with the Montague Water Conservation District, owner of Dwinnell Reservoir, water users on Shasta River below the reservoir received stored water on demand.

Deliveries to Natural Flow Water Right Owners Below Dwinnell Reservoir - 1987

<u>Name of Water Right Owner</u>	<u>Allotment (in acre-feet)</u>	<u>Amount Delivered from Dwinnell Reservoir (in acre-feet)</u>
J. N. Taylor	1,200	1,200
Flying L Ranch ^{1/}	198	198
Hole-in-the-Ground Ranch ^{1/}	596	596
Seldom Seen Ranch ^{1/}	924	144
Hidden Valley Ranch ^{1/}	464	464
	<u>3,382</u>	<u>2,602</u>

Big Springs Lake

Big Springs Irrigation District used their own wells, and no water was received from Big Springs Lake. An agreement between E. J. Lewie, Newton, and Montague Water Conservation District was made during the winter of 1986. They agreed that when the flows of Big Springs recede from 17.5 cfs to 10.0 cfs, Montague Water Conservation District would do the following:

- Turn off the Basey pumps until the flow of Big Springs was 17.5 cfs or pay Newton the additional power cost to use his own pumps.
- If flows of Big Springs fall below 10.0 cfs, Montague Water Conservation District will shut off the Basey pumps until flows return to above 10.0 cfs.

From the last of May until the first of September, daily observations were made. On May 29, Montague Water Conservation District was required to shut off one Basey pump; eventually, all three Basey pumps had to be turned off for a short period.

Lower Shasta River

The flows in Lower Shasta River were enough to supply all priorities until July 1. On this date, Grenada Irrigation District had to shut off one pump. Water supply fluctuated at times and Grenada Irrigation District pumps had to operate intermittently.

Willow Creek (North of Montague)

Basis of Service. Willow Creek has had a long history of litigation. The present basis of service was initiated in 1949 when a civil suit was referred to the Department of Public Works, Division of Water Resources, as referee. The matter was never finalized by a decree. The issues involved were reopened in 1971, and by Decree No. 24482, dated April 28, 1972, the Siskiyou County Superior Court appointed the Department of Water Resources to supervise distribution of water in accordance with an earlier agreement between the users defining their respective rights. Accordingly, Klamath River Watermaster Service Area (formerly Willow Creek Watermaster Service Area) was created on June 22, 1972, and service began on July 1, 1972.

There are three water users in the service area. Distribution is on a fractional basis until the flow drops to a specified amount below the upper two users. At that time, the total flow is rotated between the upper two users.

Water Supply. The main source of water for the Willow Creek stream system is from snowmelt. Runoff from the snowmelt begins late in March or early April and is almost entirely gone by June. Thereafter, the streamflow decreases rapidly until about July 5. From then until the rainy season begins, the flow remains at a low-flow stage sufficient to provide domestic and stock-watering purposes to the two upper users.

Method of Distribution. Both sprinkler and flood irrigation are used in the Klamath River service area. The upper water user has the option of using gravity diversions for either flood or sprinkler irrigation. The middle user relies entirely on runoff from the upper user's flood irrigation. The lower user in the area uses both flood and sprinkler irrigation during the early season when the supply is abundant. As the supply dwindles, the remaining water is pumped from a sump to the sprinkler system.

1987 Distribution. Water was so low by May 10, all remaining flows were rotated by upper users.

Cold Creek

Basis of Service. A statutory adjudication of Cold Creek in 1978 ordered the Department of Water Resources to provide watermaster service at Diversions 2, 3, and 4, and at the division weir on the Silva-Lennox Ditch. Watermaster service began April 1, 1981.

Water Supply. The water supply of the Cold Creek stream system satisfied requirements until July.

Method of Distribution. Both sprinkler and flood irrigation are used in Cold Creek service area.

1987 Distribution. Flow is from springs and remained very constant all season. A recorder was operated at the automatic split.

SHASTA RIVER WATERMASTER SERVICE AREA

TABLE 28

1987 Daily Mean Discharge
(In cubic feet per second)

SHASTA RIVER NEAR YREKA

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	203	112	82	57	16	16	16
2	198	112	86	51	50	20	16
3	198	98	82	64	70	21	17
4	199	95	72	42	57	27	32
5	199	105	64	42	57	18	35
6	222	111	50	42	48	9.0	29
7	221	109	42	42	41	13	38
8	208	91	47	42	35	27	41
9	200	84	33	42	25	20	45
10	193	78	35	42	20	37	50
11	195	64	39	42	31	45	42
12	205	61	36	42	23	30	46
13	208	54	28	42	21	16	45
14	219	44	26	42	13	28	51
15	228	34	28	57	16	26	41
16	217	35	26	55	18	26	52
17	211	34	31	65	21	35	50
18	211	40	35	62	49	26	62
19	213	47	28	55	48	18	64
20	203	49	25	66	43	17	76
21	195	41	36	51	32	22	80
22	197	35	42	50	60	27	86
23	197	40	46	49	60	28	79
24	183	35	46	42	38	31	80
25	178	32	60	40	30	26	88
26	157	41	74	39	39	18	91
27	147	44	55	50	39	19	89
28	133	36	44	52	32	17	91
29	133	37	36	35	30	20	92
30	124	43	48	22	18	16	88
31	107		61		17	15	
MEAN	190	61.4	46.5	47.5	35.4	23.0	57.1
AC-FT	11710	3650	2860	2820	2180	1420	3400

SHASTA RIVER WATERMASTER SERVICE AREA

TABLE 29

1987 Daily Mean Discharge
(In cubic feet per second)

SHASTA RIVER NEAR EDGEWOOD

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	33	36	124	12	11	8.5	8.5
2	33	38	77	9.8	11	8.7	9.0
3	87	57	56	8.5	11	7.7	9.4
4	117	54	45	7.3	7.3	7.1	9.0
5	1460E	46	46	6.3	6.6	6.5	8.8
6	497E	44	54	6.2	6.5	6.3	9.2
7	247	41	67	6.9	5.7	5.9	9.2
8	188	39	80	9.5	5.6	6.2	9.8
9	158	41	80	9.9	5.2	6.8	11
10	136	45	73	12	5.3	6.0	10
11	132	53	60	11	5.7	5.7	9.3
12	245	46	53	8.5	5.1	6.6	9.3
13	347	39	50	6.8	4.8	7.6	9.5
14	249	36	46	5.9	4.9	7.5	9.5
15	218	40	41	5.8	5.3	7.1	9.6
16	180	51	42	6.9	4.7	6.9	9.5
17	151	61	40	9.4	9.1	7.1	9.1
18	135	59	35	11	9.1	7.5	8.9
19	124	48	29	11	7.7	7.3	9.1
20	113	37	25	10	7.2	6.8	10
21	105	29	21	10	12	6.9	9.5
22	97	32	20	11	11	6.5	10
23	90	46	19	12	9.3	7.1	11
24	86	52	18	11	8.1	7.2	12
25	71	53	18	10	7.6	7.0	13
26	61	59	17	8.8	7.7	7.6	12
27	53	73	16	8.8	8.5	8.7	13
28	48	105	14	9.7	7.9	8.9	12
29	43	114	14	11	8.2	8.1	13
30	40	130	14	11	8.1	7.9	13
31	37		13		8.4	8.0	
MEAN	180E	53.5	42.2	9.3	7.6	7.2	10.2
AC-FT	11070E	3181	2592	551	467	444	607

E - Estimated

SHASTA RIVER WATERMASTER SERVICE AREA

TABLE 30

1987 Daily Mean Discharge
(In cubic feet per second)

PARKS CREEK ABOVE EDSON-FOULKE YREKA DITCH

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		13	17	6.8	1.5	0.5	0.6
2		15	15	5.2	1.5	0.6	0.6
3		15	15	5.0	1.5	0.6	0.6
4		15	16	4.7	1.4	0.6	0.6
5		14	17	4.3	1.4	0.7	0.6
6		14	17	4.1	1.2	0.7	0.6
7		14	18	4.3	1.2	0.7	0.6
8		14	17	4.8	1.2	0.7	0.6
9		15	17	4.7	1.2	0.7	0.6
10		15	16	4.3	1.1	0.7	0.6
11		16	15	3.9	1.1	0.7	0.6
12		15	15	3.7	1.0	0.7	0.6
13		14	14	3.5	0.8	0.7	0.6
14		15	14	3.5	0.8	0.7	0.6
15		16	14	3.5	0.7	0.7	0.5
16		17	13	3.7	0.7	0.7	0.5
17		17	13	3.2	0.6	0.7	0.5
18		16	12	3.1	0.6	0.8	0.5
19		15	12	2.9	0.6	0.8	0.5
20		14	10	2.9	0.6	0.8	0.5
21		15	10	2.7	0.6	0.8	0.5
22		17	10	2.7	0.6	0.8	0.6
23		17	10	2.5	0.5	0.8	0.6
24		17	10	2.4	0.5	0.7	0.6
25		17	9.2	2.2	0.5	0.7	0.6
26		18	9.2	2.2	0.5	0.7	0.6
27		19	8.8	2.2	0.5	0.7	0.6
28		20	7.4	1.9	0.5	0.7	0.6
29		19	7.6	1.7	0.5	0.7	0.6
30		19	7.3	1.7	0.5	0.7	0.6
31			7.3		0.5	0.7	
MEAN		15.9	12.7	3.5	0.8	0.7	0.6
AC-FT		946	781	207	52	43	34

SHASTA RIVER WATERMASTER SERVICE AREA

TABLE 31

1987 Daily Mean Discharge
(In cubic feet per second)

SHASTA RIVER AT MONTAGUE-GRENADA HIGHWAY BRIDGE

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		97	61	58	16	16	16
2		94	58	45	84	23	20
3		74	67	40	107	27	34
4		67	61	36	61	24	40
5		87	45	34	58	12	31
6		90	38	36	51	16	33
7		87	34	55	43	38	40
8		84	31	110	34	22	45
9		71	27	103	13	36	41
10		64	31	45	16	45	36
11		48	33	31	22	45	40
12		42	23	24	19	17	41
13		38	23	24	16	33	41
14		34	19	31	19	40	41
15		24	26	51	23	33	41
16		24	23	36	17	38	43
17		22	26	51	27	38	55
18		27	31	45	45	27	61
19		42	20	51	36	20	71
20		42	20	58	26	24	90
21		36	29	33	22	27	94
22		34	34	40	64	27	100
23		36	36	40	40	36	87
24		36	38	38	31	34	94
25		41	34	34	40	27	100
26		40	71	33	43	24	103
27		38	51	40	45	23	97
28		27	33	36	38	26	97
29		29	36	26	26	19	100
30		33	45	16	20	16	94
31			58		19	16	
MEAN		50.3	37.5	43.3	36.2	27.4	60.9
AC-FT		2770	2300	2580	2220	1680	3620

SHASTA RIVER WATERMASTER SERVICE AREA
Water Year 1986-87

TABLE 32

LAKE SHASTINA (DWINNELL RESERVOIR)
DAILY MEAN STORAGE IN ACRE-FEET

DAY	OCTOBER	NOVEMBER	DECEMBER	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	12,760	12,980	14,190	15,620	18,000	21,360	29,920	27,950	24,200	18,280	12,870	6,580
2	12,760	12,980	14,190	15,740	18,140	21,500	30,080	28,100	23,900	17,870	12,650	6,490
3	12,760	12,980	14,190	15,980	18,280	21,640	30,080	28,100	23,750	17,610	12,320	6,320
4	12,760	13,090	14,300	16,220	18,280	21,920	30,240	28,100	23,320	17,480	12,100	6,240
5	12,760	13,090	14,420	16,220	18,420	21,920	30,080	28,100	23,180	17,220	12,100	6,080
6	12,760	13,090	14,420	16,340	18,420	24,950	29,920	27,950	22,900	17,090	11,900	5,920
7	12,760	13,200	14,540	16,340	18,560	25,400	29,920	27,950	22,760	16,830	11,600	5,840
8	12,650	13,200	14,540	16,460	18,560	25,850	29,920	27,950	22,480	16,580	11,400	5,760
9	12,650	13,200	14,540	16,580	18,700	26,000	29,600	27,950	22,480	16,340	11,200	5,600
10	12,540	13,310	14,660	16,580	18,700	26,300	29,600	27,950	22,340	16,100	10,900	5,530
11	12,540	13,310	14,660	16,700	18,840	26,450	29,600	27,800	22,200	15,980	10,700	5,460
12	12,430	13,310	14,780	16,700	18,980	26,750	29,450	27,650	22,060	15,620	10,500	5,390
13	12,430	13,420	14,780	16,700	19,400	27,650	29,300	27,500	21,920	15,380	10,300	5,320
14	12,430	13,420	14,780	16,830	19,960	27,950	29,150	27,350	21,780	15,140	10,000	5,180
15	12,430	13,420	14,900	16,830	20,100	28,400	29,000	27,200	21,500	14,900	9,700	5,180
16	12,430	13,530	14,900	16,830	20,240	28,700	29,000	26,900	21,360	14,660	9,500	5,110
17	12,430	13,530	14,900	16,960	20,520	28,850	28,850	26,750	21,080	14,540	9,200	5,040
18	12,430	13,530	15,020	16,960	20,520	29,000	28,850	26,450	20,940	14,540	9,100	4,970
19	12,430	13,530	15,020	16,960	20,660	29,150	28,700	26,300	20,660	14,300	8,830	4,900
20	12,430	13,640	15,020	16,960	20,800	29,300	28,700	26,000	20,520	14,190	8,650	4,840
21	12,540	13,750	15,020	17,090	20,800	29,450	28,550	25,700	20,240	14,080	8,380	4,780
22	12,540	13,750	15,140	17,090	20,940	29,600	28,400	25,550	19,960	14,190	8,200	4,720
23	12,540	13,860	15,140	17,220	21,080	29,760	28,250	25,400	19,820	14,190	7,930	4,660
24	12,540	13,860	15,260	17,220	21,080	29,760	28,100	25,250	19,540	14,080	7,750	4,660
25	12,650	13,860	15,260	17,220	21,220	29,920	27,950	25,100	19,260	14,080	7,570	4,600
26	12,650	13,970	15,260	17,350	21,220	29,920	27,950	24,950	18,980	14,080	7,390	4,540
27	12,650	13,970	15,380	17,480	21,220	29,920	27,800	24,800	18,840	13,860	7,300	4,480
28	12,760	13,970	15,380	17,610	21,360	29,920	27,800	24,800	18,700	13,640	7,120	4,420
29	12,760	14,080	15,500	17,740		29,920	27,800	24,650	18,560	13,530	7,030	4,360
30	12,870	14,080	15,500	17,740		29,920	27,950	24,500	18,280	13,310	6,850	4,360
31	12,870		15,500	17,870		29,920		24,200		13,090	6,760	

SURPRISE VALLEY WATERMASTER SERVICE AREA

The Surprise Valley service area is in Modoc County, east of the Warner Mountains. Ten individual stream systems rising on the eastern slope of the Warner Mountains supply water to the area. These are fed by snowmelt runoff and run in fast, steep courses down the eastern slope of the Warner Mountains to the valley floor where numerous scattered diversion ditches convey water to the irrigated lands.

Basis of Service

The Surprise Valley watermaster service area was created January 10, 1939, and includes Mill, Soldier, Pine, Cedar, Deep, Owl, Rader, and Emerson Creeks, all of which once had individual watermaster service. Also, service was started on Eagle Creek at that time. Bidwell Creek was added to the service area March 16, 1960, and Cottonwood Creek was added in 1977. Each of the ten stream systems is under separate decrees. See Table 33, page 85, for specific data regarding the decrees and water rights on the individual creeks.

Water Supply

The water supply comes almost entirely from snowmelt, with only minor spring-fed flows occurring late in the season. Due to the steep eastern slope of the Warner Mountains, there are no likely storage sites on the service-area streams. Because of the lack of such regulatory storage, the available water supply at any specific diversion point may vary considerably within a few hours. Wide daily temperature changes cause great changes in the rate of snowmelt runoff. This situation is worsened by the relatively short, steep drainage area. Also, occasional summer thundershowers may cause a creek to discharge a flow of mammoth proportions for several hours. These flashes can cause considerable damage from washouts and debris deposition but are of such short duration that little or no beneficial use can be made of the water.

Records of the daily mean discharge at several stream gaging stations within the service area are presented in Tables 34 through 45, pages 86 through 97.

Method of Distribution

Continuous-flow distribution is used on most creeks, but water is rotated among some users in accordance with either decree schedule or by mutual agreement.

Alfalfa and meadow hay, the major crops in the valley, are irrigated by sprinklers and wild flooding, although some lands depend upon subsurface irrigation. A few of these systems work by gravity, but most use pumps with the surface water supplemented by deep wells. Many additional acres have been put into production during the past few years through the use of deep wells. Only surface water supplies are under State watermaster service.

To facilitate distribution of irrigation water, construction of permanent diversion dams, headgates, and measuring devices has been encouraged in recent years. Although these structures do not solve the problems of discharge variation and debris deposition, they do help a lot to solve water measurement and distribution problems.

1987 Distribution

Watermaster service began in the Surprise Valley watermaster service area on March 19 and continued until September 30, with John Clements, Associate Engineer, Water Resources, as watermaster.

The 1987 season was considered very dry. The Cedarville precipitation station recorded the second lowest rainfall during the 1987 water year (October-September) since its operation began in 1895. Most streamflows peaked from snowmelt in early May. By the end of September, only a portion of first priority water was available.

Bidwell Creek

Total stream runoff from April 1 through September 30 was 6,845 acre-feet. Full priority water was available for only a few days in May. Flow on September 30 was about 3 cfs.

Mill Creek

Total stream runoff from April 1 through September 30 was 2,397 acre-feet. By the end of July, only first priority water was available; by September 30, the flow was 0.5 cfs.

Soldier Creek

Total stream runoff from April 1 to September 30 was 1,854 acre-feet. During the lower users' rotations, an adequate amount of water was seldom available to reach the lower tracts of the east branch (DWR Tracts 13, 14, 15, and 16). Flow on June 19 (end of rotation period) was about 6 cfs. By the end of July, flows had reduced to first priority water only; by September 30, the flow was down to 0.8 cfs.

Pine Creek

Total stream runoff during the rotation period was 236 acre-feet. Less than one complete rotation occurred. On April 24, streamflow had reduced to 4 cfs, and all water was turned down the Cressler Ditch for the Bordwell Ranch. This would not normally occur until the flow reduces to 1.6 cfs, but the users along the north channel did not believe the water would reach the place of use. Cressler Ditch was dry by the end of May.

Cedar Creek

Total stream runoff from April 1 to September 30 was 923 acre-feet. Only a portion of second priority water was available for a few days.

The Thoms Creek diversion to Cedar Creek was activated the end of April at 3.5 cfs and was rotated among the second priority users. Total flow reduced to 5 cfs about the middle of May when all flow was turned to Tract 91. Total flow on September 30 was down to 0.2 cfs.

Deep Creek

Total stream runoff from April 1 to September 30 was 1,263 acre-feet. During the entire season, all water in North Deep Creek was diverted to the Company Ditch. All water in South Deep Creek was diverted to the Sharp-Messier and Dodson Ditches, as second priority water was never available. Streamflow on September 30 was about 0.3 cfs for each stream.

Cottonwood Creek

Total stream runoff from April 1 to September 30 was 2,391 acre-feet. Minto Ditch rotation began April 11 and was discontinued June 28 due to low flows. For the first time in a number of years, all flow was turned to the Boodwin Ditch for stock water use for DWR Tracts 242, 243, and 244 on September 30. Total flow at that time was 0.8 cfs.

Owl Creek

Total stream runoff from April 1 to September 30 was 3,208 acre-feet. Full priority water was available for only a few days in May. By the end of the season, the entire streamflow had been turned to Tracts 122 and 166 for first and second priority allotments. Total streamflow on September 30 was 0.7 cfs.

Rader Creek

Total stream runoff from April 1 to September 30 was 2,082 acre-feet. Fifth through seventh priority water did not occur. During September, all water was turned to the Lazy SJ Ranch Ditch for stock water for DWR Tracts 126 and 128. Total flow on September 30 was 0.4 cfs.

Eagle Creek

Total stream runoff from April 1 to September 30 was 2,759 acre-feet. A portion of third priority water was available for only about 3 weeks. Total streamflow on September 30 was 0.7 cfs.

Emerson Creek

Total stream runoff from April 1 to September 30 was 1,641 acre-feet. Third priority water did not occur. Streamflow had reduced to first priority by the end of June. Streamflow on September 30 was about 1.5 cfs.

Pine Creek Near Alturas

Total stream runoff from April 1 to September 30 was 5,117 acre-feet. Only about 25 percent of second priority water was available during the peak flows of May. Flows gradually declined thereafter. Flow on September 30 was about 7 cfs.

TABLE 33

DECREES AND RELATED DATA - SURPRISE VALLEY STREAMS

Stream	Modoc County Superior Court Decree			Service Area Created	No. of Water Right Owners	Total	Remarks
	No.	Date	Type ^{a/}				
Bidwell	6420	1-13-60	S	3-16-60 ^{b/}	46	63.74	(Schedule 3) 3 priorities March 15-July 19. (Schedule 4) 5 priorities July 10-September 30. If no water passing Diversion No. 23 September 30-March 14, 1st priority provisions of Schedule 4 apply.
Mill	3024	12-19-31	CR	12-30-31	38	37.13	One priority on Brown Creek, tributary to Rutherford Creek, 7 priorities on Rutherford Creek, tributary to Mill Creek, 1st and 2nd for year-round use, 3rd and 4th April through September.
Soldier	2045	11-28-28	CR	9-11-29	13 <u>4c/</u>	33.50 4.37	Starting March 19 each year, lower users receive water for 4 13-day periods alternating with upper users who receive water for 4 10-day periods, ending June 19. 7 priorities during lower users periods, 8 during upper users periods and 12 for rest of the year. Appropriative License 1566, 1613, 1648, and 1850.
Pine	3391	12-07-36	CR	1-13-37	5 <u>1c/</u>	<u>d/</u> 0.08	One full rotation totalling 693 AF. Rotation continues until flow decreases to 4 cfs, then all water goes to Cal-Vada Ranch until flow decreases to 1.60 cfs, then all water goes to the R. Bordwell Ranch.
Cedar	1206 2343 <u>d/</u>	5-22-01 2-15-23	CA CA	9-11-29	12	28.90 ^{d/}	Water rights established by these two decrees and an agreement signed by all users. No. 1206 set 1st and 2nd priorities; No. 2443 3rd priority and agreement the 4th. 28.90 cfs includes 5.00 cfs imported from Thoms Creek on west slope of Warner Mountains.
Deep	3101	1-25-34	CR	12-29-34	11	29.37	Schedule 2 establishes 5 priorities, year-round.
Cottonwood	6903	12-01-64	CA	7-01-77 ^{b/}	8	<u>d/</u>	Water rights based on a percentage of flow in an equal priority.
Owl	2410	5-29-29	CA	9-11-29	8	41.70	21 priorities; all year round but 8th priority, under which each of 3 owners receives his allotment for an 8-day period. Appropriative License No. 2842, 3.54 cfs.
Rader	3626	6-04-37	CR	6-12-37	6	21.00	7 priorities. 7th is for surplus water. Diversions No. 1, 3, 6, and 7 have seasonal limitations.
Eagle	2304 3284	4-05-26 11-05-37	CA CR	1-10-39	36	30.57	Decree No. 3284 added rights in all priority classes, and established 4 classes. 4.50 cfs right of Bedford Corp. is for use March 1 to July 1. Eagleville 'town users', Schedule 2 may divert through Gee & Grider ditches March 16 to October 14 each year. Set 1st priority rights of Gee & Grider ditches, Par. XVIII & XVIII, for use April 15 to October 1.
Emerson	2840	3-25-30	CR	4-11-30	10	24.65	4 priorities, 1st is for year-round use, others April 1 to September 30.

a/ S-Statutory, CR-Court Reference, CA-Court Adjudication.

b/ Added to existing Surprise Valley service area.

c/ Appropriative rights junior to the decreed rights.

d/ See remarks.

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 34

1987 Daily Mean Discharge
(In cubic feet per second)

BIDWELL CREEK NEAR FORT BIDWELL

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	8.7	21	55	22	8.8	5.2	3.2
2	9.1	24	51	21	8.5	5.0	3.2
3	10	25	52	26	8.3	4.8	3.2
4	11	24	51	23	8.0	4.8	3.2
5	14	23	58	21	7.7	4.8	3.2
6	16	23	65	20	7.6	4.8	3.2
7	15	25	70	18	7.2	4.7	3.1
8	14	30	75	16	7.2	4.6	3.2
9	13	34	69	16	7.0	4.3	3.1
10	12	33	64	15	6.9	4.3	3.1
11	12	32	59	19	6.7	4.2	3.0
12	17	32	54	16	6.3	4.1	3.0
13	21	35	50	16	6.0	4.2	2.9
14	18	41	47	15	5.8	4.4	3.0
15	16	42	44	19	5.7	4.7	3.1
16	15	38	42	17	5.6	4.3	3.2
17	16	36	39	16	6.9	4.1	3.2
18	17	36	37	14	13	3.9	3.1
19	16	39	36	13	9.4	3.8	3.0
20	15	42	34	12	8.5	3.7	2.8
21	14	45	34	12	8.9	3.8	2.7
22	14	49	36	11	9.4	3.7	2.7
23	13	56	36	11	8.3	3.7	2.6
24	13	62	32	11	7.6	3.6	2.7
25	13	66	31	9.9	7.0	3.6	2.8
26	13	56	29	9.8	6.6	3.5	2.9
27	14	50	29	9.6	6.3	3.4	2.9
28	14	49	27	9.5	6.0	3.4	2.9
29	15	54	25	9.2	5.8	3.3	2.8
30	15	54	24	9.1	5.7	3.2	2.7
31	17		23		5.7	3.2	
MEAN	14.2	39.2	44.5	15.2	7.4	4.1	3.0
AC-FT	874	2333	2733	907	453	252	178

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 35

1987 Daily Mean Discharge
(In cubic feet per second)

MILL CREEK ABOVE ALL DIVERSIONS

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		8.6	25	8.0	2.6	1.4	0.7
2		9.0	24	6.8	2.5	1.4	0.7
3		11	24	6.5	2.5	1.3	0.7
4		9.6	24	6.3	2.4	1.3	0.7
5		9.6	23	6.0	2.2	1.2	0.7
6		10	19	5.9	2.0	1.1	0.7
7		11	21	6.1	2.0	1.1	0.7
8		11	22	6.0	2.0	1.1	0.7
9		12	22	6.1	2.0	1.0	0.7
10		13	24	5.8	1.9	1.0	0.7
11		13	22	5.2	1.8	1.0	0.7
12		13	22	5.1	1.7	1.1	0.7
13		14	21	4.8	1.7	1.0	0.6
14		15	21	4.8	1.6	1.0	0.6
15		16	17	4.6	1.5	1.0	0.6
16		17	15	4.7	3.5	1.0	0.6
17		15	15	4.6	3.0	1.0	0.6
18		14	14	4.3	2.5	1.0	0.6
19		11	13	4.2	2.4	0.9	0.6
20		10	12	4.0	2.5	0.9	0.6
21		15	12	3.9	2.4	0.9	0.5
22		17	11	3.9	2.5	0.9	0.5
23		18	9.3	3.6	2.4	0.9	0.5
24		19	9.2	3.3	2.4	0.9	0.5
25		19	12	3.2	2.2	0.8	0.5
26		19	11	3.3	2.0	0.8	0.5
27		21	10	3.2	1.9	0.8	0.5
28		22	9.0	3.2	1.9	0.8	0.5
29		24	8.0	3.0	1.7	0.8	0.5
30		26	7.6	2.8	1.7	0.8	0.5
31			7.5		1.6	0.8	
MEAN		14.8	16.3	4.8	2.2	1.0	0.6
AC-FT		878	1005	284	133	61	36

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 36

1987 Daily Mean Discharge
(In cubic feet per second)

SOLDIER CREEK ABOVE ALL DIVERSIONS

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		9.5	18	3.4	2.0	1.5	0.9
2		10	12	3.1	2.0	1.4	0.9
3		9.9	10	3.0	1.7	1.4	0.9
4		9.5	10	2.8	1.8	1.4	0.9
5		9.7	9.9	2.7	1.7	1.3	1.0
6		13	9.5	2.7	1.7	1.3	1.0
7		15	10	7.6	1.6	1.3	0.9
8		15	10	4.1	1.6	1.2	0.9
9		15	9.5	3.4	1.6	1.2	0.9
10		26	8.5	3.1	1.6	1.2	0.9
11		16	8.2	3.0	1.5	1.1	0.9
12		13	7.8	3.0	1.5	1.2	0.8
13		14	7.2	2.7	1.5	1.2	0.8
14		20	6.7	2.8	1.4	1.2	0.8
15		22	6.3	3.4	1.4	1.2	0.8
16		23	6.3	3.1	1.5	1.2	0.8
17		18	6.0	2.7	4.9	1.2	0.8
18		13	5.3	2.6	6.7	1.2	0.8
19		10	5.1	2.3	6.7	1.1	0.8
20		9.9	4.6	2.3	3.0	1.1	0.8
21		14	4.3	2.1	2.4	1.1	0.8
22		18	4.0	2.1	2.2	1.1	0.8
23		16	3.8	2.2	2.0	1.1	0.8
24	1/	20	3.8	2.1	1.8	1.1	0.8
25	5.8	22	4.6	2.0	1.7	1.0	0.8
26	6.1	25	5.8	2.0	1.7	1.0	0.8
27	5.4	26	4.8	2.1	1.6	1.0	0.8
28	5.3	23	4.1	2.0	1.6	1.0	0.8
29	5.4	27	3.7	2.0	1.5	0.9	0.8
30	6.1	23	3.7	2.0	1.6	0.9	0.8
31	7.8		3.5		1.5	0.9	
MEAN		16.8	7.0	2.8	2.2	1.2	0.8
AC-FT		1003	430	167	133	71	50

1/ No record before March 25

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 37

1987 Daily Mean Discharge
(In cubic feet per second)

PINE CREEK AT DIVERSION OF NORTH AND SOUTH CHANNELS

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		6.7	4.1				
2		5.7	3.8				
3		4.7	3.6				
4		4.7	3.5				
5		5.7	3.5				
6		7.3	3.4				
7		9.5	3.4				
8		10	2.9				
9		9.0	2.9				
10		13	2.9				
11		9.5	2.6				
12		6.7	2.4				
13		7.3	2.2				
14		9.0	2.0				
15		9.2	1.9				
16		8.7	1.7				
17		7.1	1.5				
18		5.4	1.3				
19	<u>1/</u>	4.4	1.1				
20	3.1	4.7	0.9				
21	3.0	4.9	0.8				
22	2.8	5.1	0.7				
23	2.5	4.3	0.6				
24	2.4	4.0	0.5				
25	2.1	3.9	0.4				
26	2.2	3.8	0.4				
27	2.2	3.7	0.3				
28	2.0	3.6	0.2				
29	1.9	3.4	<u>2/</u>				
30	2.5	4.5					
31	3.5						
MEAN		6.3					
AC-FT		376					

1/ No record before March 20
2/ No flow after May 28

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 38

1987 Daily Mean Discharge
(In cubic feet per second)

CEDAR CREEK AT CEDARVILLE

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	1.3	6.4	9.4	2.2	0.9	0.3	0.1
2	1.4	6.8	8.2	1.9	0.8	0.3	0.1
3	1.8	7.9	7.9	1.8	0.8	0.2	0.1
4	2.4	7.5	8.0	1.7	0.6	0.2	0.1
5	3.5	7.5	7.8	1.6	0.6	0.2	0.1
6	4.1	8.6	7.6	3.0	0.6	0.2	0.1
7	3.9	9.0	7.4	2.3	0.6	0.2	0.1
8	3.7	8.9	7.0	1.9	0.6	0.2	0.1
9	3.5	8.9	6.7	1.6	0.5	0.2	0.1
10	3.4	10	6.4	1.5	0.5	0.1	0.1
11	3.5	11	6.1	1.4	0.5	0.1	0.1
12	5.9	9.2	5.7	1.4	0.4	0.1	0.1
13	7.5	8.5	5.2	1.5	0.4	0.1	0.1
14	5.7	8.5	4.8	1.4	0.3	0.1	0.1
15	5.3	9.0	4.5	1.4	0.3	0.2	0.1
16	5.2	8.9	4.5	1.4	0.3	0.1	0.1
17	5.9	8.5	4.6	1.4	0.6	0.1	0.2
18	7.2	8.4	4.3	1.3	1.5	0.1	0.1
19	6.1	7.7	3.7	1.2	1.6	0.1	0.1
20	5.7	7.3	3.4	1.1	1.3	0.1	0.1
21	5.5	6.9	3.2	1.1	1.0	0.1	0.1
22	5.2	6.8	3.0	1.0	0.8	0.1	0.1
23	5.3	6.8	3.0	1.0	0.6	0.1	0.1
24	5.1	6.7	2.8	1.0	0.5	0.1	0.1
25	5.0	6.7	3.1	0.9	0.5	0.1	0.1
26	5.2	6.7	4.7	0.9	0.4	0.1	0.1
27	5.2	6.8	3.7	0.8	0.4	0.1	0.2
28	5.1	7.1	3.0	0.8	0.4	0.1	0.2
29	5.2	7.6	2.7	0.8	0.3	0.1	0.1
30	5.3	9.5	2.5	0.8	0.3	0.1	0.1
31	5.7		2.5		0.3	0.1	
MEAN	4.7	8.0	5.1	1.4	0.6	0.1	0.1
AC-FT	287	476	312	84	38	9	7

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 39

1987 Daily Mean Discharge
(In cubic feet per second)

NORTH DEEP CREEK ABOVE ALL DIVERSIONS

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		3.7	5.7	1.1	0.6	0.4	0.3
2		4.1	5.0	1.0	0.6	0.3	0.3
3		4.3	4.5	0.9	0.6	0.3	0.3
4		4.1	4.1	0.9	0.6	0.3	0.3
5		4.3	3.7	0.9	0.6	0.3	0.3
6		5.0	3.4	0.8	0.5	0.3	0.3
7		5.4	3.1	0.9	0.5	0.3	0.3
8		5.7	3.1	1.2	0.5	0.3	0.3
9		5.0	2.7	0.9	0.5	0.3	0.3
10		3.9	2.3	0.9	0.5	0.3	0.3
11		5.2	2.3	0.9	0.5	0.3	0.3
12		4.7	2.2	0.9	0.4	0.3	0.3
13		4.7	2.0	0.8	0.4	0.3	0.3
14		5.9	1.6	0.8	0.4	0.3	0.3
15		6.9	1.9	0.8	0.4	0.3	0.3
16		7.4	2.2	0.7	0.5	0.3	0.3
17		6.2	1.9	0.6	2.2	0.3	0.3
18		4.7	1.6	0.6	1.2	0.3	0.3
19		4.1	1.4	0.6	1.0	0.3	0.3
20		4.0	1.3	0.6	0.9	0.3	0.3
21		4.1	1.2	0.6	0.9	0.3	0.3
22		4.7	1.2	0.6	0.8	0.3	0.3
23		4.7	1.3	0.6	0.7	0.3	0.3
24		5.0	1.2	0.6	0.6	0.3	0.3
25		5.0	2.2	0.6	0.6	0.3	0.3
26		5.2	1.9	0.6	0.4	0.3	0.3
27		5.7	1.4	0.6	0.4	0.3	0.3
28		5.4	1.2	0.6	0.4	0.3	0.3
29		6.2	1.1	0.6	0.4	0.3	0.3
30		7.6	1.1	0.6	0.4	0.3	0.3
31			1.2		0.4	0.3	
MEAN		5.1	2.3	0.8	0.6	0.3	0.3
AC-FT		303	141	45	38	19	18

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 40

1987 Daily Mean Discharge
(In cubic feet per second)

SOUTH DEEP CREEK BELOW NO. 2 DIVERSION

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		4.7	6.7	1.4	0.7	0.5	0.3
2		5.1	6.0	1.3	0.7	0.4	0.3
3		5.3	5.5	1.2	0.7	0.4	0.3
4		5.1	5.1	1.1	0.7	0.4	0.3
5		5.3	4.7	1.1	0.7	0.4	0.3
6		6.0	4.4	1.0	0.6	0.4	0.3
7		6.4	4.1	1.1	0.6	0.4	0.3
8		6.7	4.1	1.6	0.6	0.4	0.3
9		6.0	3.6	1.1	0.6	0.4	0.3
10		7.9	3.1	1.2	0.6	0.4	0.3
11		6.2	3.1	1.2	0.6	0.4	0.3
12		5.7	2.9	1.1	0.5	0.4	0.3
13		5.7	2.7	1.0	0.5	0.4	0.3
14		6.9	2.2	1.0	0.5	0.4	0.3
15		7.9	2.5	1.0	0.5	0.4	0.3
16		8.7	2.9	0.9	0.6	0.4	0.3
17		7.2	2.5	0.8	2.9	0.4	0.3
18		5.7	2.2	0.8	1.6	0.4	0.3
19		5.1	1.9	0.8	1.3	0.4	0.3
20		5.0	1.7	0.8	1.2	0.4	0.3
21		5.1	1.6	0.8	1.1	0.4	0.3
22		5.7	1.6	0.8	1.0	0.4	0.3
23		5.7	1.7	0.8	0.9	0.4	0.3
24		6.0	1.5	0.8	0.8	0.4	0.3
25		6.0	2.9	0.8	0.7	0.4	0.3
26		6.2	2.5	0.8	0.5	0.3	0.3
27		6.7	1.9	0.8	0.5	0.3	0.3
28		6.4	1.5	0.7	0.5	0.3	0.3
29		7.2	1.4	0.7	0.5	0.3	0.3
30		9.1	1.4	0.7	0.5	0.3	0.3
31			1.5		0.5	0.3	
MEAN		6.2	3.0	1.0	0.8	0.4	0.3
AC-FT		370	181	58	48	24	18

SURPRISE VALLEY WATERMASTER AREA

TABLE 41

1987 Daily Mean Discharge
(In cubic feet per second)

COTTONWOOD CREEK FLUME BELOW PAGE DITCH

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		5.5	18	8.5	3.5	2.0	1.0
2		7.1	15	8.5	3.2	2.0	1.0
3		7.8	13	9.2	3.2	2.0	0.9
4		7.9	13	9.2	3.2	1.8	0.9
5		7.1	14	9.9	3.0	1.7	0.9
6		6.5	15	9.9	3.0	1.6	0.9
7		5.5	17	9.9	3.0	1.6	0.9
8		7.8	17	9.9	3.2	1.5	0.9
9		8.1	18	8.5	3.0	1.4	0.9
10		8.1	19	8.3	3.0	1.4	0.9
11		13	19	8.2	3.0	1.4	0.9
12		8.5	20	7.9	2.8	1.4	0.9
13		8.3	23	7.9	2.8	1.4	0.9
14		8.5	22	7.8	2.8	1.4	0.8
15		13	20	8.2	2.8	1.4	0.8
16		13	22	8.1	2.7	1.3	0.8
17		14	26	7.9	3.5	1.3	0.8
18		13	20	7.9	8.2	1.3	0.8
19		11	17	7.1	7.8	1.3	0.8
20		9.2	17	6.5	4.4	1.2	0.8
21		9.9	13	5.9	3.7	1.2	0.8
22		13	13	4.4	3.7	1.2	0.8
23		12	12	4.4	3.2	1.2	0.8
24		12	12	3.7	2.8	1.2	0.8
25		13	12	3.7	2.6	1.1	0.8
26		13	13	3.5	2.4	1.1	0.8
27		15	12	3.5	2.2	1.0	0.8
28		18	9.9	3.5	2.1	1.0	0.8
29		22	9.2	3.2	2.1	1.0	0.8
30		27	9.2	3.5	2.0	1.0	0.8
31			9.9		2.0	1.0	
MEAN		11.3	15.8	7.0	3.3	1.4	0.8
AC-FT		670	972	414	200	84	51

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 42

1987 Daily Mean Discharge
(In cubic feet per second)

OWL CREEK BELOW ALLEN-ARRECHE DITCH

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		4.9	29	10	3.9	2.3	0.9
2		6.4	25	10	3.7	2.3	0.9
3		7.0	21	11	3.7	2.3	0.8
4		7.5	22	11	3.7	2.0	0.8
5		6.4	23	12	3.6	1.9	0.8
6		5.8	25	12	3.6	1.8	0.8
7		4.9	27	12	3.6	1.8	0.8
8		7.0	28	12	3.7	1.7	0.8
9		8.0	29	10	3.6	1.6	0.8
10		8.0	30	9.2	3.6	1.6	0.8
11		20	31	8.5	3.6	1.6	0.8
12		10	32	7.5	3.4	1.6	0.8
13		9.2	35	7.5	3.4	1.6	0.8
14		10	34	7.0	3.4	1.6	0.7
15		19	32	8.5	3.4	1.5	0.7
16		22	34	8.0	3.3	1.4	0.7
17		23	42	7.5	3.9	1.4	0.7
18		18	32	7.5	8.5	1.3	0.7
19		13	28	6.4	7.0	1.3	0.7
20		11	27	5.8	4.4	1.2	0.7
21		12	22	5.3	4.0	1.2	0.7
22		18	18	4.4	4.0	1.2	0.7
23		16	16	4.4	3.7	1.2	0.7
24		17	16	4.0	3.4	1.2	0.7
25		20	15	4.0	3.2	1.1	0.7
26		22	18	3.9	2.9	1.1	0.7
27		25	15	3.9	2.7	1.0	0.7
28		29	12	3.9	2.5	1.0	0.7
29		34	11	3.7	2.5	0.9	0.7
30		43	11	3.9	2.4	0.9	0.7
31			12		2.4	0.9	
MEAN		15.2	24.3	7.5	3.7	1.5	0.8
AC-FT		907	1492	446	228	90	45

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 43

1987 Daily Mean Discharge
(In cubic feet per second)

RADAR CREEK ABOVE ALL DIVERSIONS

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1		2.5	20	8.6	3.5	2.4	1.1
2		2.6	18	8.6	3.5	2.4	1.1
3		3.0	18	8.6	3.2	2.1	1.1
4		2.4	16	8.6	3.2	2.1	1.1
5		2.9	14	8.2	2.9	2.1	1.1
6		3.5	13	8.6	2.9	2.1	1.1
7		3.6	15	8.6	3.8	2.1	1.1
8		5.5	16	8.2	3.5	2.1	0.9
9		7.5	16	8.2	3.2	2.1	0.9
10		9.0	17	7.8	3.2	1.8	0.9
11		8.4	16	7.8	2.9	1.8	0.7
12		8.6	18	7.4	2.6	1.8	0.7
13		8.8	18	7.4	2.6	1.8	0.7
14		8.3	18	7.0	2.4	1.8	0.7
15		8.5	17	6.6	2.4	1.6	0.7
16		8.8	19	6.3	2.1	1.6	0.7
17		8.2	18	5.9	5.2	1.6	0.6
18		7.2	16	5.5	4.5	1.4	0.6
19		6.5	15	5.2	4.5	1.4	0.6
20		6.2	15	4.8	4.2	1.4	0.6
21		6.0	14	4.8	4.2	1.4	0.6
22		6.8	14	4.5	3.8	1.4	0.6
23		8.0	13	4.5	3.5	1.1	0.6
24		8.0	13	4.5	3.2	1.1	0.6
25		10	12	4.2	3.2	1.1	0.4
26		11	11	4.2	2.9	1.1	0.4
27		12	9.9	4.2	2.9	1.1	0.4
28		15	9.0	3.8	2.6	1.1	0.4
29		16	8.6	3.8	2.6	1.1	0.4
30		17	9.0	3.5	2.6	1.1	0.4
31			8.6		2.4	1.1	
MEAN		7.7	15.0	6.3	3.2	1.6	0.7
AC-FT		460	903	377	199	100	43

1/ No record before June 1.

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 44

1987 Daily Mean Discharge
(In cubic feet per second)

EAGLE CREEK AT EAGLEVILLE

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	1.5	0.8	24	6.8E	4.2	3.3	2.4
2	1.3	1.1	19	6.6E	4.1	3.2	2.4
3	1.3	1.4	17	6.4E	4.0	3.2	2.4
4	2.0	0.6	19	6.2E	3.9	3.1	2.3
5	2.4	0.6	22	6.0E	3.9	3.0	2.1
6	3.2	1.8	25	6.0E	3.8	3.0	2.1
7	3.2	3.7	27	6.3E	3.6	3.0	2.1
8	3.2	4.8	31	6.5E	3.3	3.0	2.1
9	3.1	5.3	33E	6.3E	3.4	2.9	2.1
10	3.1	6.6	34E	6.2E	3.7	2.8	2.1
11	3.1	7.5	34E	6.0E	3.6	2.7	2.1
12	3.7	6.3	30	5.5E	3.5	2.6	2.1
13	3.8	7.0	17	5.0E	3.3	2.6	2.0
14	3.4	8.8	26E	5.0E	3.1	2.7	2.1
15	3.3	11	24E	6.6E	3.0	2.7	2.1
16	3.2	13	25E	6.6E	3.0	2.7	2.1
17	3.2	12	26E	6.5E	3.6	2.7	2.2
18	3.3	9.8	25E	6.4E	5.2	2.6	2.2
19	3.1	7.9	20E	6.3E	5.4	2.6	2.1
20	1.9	7.8	18E	6.1E	4.8	2.6	2.1
21	0.8	9.1	17	5.9E	4.8	2.6	2.1
22	0.6	12	16	5.6E	4.6	2.6	2.1
23	1.2	12	15	5.3E	4.3	2.5	2.1
24	1.3	12	14	5.1E	4.0	2.5	2.1
25	0.7	11	13	4.9E	3.9	2.4	2.1
26	1.4	18	12	4.6E	3.7	2.4	2.1
27	0.6	25	11	4.4E	3.6	2.4	2.2
28	0.6	31	10	4.4E	3.5	2.4	2.2
29	0.7	37 E	9.0	4.3E	3.4	2.3	2.2
30	1.4	35 E	8.0	4.2E	3.4	2.3	2.1
31	1.1		7.0		3.4	2.3	
MEAN	2.2	10.7	20.3E	5.7E	3.8	2.7	2.2
AC-FT	132	635	1243E	351E	236	166	128

E - Estimated

SURPRISE VALLEY WATERMASTER SERVICE AREA

TABLE 45

1987 Daily Mean Discharge
(In cubic feet per second)

EMERSON CREEK ABOVE ALL DIVERSIONS

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	3.5	5.5	13	5.2	1.8	1.9	2.1
2	3.5	5.9	12	4.7	1.9	1.8	2.2
3	3.8	6.2	11	4.5	1.8	1.8	2.3
4	3.9	5.9	11	4.3	1.7	1.8	2.3
5	4.3	5.7	11	4.0	1.7	1.9	2.3
6	4.4	5.9	10	3.9	1.7	1.9	2.3
7	4.2	6.4	10	4.2	1.6	2.0	2.3
8	4.2	6.7	9.7	4.4	1.6	2.0	2.3
9	4.0	7.1	9.7	4.1	1.6	1.9	2.3
10	3.9	8.0	9.6	3.9	1.5	1.9	2.3
11	4.1	9.2	9.7	3.7	1.5	1.9	2.2
12	5.4	8.3	8.7	3.4	1.5	1.9	2.2
13	6.2	8.0	8.8	3.1	1.4	1.9	2.2
14	5.4	8.8	8.6	3.1	1.3	2.0	2.2
15	5.1	9.8	8.4	4.0	1.3	2.0	2.2
16	4.9	11	9.1	4.0	1.3	2.0	2.2
17	5.2	11	9.9	3.7	1.8	2.0	2.1
18	5.4	9.9	9.1	3.6	3.8	1.9	2.1
19	5.0	8.8	8.8	3.4	4.3	1.9	2.1
20	6.4	8.4	8.3	2.7	3.6	1.8	2.1
21	4.8	8.5	7.8	2.7	3.3	1.9	2.1
22	4.9	9.5	7.3	2.6	3.4	1.9	2.1
23	4.8	9.7	7.1	2.5	3.0	1.9	2.1
24	4.8	10	6.9	2.2	2.7	1.9	2.1
25	4.8	10	6.8	2.1	2.6	1.9	2.1
26	4.9	11	7.5	2.0	2.3	1.9	2.0
27	4.8	12	6.7	2.0	2.2	1.9	2.0
28	4.8	12	6.1	2.0	2.1	1.9	2.0
29	4.7	13	5.8	1.9	2.0	2.0	2.0
30	4.9	15	5.7	1.9	2.0	2.0	2.0
31	5.2		5.6		2.0	2.1	
MEAN	4.7	8.9	8.7	3.3	2.1	1.9	2.2
AC-FT	290	530	535	198	132	118	128

SUSAN RIVER WATERMASTER SERVICE AREA

The Susan River service area is in southern Lassen County near Susanville. The main area of water use is in Honey Lake Valley between Susanville and the northwest shore of Honey Lake, a stretch of about 25 miles. The valley floor is at an elevation of about 4,000 feet. Water comes from three stream systems: Susan River, Baxter Creek, Parker Creek, and their respective tributaries.

The Susan River originates on the east slope of the Sierra Nevada just east of Lassen National Park at an elevation of about 7,900 feet. It runs east from Silver Lake through McCoy Flat Reservoir, the town of Susanville, and then to Honey Lake.

The river has four major tributaries: Piute Creek, entering from the north at Susanville; Gold Run and Lassen Creeks, entering from the south between Susanville and Johnstonville; and Willow Creek, entering from the north above Standish. Gold Run and Lassen Creeks rise on the north slope of Diamond Mountain at an elevation of about 7,600 feet. The watersheds of Piute and Willow Creeks are on the south slopes of Round Valley Mountain at lower elevations.

The Susan River divides into three channels, a short distance below its confluence with Willow Creek. The channels are Tanner Slough Channel on the north, Old Channel in the middle, and Dill Slough Channel on the south. Hartson Slough and Whitehead Slough divert from Dill Slough on its south bank, further downstream.

The Baxter Creek stream system is in Honey Lake Valley on the east side of the Sierra Nevada, about 10 miles southeast of Susanville. The main creeks in the system are Baxter Creek, which rises on the west side of the basin and flows east, and Elesian, Sloss, and Bankhead Creeks, tributaries of Baxter Creek from the south.

Parker Creek is also in Honey Lake Valley on the east slope of the Sierra Nevada, about 15 miles southeast of Susanville. It rises on the east side of Diamond Mountain and flows east for about 5 miles into Honey Lake.

Basis of Service

The waters of Susan River and its tributaries are distributed according to the water rights defined in Decree No. 4573, Lassen County Superior Court, entered on April 18, 1940. Schedule 3 of the decree defines the rights to the use of water from Willow Creek in Willow Creek Valley, Lower Willow Creek, and the Susan River delta below the Colony Dam. Schedule 4 of the decree defines the rights to the use of water from Gold Run, Piute, Hills, Holtzclaw, and Lassen Creeks above their confluence with the Susan River. Schedules 5 and 6 of the decree define the rights to the use of water from the Susan River, exclusive of its tributaries. The decree establishes three priority classes each on Susan River and Gold Run Creek, two on Willow Creek, and one each on Piute and Hills Creeks.

The water of Baxter Creek and its tributaries is distributed according to the water rights defined in the statutory adjudication as set forth in Decree No. 8174, Lassen County Superior Court, dated December 15, 1955. Schedule 3 of the decree defines the rights to the use of water from Sloss and Bankhead Creeks and Schedule 4 the rights to the use of water from Baxter and Elesian Creeks. The Baxter Creek rights are divided into five priority classes.

The water of Parker Creek and its tributaries is distributed according to the water rights defined by a statutory adjudication as set forth in Decree No. 8175, Lassen County Superior Court, dated December 15, 1955. Schedule 3 of the decree defines the rights to the use of water from Parker Creek, with four priority classes.

The Susan River watermaster service area was created by order of the Division of Water Resources on November 10, 1941. The Baxter and Parker Creek stream systems were added to the Susan River service area on February 16, 1956.

Water Supply

Water in the Susan River service area comes from two major sources: snowmelt runoff and springs. Snowpack in the Willow Creek Valley and Piute Creek watersheds, which contain more than half the Susan River stream system, melts early in the spring and is usually depleted by May 1. Irrigation requirements from this part of the stream system are then almost entirely dependent on the flow of springs that are relatively constant throughout the year.

Under average flow conditions, Lassen Gold Run, Baxter, and Parker Creeks and the Susan River above Susanville are sustained by snowmelt runoff until early June. The flow from perennial springs in this portion of the system is comparatively small.

The Lassen Irrigation Company stores supplemental water in Hog Flat and McCoy Flat Reservoirs, on the headwaters of the Susan River. This stored water is released into the Susan River Channel and joins the natural flow, usually during June and July. It is then rediverted into Lake Leavitt for further distribution by the irrigation company.

Records of daily mean discharge of the several stream gaging stations in the service area are presented in Tables 46 through 51, pages 103 through 108.

Method of Distribution

A major portion of the irrigation in the Susan River service area is done by flooding. Water is supplied to the area from the Susan River, tributaries to the river, and other minor streams. The distribution of water is provided by a system of diversion dams, canals and ditches. Included in the operation of the service area are three reservoirs owned and operated by the Lassen Irrigation Company which are McCoy Flat Reservoir, Hog Flat Reservoir, and Lake Leavitt.

1987 Distribution

This is the 47th annual report on watermaster service in the Susan River watermaster service area and covers the period of distribution beginning March 1 and continued until November 1. Virgil Buechler, Water Resources Engineering Associate, was the watermaster.

Streamflow conditions for the service area were near a drought level for 1987.

Parker Creek

First priority water rights were served through April and then dried up to a spring-fed trickle for the upper users.

Baxter Creek

Streamflow of Baxter Creek was below normal and water did not reach the users below the Long Ditch. Baxter Creek went dry above the upper diversion at the Boys Camp.

Hills Creek

The water supply in Hills Creek was insufficient to fill Emerson Lake.

Gold Run Creek

The water supply in Gold Run Creek was sufficient to fill second priority through May 1. By July 4, the flow had declined to 1.5 cfs. The creek had decreased to 0.7 cfs by mid-August and remained there until December. The first rain of the season finally arrived December 10.

Piute Creek

The spring-fed water supply was sufficient to satisfy all allotments and provide most of the first priority to the Old Channel users.

Lassen Irrigation Company Reservoirs

The McCoy Flat Reservoir total inflow was 2,040 acre-feet and was released from May 5 through June 1 to Lake Leavitt. Hog Flat Reservoir total inflow was 533 acre-feet and was released from April 20 through May 8. Lake Leavitt never reached full capacity this season.

Lower Susan River

The flow of Susan River above Willow Creek at Chappius Lane decreased to 0 cfs on August 1 and remained dry for the remainder of the season or about December 1. The Department, in conjunction with Lassen Irrigation Company, constructed two 8-foot parshall flumes at the Old Colony Dam site located at the confluence of the Susan River and Willow Creek. The structures were installed to monitor flow in each channel, thereby providing an accurate means for administering water to Lassen Irrigation Company and lower Susan River users.

Lassen Holtzslaw Creek

Dr. Tangeman stated that Lassen Creek has dried up at his barn only a few times in the last 80 years. He can add another time this year.

Willow Creek

The Neuhaus-Jacob Ditch recorder was operated from April 1 to November 15. The Barron Ranch is demanding the flows increase to the 6 cfs winter storage right on November 1.

There was a long period in August and September when the lower Schedule 3 users were not receiving their percentage of second priority water. The springs in lower Willow Creek dropped to 5 cfs on August 6 and remained there until October 1.

SUSAN RIVER WATERMASTER SERVICE AREA

TABLE 46

1987 Daily Mean Discharge
(In cubic feet per second)

SUSAN RIVER AT SUSANVILLE

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	22	52	50	15	4.6	4.0	2.9
2	24	57	47	14	4.5	4.3	1.3
3	24	68	44	13	4.4	4.4	3.4
4	33	62	41	13	4.4	4.3	3.8
5	64	60	88	12	4.3	4.5	3.7
6	92	61	112	11	4.1	4.5	3.7
7	77	62	108	13	4.0	4.5	3.7
8	68	63	107	13	3.9	4.7	3.5
9	59	64	111	13	3.8	4.7	3.5
10	54	64	107	11	3.8	4.7	4.7
11	54	72	102	10	3.8	4.7	4.7
12	228	64	99	10	3.8	5.0	4.8
13	258	59	96	8.3	3.8	5.2	5.0
14	132	59	94	7.5	3.7	5.1	4.9
15	96	59	92	7.6	3.7	5.7	4.7
16	76	58	103	7.9	3.9	5.9	4.3
17	69	57	112	7.6	5.4	3.8	4.1
18	82	56	96	6.9	8.4	3.4	4.7
19	67	48	91	6.9	7.8	3.2	4.3
20	57	45	90	6.6	6.4	3.3	3.7
21	55	58	87	6.9	6.0	3.4	3.7
22	51	58	87	7.0	5.9	3.6	3.5
23	51	57	86	6.9	5.7	2.7	3.3
24	46	61	81	6.7	5.6	4.2	3.1
25	45	61	80	6.5	4.9	5.6	3.0
26	45	59	81	6.5	4.6	3.7	4.2
27	44	59	78	6.6	4.5	2.5	6.3
28	42	58	70	5.9	4.5	2.8	5.7
29	41	57	42	5.1	4.5	1.2	5.8
30	42	59	25	4.9	4.4	1.3	4.6
31	47		20		4.5	1.4	
MEAN	69.2	59.2	81.5	9.0	4.8	4.0	4.1
AC-FT	4250	3520	5010	536	293	243	243

SUSAN RIVER WATERMASTER SERVICE AREA

TABLE 47

1987 Daily Mean Discharge
(In cubic feet per second)

GOLD RUN CREEK NEAR SUSANVILLE

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	2.0	5.8	8.6	3.0	1.6		
2	2.0	5.8	8.0	3.0	1.6		
3	2.0	5.9	8.0	2.8	1.5		
4	4.0	5.8	8.0	2.8	1.5		
5	5.2	5.8	8.0	2.8	1.5		
6	4.1	6.0	8.0	2.8	1.5		
7	4.1	5.9	8.0	2.8	1/		
8	3.8	8.1	8.0	2.8			
9	3.6	8.1	7.8	2.4			
10	3.6	11	6.0	2.4			
11	3.6	20 E	6.0	2.3			
12	20 E	20 E	6.0	2.3			
13	20	14	6.0	2.3			
14	17	14	6.0	2.3			
15	8.0	20 E	6.0	2.3			
16	6.0	20 E	6.0	2.3			
17	6.0	20 E	6.0	2.2			
18	6.8	20 E	6.0	2.2			
19	5.4	13	4.6	2.2			
20	5.4	9.0	4.8	2.2			
21	6.0	9.0	4.6	2.2			
22	5.4	12	4.6	2.2			
23	4.9	12	4.6	2.2			
24	4.9	20 E	4.4	2.2			
25	4.9	20 E	3.9	1.6			
26	4.9	12	3.9	1.6			
27	4.9	12	3.9	1.6			
28	4.9	14	3.9	1.6			
29	4.9	8.6	3.9	1.6			
30	4.9	8.6	3.0	1.6			
31	5.6		3.0				
MEAN	6.1	12.2E	5.8	2.3			
AC-FT	374	723E	357	137			

1/ Flows below 1.5 cfs for remainder of season
E - Estimated

SUSAN RIVER WATERMASTER SERVICE AREA

TABLE 48

1987 Daily Mean Discharge
(In cubic feet per second)

WILLOW CREEK NEAR SUSANVILLE

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	28	29	20	12	8.6	10	5.2
2	25	25	22	11	8.3	9.4	5.2
3	31	16	22	11	8.1	8.2	5.5
4	32	16	23	11	7.9	7.8	5.5
5	32	20	21	10	7.9	6.6	5.6
6	31	24	20	10	7.9	6.0	5.6
7	30	26	20	10	8.1	5.9	5.7
8	30	27	19	10	8.1	5.7	5.8
9	31	26	23	9.9	8.1	5.8	6.0
10	30	25	25	9.6	8.9	5.8	6.0
11	29	25	23	9.6	10	5.6	6.1
12	39	23	21	9.2	10	5.6	6.6
13	76	23	20	9.0	10	5.5	6.3
14	62	23	19	9.1	10	6.5	6.1
15	50	20	18	9.0	10	6.0	5.9
16	43	17	20	9.3	9.6	5.5	5.7
17	39	15	25	9.3	10	5.3	5.7
18	38	14	27	9.5	11	5.3	5.6
19	38	14	25	9.6	10	5.4	5.7
20	36	13	22	9.6	10	5.3	5.7
21	36	12	22	9.5	10	5.2	6.2
22	37	13	22	9.5	9.9	5.2	5.6
23	36	13	18	9.5	8.2	5.1	5.5
24	35	14	16	9.2	7.7	5.1	5.3
25	34	15	20	9.2	7.4	5.1	5.7
26	33	17	21	9.3	7.7	5.1	5.9
27	32	18	17	9.4	10	5.1	5.8
28	32	17	14	9.2	10	5.2	6.0
29	32	18	13	9.1	10	5.0	6.5
30	31	20	12	8.9	10	5.0	8.2
31	29		12		10	5.0	
MEAN	36.0	19.3	20.1	9.7	9.1	5.9	5.9
AC-FT	2220	1150	1230	576	562	364	349

SUSAN RIVER WATERMASTER SERVICE AREA

TABLE 49

1987 Daily Mean Discharge
(In cubic feet per second)

OPERATION OF MCCOY AND HOG FLAT RESERVOIRS

DAY	McCoy Flat Reservoir Inflow from Susan River		McCoy Flat Reservoir Release to Susan River	Hog Flat Reservoir Releases to Susan River	
	APRIL	MAY	MAY	APRIL	MAY
1		33			13
2		26			13
3		20			9.0
4		18	212/		2.0
5		18	86		1.0
6	1/	17	86		1.0
7	25	18	86		3/
8	32	16	86		
9	37	16	85		
10	40	14	84		
11	41	16	83		
12	38	16	82		
13	34	12	80		
14	32	10	80		
15	32	12	79		
16	30	19	78		
17	29	14	77		
18	28	9.0	76		
19	22	5.0	74	3/	
20	21	1.0	72	19	
21	20	1/	69	19	
22	22		69	19	
23	24		69	24	
24	24		68	27	
25	25		67	25	
26	27		61	24	
27	32		58	22	
28	33		31	19	
29	34		1.02/	17	
30	35			14	
31					
MEAN	29.9	15.5	67	20.9	6.6
AC-FT	1422	614	3588	455	78

1/ No record before April 7 and no flow after May 21

2/ Reservoir releases only from May 4 to May 29

NOTE: Instantaneous McCoy Flat Reservoir stage: May 4 = 6.2,
May 13 = 4.8, May 21 = 3.3 and May 25 = 2.0

3/ No releases before April 20 or after May 6.

SUSAN RIVER WATERMASTER SERVICE AREA

TABLE 50

1987 Daily Mean Discharge
(In cubic feet per second)

A AND B CANAL ABOVE LAKE LEAVITT

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1	27	1.0	0				
2	25	1.0	0				
3	26	5.0	0				
4	26	7.0	0				
5	29	8.0	22				
6	41	7.0	79				
7	80	10	65				
8	61	16	55				
9	45	9.0	60				
10	33	1.0	63				
11	26	0	70				
12	61	0	66				
13	170	0	61				
14	135	0	59				
15	101	0	66				
16	77	0	77				
17	75	0	100				
18	67	15	100				
19	63	17	82				
20	45	10	81				
21	41	0	75				
22	36	0	72				
23	30	0	72				
24	12	0	66				
25	1.0	5.0	61				
26	1.0	5.0	58				
27	1.0	0	55				
28	1.0	0	53				
29	1.0	0	42				
30	1.0	0	14				
31	1.0		1/				
MEAN	43.2	3.9	62.1				
AC-FT	2650	234	3320				

1/ No flow after May 30

SUSAN RIVER WATERMASTER SERVICE AREA

TABLE 51

1987 Daily Mean Discharge
(In cubic feet per second)

SUSAN RIVER AT CHAPPIUS LANE

DAY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER
1			28	5.0	2.0		
2			29	5.0	2.0		
3			19	5.0	2.0		
4	1.5 ₁ /		18	5.0	2.0		
5			12	5.0	2.0		
6			8.2	5.0	2.0		
7			8.2	5.0	2.0		
8			20	5.0	2.0		
9			14	5.0	2.0		
10			13	5.0	2.0		
11			8.2	5.0	2.0		
12			12	5.0	2.0		
13			9.0	5.0	2.0		
14			14	5.0	2.0		
15		13 ₂ /	6.0	4.0	2.0		
16		13	11	3.5	1.0		
17	10 ₁ /	22	80	3.5	1.0		
18		15	40	3.5	1.0		
19		11	29	3.0	1.0		
20		12	22	3.0	1.0		
21	15 ₁ /	15	24	3.0	3/		
22		21	25	3.0			
23		21	29	3.0			
24		20	24	2.5			
25		26	24	2.5			
26		27	22	2.5			
27		34	14	2.5			
28		20	14	2.5			
29		22	7.0	2.5			
30		25	5.0	2.0			
31			5.0				
MEAN	-	18.6	19.2	3.8			
AC-FT	-	630	1180	226			

1/ Instantaneous readings, Beaver Dam affects the control

2/ Beaver Dam removed on April 15

3/ Beavers building a dam in the river, flow below 1.0 cfs for remainder of season